


jaga

CLIMATE DESIGNERS

Heating 

IGUANA ARCO & VISIO € 2022.EX



jaga

CLIMATE DESIGNERS

IGUANA ARCO & VISIO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Arco and Visio the slim triangular radiant pipes are built with a slight curve, giving the Iguana a new look from any angle.

The Iguana Visio's many functions have been expanded by the addition of a mirror. Perfect for halls or bedrooms.

Also available as "Plus" version for low flow temperatures.



Top 10
Design
Award
Winner
2000

ISH 1999
DESIGN PLUS
DAILY HEATING NEWS

IGUANA VISIO aluminium 006, optional towel rail






IGUANA ARCO & VISIO

IGUANA ARCO

DIMENSIONS (in cm)



ARCO ARCO PLUS



L	C	D1	D2	E1	E2
29.8	10	10.1	14.1	4.1	8.1
41.0	20	11.1	16.1	5.1	10.1
51.9	30	12.7	17.7	6.7	11.7
62.5	40	12.2	17.2	6.2	11.2
73.3	50	13.7	18.7	7.7	12.7
83.9	60	15.7	20.7	9.7	14.7

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.



CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	€
	CODE.PW3.PS.1...	267,00
set 41	CHROME	€
	CODE.PW3.AW.1...	112,00
	CODE.PW3.AC.1...	128,00

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
Towel rail			
9087.023550	55	41-51	251,00
9087.023656	66	62-73-83	251,00
Hat rack			
9087.024550	55	41-51	289,00
9087.024656	66	62-73-83	289,00



IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

CODE	L	L radiator	€
Hat rack			
9087.024550	55	41-51	289,00
9087.024656	66	62-73-83	289,00



IGUANA ARCO

ARCO

code	height	length	colour	conn.
ARCW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
L H 180				
029	791	394	585,00	702,00
041	1079	538	763,00	915,00
051	1366	681	943,00	1131,00
062	1654	824	1123,00	1346,00
073	1941	967	1301,00	1561,00
083	2229	1111	1479,00	1774,00

	Watts		€	€
	75/65	55/45	st. colour	other
L H 192				
029	813	406	607,00	727,00
041	1109	554	794,00	952,00
051	1404	701	979,00	1174,00
062	1700	849	1166,00	1398,00
073	1995	996	1353,00	1624,00
083	2291	1144	1539,00	1848,00

	Watts		€	€
	75/65	55/45	st. colour	other
L H 200				
029	826	413	621,00	744,00
041	1127	564	813,00	976,00
051	1427	714	1006,00	1205,00
062	1727	864	1196,00	1434,00
073	2028	1014	1388,00	1665,00
083	2328	1164	1579,00	1896,00

	Watts		€	€
	75/65	55/45	st. colour	other
L H 220				
029	858	431	657,00	788,00
041	1170	587	862,00	1034,00
051	1482	744	1065,00	1279,00
062	1794	900	1272,00	1526,00
073	2106	1057	1477,00	1771,00
083	2418	1213	1681,00	2017,00

	Watts		€	€
	75/65	55/45	st. colour	other
L H 240				
029	886	446	691,00	831,00
041	1208	608	909,00	1092,00
051	1530	770	1128,00	1354,00
062	1852	932	1346,00	1614,00
073	2174	1094	1565,00	1877,00
083	2496	1256	1782,00	2138,00

ARCO PLUS

code	height	length	colour	conn.
ARPW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
L H 180				
029	999	492	760,00	912,00
041	1362	670	991,00	1191,00
051	1725	849	1226,00	1470,00
062	2088	1027	1459,00	1750,00
073	2452	1207	1690,00	2028,00
083	2815	1385	1922,00	2307,00


	Watts		€	€
	75/65	55/45	st. colour	other
L H 192				
029	1046	516	790,00	947,00
041	1427	704	1032,00	1238,00
051	1807	892	1273,00	1527,00
062	2187	1080	1516,00	1820,00
073	2568	1268	1759,00	2110,00
083	2948	1455	2001,00	2402,00

	Watts		€	€
	75/65	55/45	st. colour	other
L H 200				
029	1076	532	807,00	969,00
041	1467	726	1057,00	1269,00
051	1858	919	1307,00	1568,00
062	2249	1112	1554,00	1866,00
073	2641	1306	1804,00	2165,00
083	3032	1500	2053,00	2466,00

	Watts		€	€
	75/65	55/45	st. colour	other
L H 220				
029	1146	569	853,00	1023,00
041	1563	777	1119,00	1343,00
051	1980	984	1385,00	1663,00
062	2397	1191	1653,00	1984,00
073	2813	1398	1919,00	2302,00
083	3230	1605	2185,00	2622,00


	Watts		€	€
	75/65	55/45	st. colour	other
L H 240				
029	1210	604	900,00	1080,00
041	1650	824	1184,00	1420,00
051	2090	1043	1466,00	1760,00
062	2530	1263	1750,00	2100,00
073	2970	1483	2033,00	2440,00
083	3410	1702	2317,00	2778,00

EN442 output at 20°C room temperature



IGUANA VISIO

DIMENSIONS (in cm)



L	C	D1	D2	E1	E2
51.9	30	10.5	15.5	6.7	11.7
62.5	40	11.0	16.0	6.2	11.2
73.3	50	12.5	17.5	7.7	12.7

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.



CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

BRUSHED STAINLESS STEEL €



CODE.PW3.PS.1... 267,00

set 41

CHROME €



CODE.PW3.AW.1... 112,00



CODE.PW3.AC.1... 128,00

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
Towel rail			
9087.023550	55	51	251,00
9087.023656	66	62-73	251,00
Hat rack			
9087.024550	55	51	289,00
9087.024656	66	62-73	289,00



IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

CODE	L	L radiator	€
Hat rack			
9087.024550	55	41-51	289,00
9087.024656	66	62-73-83	289,00





40% more warmth

VISIO

code	height	length	colour	conn.
VISW .	180	051 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
051	719	357	810,00	972,00
062	1007	502	967,00	1160,00
073	1294	645	1109,00	1330,00
L H 200				
051	751	376	860,00	1029,00
062	1051	526	1027,00	1234,00
073	1352	676	1182,00	1418,00
L H 220				
051	780	391	908,00	1091,00
062	1092	548	1090,00	1308,00
073	1404	705	1253,00	1504,00

IGUANA VISIO

VISIO PLUS

code	height	length	colour	conn.
VIPW .	180	051 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
051	908	447	1053,00	1264,00
062	1271	625	1257,00	1507,00
073	1634	804	1442,00	1730,00
L H 200				
051	978	484	1117,00	1340,00
062	1369	677	1337,00	1604,00
073	1760	871	1536,00	1843,00
L H 220				
051	1042	518	1181,00	1418,00
062	1459	725	1416,00	1699,00
073	1876	932	1631,00	1957,00

EN442 output at 20°C room temperature



jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from January 1, 2022.
Replaces all existing price lists.