

jaga

CLIMATE DESIGNERS

Heating 

LINEA PLUS € 2020.EX



jaga

CLIMATE DESIGNERS

LINEA PLUS

Warm power, slim line

- A Jaga classic with timeless design, the first award winning radiator ever !
- Discreet, slim-line design with perforated and curved grille .
- Clean and simple, flat front panel.
- Partially pre-assembled for quick installation.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



Also available as freestanding model for glazed façades. See page 148 .






LINEA PLUS

LINEA PLUS



DIMENSIONS (in cm)



DELIVERY

Easy to install by one person. Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit
- air vent elbow (standard) or automatic air vent (twin) 1/8" and drain plug 1/2"
- partially pre-mounted casing for connection left or right at low level

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

CONNECTION

Standard connection:


Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. LINW.035 050 10.xxx/60

High level valve details : see "Connection sets & Valves".



Optional remote controlled valve: add to the code of the radiator /00.


Ex. LINW.035 050 10.xxx/00

For valve set prices see chapter "Connection sets & valves"

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set 225

CODE 2-PIPE



COLO.SW2.JC.4...

71,00



COLO.SW2.JW.4...

61,00

fill in sleeve coupling code

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

Other connections:

See chapter "Connection sets and valves Low-H₂O" for all connection options and technical information.




ORDERING CODE

code	height	length	type	colour
LINW .	020	050	10 .	XXX

fill in colour code ↓

TOWEL RAILS

Chrome-plated alu.



Chrome-plated alu.	L	€
5501.001	56	219,00
5501.002	66	219,00

Also available as freestanding model for glazed façades. See page 148.

H020 - LINEA PLUS

LINW.020 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	10	284	136	145,00	185,00	---	---	---	---	---
	15	519	251	173,00	216,00	---	---	---	---	---
	20	697	337	200,00	246,00	---	---	---	---	---
060	10	341	164	156,00	198,00	---	---	---	---	---
	15	623	301	186,00	231,00	---	---	---	---	---
	20	836	404	217,00	265,00	---	---	---	---	---
070	10	398	191	174,00	218,00	---	---	---	---	---
	15	727	351	211,00	258,00	---	---	---	---	---
	20	976	471	250,00	301,00	---	---	---	---	---
080	10	454	218	187,00	234,00	---	---	---	---	---
	15	830	401	228,00	279,00	---	---	---	---	---
	20	1115	538	271,00	326,00	---	---	---	---	---
090	10	511	245	197,00	247,00	---	---	---	---	---
	15	934	451	243,00	297,00	---	---	---	---	---
	20	1255	606	289,00	347,00	---	---	---	---	---
100	10	568	273	214,00	266,00	---	---	---	---	---
	15	1038	502	265,00	321,00	---	---	---	---	---
	20	1394	673	320,00	380,00	---	---	---	---	---
110	10	625	300	225,00	280,00	---	---	---	---	---
	15	1142	552	281,00	339,00	---	---	---	---	---
	20	1533	740	339,00	403,00	---	---	---	---	---
120	10	682	327	241,00	298,00	---	---	---	---	---
	15	1246	602	302,00	364,00	---	---	---	---	---
	20	1673	808	365,00	432,00	---	---	---	---	---
140	10	795	382	263,00	325,00	---	---	---	---	---
	15	1453	702	332,00	400,00	---	---	---	---	---
	20	1952	943	427,00	501,00	---	---	---	---	---
160	10	909	437	313,00	387,00	---	---	---	---	---
	15	1661	803	397,00	477,00	---	---	---	---	---
	20	2230	1077	510,00	598,00	---	---	---	---	---
180	10	1022	491	340,00	422,00	---	---	---	---	---
	15	1868	903	435,00	523,00	---	---	---	---	---
	20	2509	1212	556,00	652,00	---	---	---	---	---
200	10	1136	546	370,00	461,00	---	---	---	---	---
	15	2076	1003	497,00	595,00	---	---	---	---	---
	20	2788	1346	605,00	711,00	---	---	---	---	---
220	10	1250	600	432,00	539,00	---	---	---	---	---
	15	2284	1104	578,00	693,00	---	---	---	---	---
	20	3067	1481	704,00	828,00	---	---	---	---	---
240	10	1363	655	464,00	579,00	---	---	---	---	---
	15	2491	1204	622,00	746,00	---	---	---	---	---
	20	3346	1616	759,00	892,00	---	---	---	---	---
260	10	1477	709	494,00	616,00	---	---	---	---	---
	15	2699	1304	661,00	792,00	---	---	---	---	---
	20	3624	1750	809,00	950,00	---	---	---	---	---
280	10	1590	764	521,00	650,00	---	---	---	---	---
	15	2906	1404	699,00	837,00	---	---	---	---	---
	20	3903	1885	856,00	1005,00	---	---	---	---	---

EN442 output at 20°C room temperature

LINEA PLUS - H035

LINW.035 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	10	393	190	160,00	207,00	11	549	260	250,00	296,00
	15	659	323	188,00	238,00	16	813	385	294,00	344,00
	20	901	441	217,00	271,00	21	1039	488	314,00	367,00
060	10	471	228	172,00	223,00	11	659	313	266,00	317,00
	15	790	387	203,00	256,00	16	975	461	316,00	369,00
	20	1081	529	236,00	293,00	21	1247	585	340,00	397,00
070	10	550	266	192,00	245,00	11	769	365	299,00	351,00
	15	922	451	228,00	284,00	16	1138	538	360,00	416,00
	20	1261	617	270,00	331,00	21	1455	683	392,00	452,00
080	10	628	304	205,00	261,00	11	878	416	319,00	375,00
	15	1054	516	247,00	307,00	16	1300	615	388,00	448,00
	20	1441	705	292,00	357,00	21	1662	780	423,00	487,00
090	10	707	342	217,00	278,00	11	988	469	336,00	397,00
	15	1185	580	264,00	328,00	16	1463	692	414,00	479,00
	20	1621	793	312,00	382,00	21	1870	878	452,00	521,00
100	10	785	380	235,00	297,00	11	1098	521	364,00	427,00
	15	1317	645	287,00	354,00	16	1625	769	452,00	519,00
	20	1801	881	343,00	416,00	21	2078	975	498,00	571,00
110	10	864	419	247,00	313,00	11	1208	573	383,00	449,00
	15	1449	709	303,00	374,00	16	1788	846	477,00	547,00
	20	1981	969	364,00	440,00	21	2286	1073	528,00	604,00
120	10	942	456	266,00	335,00	11	1318	625	410,00	479,00
	15	1580	774	327,00	401,00	16	1950	923	513,00	586,00
	20	2161	1058	393,00	473,00	21	2494	1170	568,00	648,00
140	10	1099	532	291,00	367,00	11	1537	729	447,00	523,00
	15	1844	903	360,00	441,00	16	2275	1076	564,00	646,00
	20	2521	1234	458,00	546,00	21	2909	1365	665,00	753,00
160	10	1256	608	344,00	434,00	11	1757	833	526,00	616,00
	15	2107	1032	428,00	524,00	16	2600	1230	670,00	766,00
	20	2882	1410	544,00	648,00	21	3325	1560	789,00	893,00
180	10	1413	684	374,00	473,00	11	1976	937	570,00	669,00
	15	2371	1161	469,00	575,00	16	2925	1384	730,00	837,00
	20	3242	1587	593,00	707,00	21	3740	1755	859,00	973,00
200	10	1570	760	405,00	516,00	11	2196	1042	614,00	725,00
	15	2634	1290	533,00	650,00	16	3250	1538	833,00	950,00
	20	3602	1763	643,00	769,00	21	4156	1950	929,00	1055,00
220	10	1727	837	470,00	598,00	11	2416	1146	709,00	838,00
	15	2897	1418	617,00	753,00	16	3575	1691	963,00	1099,00
	20	3962	1939	745,00	891,00	21	4572	2146	1076,00	1221,00
240	10	1884	913	507,00	645,00	11	2635	1250	764,00	901,00
	15	3161	1548	666,00	812,00	16	3900	1845	1036,00	1182,00
	20	4322	2115	806,00	962,00	21	4987	2340	1161,00	1317,00
260	10	2041	989	539,00	685,00	11	2855	1354	811,00	957,00
	15	3424	1676	706,00	861,00	16	4225	1999	1100,00	1254,00
	20	4683	2292	858,00	1024,00	21	5403	2536	1235,00	1401,00
280	10	2198	1065	569,00	723,00	11	3074	1458	855,00	1010,00
	15	3688	1806	747,00	911,00	16	4550	2153	1162,00	1326,00
	20	5043	2468	908,00	1083,00	21	5818	2730	1307,00	1482,00

EN442 output at 20°C room temperature

H050 - LINEA PLUS

LINW.050 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	10	482	236	173,00	225,00	11	655	311	262,00	315,00
	15	767	381	203,00	260,00	16	976	462	308,00	365,00
	20	1060	526	234,00	295,00	21	1282	600	330,00	391,00
060	10	578	282	185,00	243,00	11	785	373	279,00	336,00
	15	920	456	218,00	279,00	16	1171	555	330,00	391,00
	20	1272	631	253,00	319,00	21	1538	720	358,00	423,00
070	10	675	330	206,00	267,00	11	916	436	313,00	374,00
	15	1073	532	245,00	310,00	16	1366	647	376,00	440,00
	20	1484	736	289,00	359,00	21	1795	840	411,00	481,00
080	10	771	377	221,00	286,00	11	1047	498	334,00	399,00
	15	1226	608	265,00	334,00	16	1561	739	405,00	474,00
	20	1696	841	312,00	387,00	21	2051	960	443,00	518,00
090	10	868	424	234,00	303,00	11	1178	560	352,00	422,00
	15	1380	685	283,00	357,00	16	1756	832	431,00	506,00
	20	1908	946	333,00	413,00	21	2308	1080	472,00	552,00
100	10	964	471	251,00	324,00	11	1309	623	381,00	453,00
	15	1533	761	306,00	383,00	16	1951	924	470,00	547,00
	20	2120	1051	364,00	448,00	21	2564	1200	519,00	603,00
110	10	1060	518	265,00	342,00	11	1440	685	401,00	478,00
	15	1686	837	324,00	405,00	16	2146	1016	496,00	578,00
	20	2332	1156	386,00	474,00	21	2820	1320	551,00	639,00
120	10	1157	565	287,00	368,00	11	1571	747	431,00	512,00
	15	1840	913	351,00	437,00	16	2341	1109	535,00	621,00
	20	2544	1262	419,00	512,00	21	3077	1440	595,00	688,00
140	10	1350	660	314,00	402,00	11	1833	872	470,00	559,00
	15	2146	1065	386,00	481,00	16	2731	1293	589,00	683,00
	20	2968	1472	486,00	589,00	21	3590	1680	694,00	797,00
160	10	1542	753	370,00	476,00	11	2094	996	553,00	659,00
	15	2453	1217	458,00	570,00	16	3122	1479	698,00	810,00
	20	3392	1682	576,00	697,00	21	4102	1920	822,00	943,00
180	10	1735	848	402,00	519,00	11	2356	1120	598,00	714,00
	15	2759	1369	500,00	624,00	16	3512	1663	760,00	884,00
	20	3816	1892	627,00	760,00	21	4615	2160	893,00	1026,00
200	10	1928	942	436,00	564,00	11	2618	1245	645,00	773,00
	15	3066	1521	566,00	702,00	16	3902	1848	865,00	1001,00
	20	4240	2103	679,00	825,00	21	5128	2400	966,00	1111,00
220	10	2121	1036	503,00	652,00	11	2880	1370	743,00	892,00
	15	3373	1674	653,00	810,00	16	4292	2033	997,00	1155,00
	20	4664	2313	784,00	952,00	21	5641	2641	1115,00	1282,00
240	10	2314	1131	544,00	703,00	11	3142	1494	801,00	960,00
	15	3679	1825	706,00	875,00	16	4682	2218	1074,00	1242,00
	20	5088	2523	850,00	1029,00	21	6154	2881	1205,00	1384,00
260	10	2506	1224	579,00	749,00	11	3403	1618	851,00	1021,00
	15	3986	1978	750,00	929,00	16	5073	2403	1140,00	1320,00
	20	5512	2733	904,00	1096,00	21	6666	3120	1282,00	1473,00
280	10	2699	1319	611,00	790,00	11	3665	1743	897,00	1076,00
	15	4292	2130	792,00	982,00	16	5463	2587	1205,00	1394,00
	20	5936	2944	956,00	1158,00	21	7179	3360	1356,00	1557,00

EN442 output at 20°C room temperature

LINEA PLUS - H065

LINW.065 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	10	561	277	186,00	246,00	11	742	354	275,00	335,00
	15	858	432	218,00	283,00	16	1114	528	324,00	389,00
	20	1196	601	252,00	321,00	21	1503	702	348,00	418,00
060	10	673	332	199,00	264,00	11	890	424	293,00	358,00
	15	1029	518	235,00	304,00	16	1336	634	348,00	417,00
	20	1435	721	273,00	346,00	21	1803	842	376,00	450,00
070	10	785	387	221,00	290,00	11	1038	495	328,00	397,00
	15	1201	604	263,00	337,00	16	1559	740	394,00	468,00
	20	1674	841	309,00	389,00	21	2104	983	431,00	510,00
080	10	897	442	238,00	312,00	11	1186	565	351,00	425,00
	15	1372	690	284,00	364,00	16	1782	845	425,00	505,00
	20	1913	961	334,00	419,00	21	2404	1123	464,00	550,00
090	10	1009	497	251,00	330,00	11	1335	637	369,00	448,00
	15	1544	777	302,00	387,00	16	2004	951	452,00	537,00
	20	2152	1081	355,00	446,00	21	2705	1264	494,00	585,00
100	10	1121	553	269,00	352,00	11	1483	707	399,00	481,00
	15	1715	863	326,00	415,00	16	2227	1056	491,00	580,00
	20	2391	1201	387,00	482,00	21	3005	1404	542,00	637,00
110	10	1233	608	284,00	371,00	11	1631	778	419,00	507,00
	15	1887	949	345,00	438,00	16	2450	1162	518,00	611,00
	20	2630	1321	409,00	509,00	21	3306	1544	574,00	674,00
120	10	1345	663	310,00	402,00	11	1780	849	454,00	547,00
	15	2058	1035	376,00	476,00	16	2672	1267	562,00	661,00
	20	2869	1441	448,00	555,00	21	3606	1685	624,00	731,00
140	10	1569	773	338,00	440,00	11	2076	990	493,00	596,00
	15	2401	1208	413,00	522,00	16	3118	1479	617,00	726,00
	20	3347	1681	517,00	634,00	21	4207	1965	724,00	841,00
160	10	1794	884	397,00	519,00	11	2373	1131	580,00	701,00
	15	2744	1380	488,00	616,00	16	3563	1690	729,00	858,00
	20	3826	1922	610,00	747,00	21	4808	2246	855,00	992,00
180	10	2018	995	431,00	565,00	11	2669	1273	627,00	760,00
	15	3087	1553	532,00	674,00	16	4009	1902	794,00	935,00
	20	4304	2162	662,00	813,00	21	5409	2527	928,00	1079,00
200	10	2242	1105	468,00	615,00	11	2966	1414	677,00	824,00
	15	3430	1725	601,00	757,00	16	4454	2113	901,00	1057,00
	20	4782	2402	718,00	884,00	21	6010	2808	1004,00	1170,00
220	10	2466	1215	537,00	706,00	11	3263	1556	777,00	945,00
	15	3773	1898	690,00	868,00	16	4899	2324	1036,00	1214,00
	20	5260	2642	825,00	1013,00	21	6611	3088	1155,00	1344,00
240	10	2690	1326	583,00	764,00	11	3559	1697	839,00	1020,00
	15	4116	2071	748,00	939,00	16	5345	2535	1118,00	1309,00
	20	5738	2882	896,00	1099,00	21	7212	3369	1251,00	1454,00
260	10	2915	1437	619,00	813,00	11	3856	1838	891,00	1084,00
	15	4459	2243	793,00	997,00	16	5790	2746	1186,00	1390,00
	20	6217	3123	953,00	1169,00	21	7813	3650	1330,00	1546,00
280	10	3139	1547	653,00	857,00	11	4152	1980	939,00	1144,00
	15	4802	2416	838,00	1053,00	16	6236	2958	1253,00	1468,00
	20	6695	3363	1007,00	1235,00	21	8414	3931	1406,00	1634,00

EN442 output at 20°C room temperature

H095 - LINEA PLUS

LINW.095 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---
060	10	838	420	222,00	300,00	11	1055	505	316,00	394,00
	15	1210	625	263,00	347,00	16	1608	765	376,00	460,00
	20	1706	880	299,00	388,00	21	2290	1065	404,00	492,00
070	10	977	490	245,00	328,00	11	1231	590	352,00	435,00
	15	1411	729	292,00	382,00	16	1876	892	424,00	513,00
	20	1991	1027	337,00	432,00	21	2671	1242	459,00	554,00
080	10	1117	560	264,00	354,00	11	1406	673	377,00	468,00
	15	1613	833	316,00	413,00	16	2144	1020	457,00	554,00
	20	2275	1173	365,00	467,00	21	3053	1420	496,00	598,00
090	10	1256	630	279,00	376,00	11	1582	758	398,00	495,00
	15	1814	937	336,00	441,00	16	2412	1147	486,00	591,00
	20	2560	1320	388,00	498,00	21	3434	1597	528,00	637,00
100	10	1396	700	303,00	407,00	11	1758	842	433,00	537,00
	15	2016	1041	365,00	477,00	16	2680	1275	530,00	642,00
	20	2844	1467	425,00	543,00	21	3816	1774	580,00	698,00
110	10	1536	771	321,00	432,00	11	1934	926	456,00	568,00
	15	2218	1146	387,00	506,00	16	2948	1402	560,00	679,00
	20	3128	1613	451,00	576,00	21	4198	1952	616,00	740,00
120	10	1675	840	349,00	466,00	11	2110	1011	493,00	611,00
	15	2419	1250	423,00	548,00	16	3216	1529	609,00	734,00
	20	3413	1760	494,00	626,00	21	4579	2129	670,00	802,00
140	10	1954	980	384,00	514,00	11	2461	1179	540,00	671,00
	15	2822	1458	466,00	606,00	16	3752	1784	670,00	809,00
	20	3982	2054	569,00	716,00	21	5342	2484	777,00	924,00

EN442 output at 20°C room temperature

jaga

CLIMATE DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st January 2020.
Replaces all existing price lists.