

jaga
CLIMATE DESIGNERS

Heating 

PANEL PLUS HORIZONTAL € 2020.EX



jaga

CLIMATE DESIGNERS

PANEL PLUS HORIZONTAL

Elegant simplicity and power

Streamlined, elegant design. The compact style of the Panel Plus allows creative freedom to the designer and saves space too! The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model starting at a height of 6 cm! The robust design of the Panel Plus radiator with its hidden collectors provides an elegant simplicity that oozes quality.

Vertical version: see p. 112.
Freestanding version: see p. 160.

PANEL PLUS HORIZONTAL sandblast grey 001





PANEL PLUS HORIZONTAL




PANEL PLUS HORIZONTAL

DIMENSIONS (in cm)

- standard connection
- variant

Vertical version: see p. 112.
Freestanding version: see p. 160.



DELIVERY

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain plug G1/2"
- pre-mounted grille
- type 11 is provided with standard and extended wall fixings

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:


Code 18, reversible 18 or 81



Other connections (no surcharge):

- side connection:
 - one-sided: code 32 or 67 instead of 18
 - cross-over: code 37 or 62 instead of 18
- single point connection: code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) min. 100 mm long and a reduction washer.




CONNECTION SETS

Example showing connection set to the wall

Jaga Deco double angled

TRV head and sleeve couplings included.



	set 35 To the wall	€
	CODE.JH2.AC.1...	167,00

<i>fill in sleeve coupling code</i>		
Precision metal tube 15/1	115	
Precision metal tube 16/1	116	
Precision metal tube 18/1	118	
RPE/ALU tube 16/2	316	
RPE/ALU tube 18/2	318	

Other connection sets and sleeve couplings

see chapter "Connection sets and valves" for all connection options and technical information

PANEL PLUS HORIZONTAL

code height length type colour conn.
PPHW . 018 100 11 . XXX /18 /GR
 fill in colour code _____

	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 018					
060	---	---	---	---	---
080	---	---	---	---	---
100	11	389	206	323,00	387,00
	22	626	314	604,00	725,00
120	11	466	246	356,00	428,00
	22	751	377	662,00	795,00
140	11	544	288	391,00	469,00
	22	876	440	722,00	866,00
160	11	622	329	426,00	512,00
	22	1001	503	784,00	941,00
180	11	699	369	461,00	553,00
	22	1126	565	842,00	1011,00
200	11	777	411	494,00	592,00
	22	1252	629	899,00	1079,00
220	11	855	452	528,00	634,00
	22	1377	691	959,00	1151,00
240	11	932	493	561,00	673,00
	22	1502	754	1016,00	1219,00
260	11	1010	534	597,00	716,00
	22	1627	817	1078,00	1294,00
280	11	1088	575	630,00	756,00
	22	1752	880	1136,00	1363,00
300	11	1166	616	665,00	798,00
	22	1877	942	1195,00	1434,00
L H 037					
060	11	380	201	379,00	455,00
	22	659	331	741,00	889,00
080	11	507	268	433,00	520,00
	22	879	441	840,00	1008,00
100	11	633	335	487,00	584,00
	22	1098	551	940,00	1128,00
120	11	760	402	541,00	650,00
	22	1318	662	1039,00	1246,00
140	11	887	469	594,00	713,00
	22	1538	772	1136,00	1364,00
160	11	1013	535	648,00	778,00
	22	1757	882	1237,00	1484,00
180	11	1140	603	701,00	841,00
	22	1977	993	1334,00	1601,00
200	11	1267	670	755,00	906,00
	22	2197	1103	1433,00	1720,00
220	11	1394	737	808,00	970,00
	22	2416	1213	1531,00	1837,00
240	11	1520	803	862,00	1034,00
	22	2636	1323	1630,00	1956,00
260	11	1647	871	915,00	1099,00
	22	2856	1434	1728,00	2074,00
280	11	1774	938	968,00	1162,00
	22	3075	1544	1825,00	2190,00
300	11	1900	1004	1021,00	1225,00
	22	3295	1654	1922,00	2307,00

	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 024					
060	11	285	151	284,00	340,00
	22	477	239	547,00	656,00
080	11	380	201	324,00	388,00
	22	636	319	617,00	740,00
100	11	475	251	363,00	436,00
	22	794	399	687,00	825,00
120	11	570	301	400,00	480,00
	22	953	478	751,00	901,00
140	11	665	352	436,00	524,00
	22	1112	558	815,00	978,00
160	11	760	402	475,00	571,00
	22	1271	638	883,00	1060,00
180	11	855	452	512,00	614,00
	22	1430	718	947,00	1137,00
200	11	950	502	548,00	658,00
	22	1589	798	1011,00	1213,00
220	11	1045	552	585,00	702,00
	22	1748	878	1075,00	1290,00
240	11	1140	603	623,00	747,00
	22	1907	957	1141,00	1369,00
260	11	1235	653	659,00	791,00
	22	2065	1037	1206,00	1448,00
280	11	1330	703	696,00	835,00
	22	2224	1117	1270,00	1524,00
300	11	1425	753	733,00	879,00
	22	2383	1196	1333,00	1600,00
L H 043					
060	11	425	225	426,00	511,00
	22	742	373	836,00	1003,00
080	11	566	299	488,00	585,00
	22	989	497	951,00	1141,00
100	11	708	374	548,00	658,00
	22	1236	621	1066,00	1279,00
120	11	849	449	611,00	733,00
	22	1483	745	1182,00	1419,00
140	11	991	524	672,00	807,00
	22	1730	869	1297,00	1557,00
160	11	1132	598	735,00	881,00
	22	1978	993	1413,00	1695,00
180	11	1274	673	797,00	957,00
	22	2225	1117	1530,00	1836,00
200	11	1415	748	859,00	1031,00
	22	2472	1241	1644,00	1973,00
220	11	1557	823	920,00	1104,00
	22	2719	1365	1759,00	2110,00
240	11	1698	898	982,00	1179,00
	22	2966	1489	1876,00	2251,00
260	11	1840	973	1044,00	1253,00
	22	3214	1614	1990,00	2389,00
280	11	1981	1047	1107,00	1329,00
	22	3461	1738	2108,00	2530,00
300	11	2123	1122	1170,00	1404,00
	22	3708	1862	2226,00	2671,00

	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 031					
060	11	334	177	331,00	397,00
	22	571	287	641,00	770,00
080	11	445	235	378,00	454,00
	22	761	382	728,00	874,00
100	11	556	294	424,00	509,00
	22	951	477	813,00	975,00
120	11	668	353	467,00	560,00
	22	1142	573	888,00	1066,00
140	11	779	412	516,00	619,00
	22	1332	669	978,00	1173,00
160	11	890	470	560,00	673,00
	22	1522	764	1057,00	1269,00
180	11	1001	529	606,00	727,00
	22	1713	860	1140,00	1368,00
200	11	1113	588	651,00	781,00
	22	1903	955	1221,00	1465,00
220	11	1224	647	695,00	835,00
	22	2093	1051	1302,00	1562,00
240	11	1335	706	742,00	890,00
	22	2283	1146	1384,00	1661,00
260	11	1446	764	788,00	946,00
	22	2474	1242	1469,00	1762,00
280	11	1558	824	836,00	1003,00
	22	2664	1337	1556,00	1867,00
300	11	1669	882	883,00	1060,00
	22	2854	1433	1640,00	1968,00
L H 050					
060	11	468	247	474,00	569,00
	22	819	411	934,00	1121,00
080	11	624	330	544,00	652,00
	22	1092	548	1065,00	1278,00
100	11	780	412	612,00	734,00
	22	1365	685	1194,00	1432,00
120	11	936	495	682,00	819,00
	22	1638	822	1326,00	1592,00
140	11	1091	577	751,00	902,00
	22	1911	959	1458,00	1750,00
160	11	1247	659	822,00	987,00
	22	2185	1097	1591,00	1909,00
180	11	1403	742	891,00	1070,00
	22	2458	1234	1722,00	2066,00
200	11	1559	824	962,00	1154,00
	22	2731	1371	1856,00	2227,00
220	11	1715	907	1031,00	1237,00
	22	3004	1508	1986,00	2383,00
240	11	1871	989	1103,00	1323,00
	22	3277	1645	2121,00	2545,00
260	11	2027	1071	1173,00	1408,00
	22	3550	1782	2254,00	2705,00
280	11	2183	1154	1243,00	1492,00
	22	3823	1919	2385,00	2862,00
300	11	2339	1236	1312,00	1575,00
	22	4096	2056	2515,00	3019,00

EN442 output at 20°C room temperature

PANEL PLUS HORIZONTAL

	Type	Watts	Watts	£	£
		75/65	55/45	st. colour	other
L H 056					
060	11	510	270	521,00	625,00
	22	892	448	1031,00	1237,00
080	11	680	359	598,00	718,00
	22	1190	597	1177,00	1412,00
100	11	850	449	673,00	807,00
	22	1487	747	1319,00	1583,00
120	11	1020	539	752,00	903,00
	22	1784	896	1471,00	1765,00
140	11	1190	629	830,00	996,00
	22	2082	1045	1618,00	1941,00
160	11	1360	719	909,00	1090,00
	22	2379	1194	1767,00	2121,00
180	11	1530	809	986,00	1184,00
	22	2676	1343	1916,00	2300,00
200	11	1700	899	1066,00	1279,00
	22	2974	1493	2067,00	2480,00
220	11	1870	988	1144,00	1373,00
	22	3271	1642	2216,00	2659,00
240	11	2040	1078	1222,00	1467,00
	22	3569	1792	2364,00	2836,00
260	11	2210	1168	1300,00	1560,00
	22	3866	1941	2513,00	3016,00
280	11	2380	1258	1377,00	1653,00
	22	4163	2090	2659,00	3191,00
300	11	2549	1347	1455,00	1746,00
	22	4461	2240	2807,00	3369,00

	Type	Watts	Watts	£	£
		75/65	55/45	st. colour	other
L H 069					
060	11	592	313	607,00	729,00
	22	1025	515	1207,00	1448,00
080	11	789	417	693,00	832,00
	22	1367	686	1372,00	1646,00
100	11	986	521	781,00	938,00
	22	1709	858	1539,00	1847,00
120	11	1183	625	871,00	1046,00
	22	2051	1030	1714,00	2056,00
140	11	1381	730	963,00	1155,00
	22	2392	1201	1889,00	2267,00
160	11	1578	834	1055,00	1266,00
	22	2734	1373	2067,00	2481,00
180	11	1775	938	1146,00	1376,00
	22	3076	1544	2242,00	2691,00
200	11	1972	1042	1239,00	1486,00
	22	3418	1716	2419,00	2903,00
220	11	2169	1146	1331,00	1597,00
	22	3760	1888	2597,00	3116,00
240	11	2367	1251	1422,00	1706,00
	22	4101	2059	2772,00	3326,00
260	11	2564	1355	1515,00	1818,00
	22	4443	2231	2950,00	3540,00
280	11	2761	1459	1605,00	1926,00
	22	4785	2402	3124,00	3749,00
300	11	2958	1563	1697,00	2037,00
	22	5127	2574	3302,00	3962,00

	Type	Watts	Watts	£	£
		75/65	55/45	st. colour	other
L H 081					
060	11	671	355	681,00	817,00
	22	1143	574	1357,00	1628,00
080	11	895	473	774,00	929,00
	22	1524	765	1537,00	1844,00
100	11	1119	591	869,00	1042,00
	22	1905	957	1719,00	2062,00
120	11	1342	709	970,00	1163,00
	22	2286	1148	1914,00	2297,00
140	11	1566	827	1070,00	1284,00
	22	2667	1340	2108,00	2530,00
160	11	1790	946	1171,00	1405,00
	22	3048	1531	2303,00	2763,00
180	11	2013	1064	1271,00	1525,00
	22	3430	1723	2497,00	2997,00
200	11	2237	1182	1373,00	1648,00
	22	3811	1914	2693,00	3232,00
220	11	2461	1300	1474,00	1769,00
	22	4192	2106	2890,00	3468,00
240	11	2684	1418	1574,00	1889,00
	22	4573	2297	3082,00	3699,00
260	11	2908	1536	1676,00	2011,00
	22	4954	2488	3279,00	3935,00
280	11	3132	1655	1775,00	2131,00
	22	5335	2680	3472,00	4167,00
300	11	3356	1773	1878,00	2253,00
	22	5716	2871	3669,00	4403,00

EN442 output at 20°C room temperature

Panel Plus is available from 6cm high up to 94 cm, see: www.jaga.com

jaga

CLIMATE DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1 January 2020.
Replaces all existing price lists.