



**jaga**




*Eyecatchers*

**SANI LOUVRE**

€ 2019.EX



## DIMENSIONS (in cm)



## DELIVERY

- connection 18/81 below
- wall fixing
- chrome-plated air vent and drain plug G1/2"

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (233), smooth glossy finish
  - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

## CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

Code 18, reversible 18 or 81



Other connections (no surcharge):



- top connection:
  - enter code 45 or 54. Insert pipe included. Has to be mounted in the return.
  - Always mount an air vent on the central heating pipework.
- side connection:
  - enter code 41 or 58.
- single point connection: see chapter "Connection set & Valves" - set 81 or 82.
  - Not possible with a radiator on feet.
- electric heating element and mixed application: see "Parts & Options"

## CONNECTION SETS

### Connection set to the wall Jaga Deco double angled

TRV head and sleeve couplings included.




set 35	CHROME	€
	CODE.JH2.AW.1...	148,40
	CODE.JH2.AC.1...	162,60

fill in sleeve coupling code

Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

### Other connection sets and sleeve couplings

See chapter "Connection sets and valves" for all connection options and technical information.



## SANI LOUVRE

code height length colour conn.  
SLOW . 073 040 . XXX /18  
fill in colour code —|

	Watts 75/65	Watts 55/45	€ st. colour	€ other
--	----------------	----------------	-----------------	------------

L	H 073			
040	352	182	474,80	569,70
050	419	215	483,60	580,40
060	487	249	518,20	622,00
070	554	282	522,50	627,20
080	621	316	541,10	649,30
100	756	383	580,90	697,10

L	H 093			
040	469	243	526,60	632,00
050	559	288	567,50	681,10
060	649	333	606,50	727,80
070	739	378	613,70	736,30
080	829	423	636,20	763,40
100	1009	513	682,20	818,70

L	H 119			
040	585	304	574,60	689,60
050	696	359	621,60	746,10
060	808	415	649,50	779,30
070	920	471	676,10	811,40
080	1032	527	703,60	844,10
100	1255	639	757,70	909,30

L	H 139			
040	697	362	636,20	763,40
050	830	429	690,20	828,40
060	963	496	720,10	864,00
070	1096	563	750,80	900,70
080	1229	630	781,10	937,50
100	1494	763	841,50	1009,80

L	H 178			
040	879	459	750,80	900,70
050	1045	543	817,20	980,70
060	1211	627	853,90	1024,70
070	1377	711	895,80	1074,90
080	1543	795	936,60	1124,00
100	1876	963	1019,60	1223,60


L	H 205			
040	1053	552	857,10	1028,40
050	1250	652	935,70	1122,80
060	1447	752	991,00	1189,00
070	1644	852	1044,80	1253,70
080	1841	953	1100,20	1320,30
100	2234	1152	1210,70	1452,80

EN442 output at 20°C room temperature



For electric element  
Eco Comfort see p. 370





Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1 January 2019.  
Replaces all existing price lists.