

jaga

CLIMATE DESIGNERS

Heating 

TEMPO € 2020.EX



jaga

CLIMATE DESIGNERS

TEMPO

Warm power, simple style

- The benchmark Jaga Energy Saver – always ahead of its time – the classic among the wall radiators.
- Easy to assemble casing featuring the sectional front panel design.
- Compact and practical packaging.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

Also available as freestanding model for glazed façades. See page 142.






TEMPO

TEMPO



DIMENSIONS (in cm)



DELIVERY

Light and easily installed by one person. Delivered flat packed in 2 packages for ease of handling and storage.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit
- air vent elbow (standard) or extended air vent (twin) 1/8" and drain plug 1/2"
- easy to assemble casing

COLOUR

Scratch-resistant surface coating with a soft structured, satin gloss finish. High UV resistance.

Standard colour:
white RAL 9010 (101)

CONNECTION


Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)
Ex. TEMW.030 040 10.101/60

High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:

add to the code of the radiator /00.


Ex. TEMW.030 040 10.101/00

For valve set prices see chapter "Connection sets & valves".

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set
225

CODE 2-PIPE

€



COLO.SW2.JC.4...

71,00



COLO.SW2.JW.4...

61,00

fill in sleeve coupling code

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116


RPE/ALU tube 16/2 616

Other connections :

See chapter "Connection sets and valves Low-H₂O" for all connection options and technical information.

ORDERING CODE

code	height	length	type	colour
TEMW .	020	040	10 .	101



Also available as freestanding model for glazed façades. See page 142.

H020 · TEMPO

TEMW.020 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	262	127	122,00	---	---	---	---
	15	436	212	146,00	---	---	---	---
	20	613	299	170,00	---	---	---	---
050	10	328	159	133,00	---	---	---	---
	15	545	265	160,00	---	---	---	---
	20	766	373	187,00	---	---	---	---
060	10	393	191	143,00	---	---	---	---
	15	654	319	173,00	---	---	---	---
	20	919	448	205,00	---	---	---	---
070	10	459	223	164,00	---	---	---	---
	15	763	372	201,00	---	---	---	---
	20	1072	522	241,00	---	---	---	---
080	10	524	255	174,00	---	---	---	---
	15	872	425	216,00	---	---	---	---
	20	1226	597	260,00	---	---	---	---
090	10	590	287	185,00	---	---	---	---
	15	981	478	231,00	---	---	---	---
	20	1379	672	279,00	---	---	---	---
100	10	655	318	203,00	---	---	---	---
	15	1090	531	255,00	---	---	---	---
	20	1532	746	310,00	---	---	---	---
110	10	721	350	215,00	---	---	---	---
	15	1199	584	272,00	---	---	---	---
	20	1685	821	330,00	---	---	---	---
120	10	786	382	225,00	---	---	---	---
	15	1308	637	286,00	---	---	---	---
	20	1838	895	350,00	---	---	---	---
140	10	917	446	252,00	---	---	---	---
	15	1526	743	322,00	---	---	---	---
	20	2145	1045	417,00	---	---	---	---
160	10	1048	509	294,00	---	---	---	---
	15	1744	850	380,00	---	---	---	---
	20	2451	1194	495,00	---	---	---	---
180	10	1179	573	317,00	---	---	---	---
	15	1962	956	414,00	---	---	---	---
	20	2758	1343	537,00	---	---	---	---
200	10	1310	637	344,00	---	---	---	---
	15	2180	1062	474,00	---	---	---	---
	20	3064	1493	584,00	---	---	---	---
220	10	1441	700	394,00	---	---	---	---
	15	2398	1168	544,00	---	---	---	---
	20	3370	1642	674,00	---	---	---	---
240	10	1572	764	422,00	---	---	---	---
	15	2616	1274	584,00	---	---	---	---
	20	3677	1791	724,00	---	---	---	---
260	10	1703	827	449,00	---	---	---	---
	15	2834	1381	621,00	---	---	---	---
	20	3983	1940	772,00	---	---	---	---
280	10	1834	891	482,00	---	---	---	---
	15	3052	1487	664,00	---	---	---	---
	20	4290	2090	825,00	---	---	---	---
300	10	1965	955	506,00	---	---	---	---
	15	3270	1593	699,00	---	---	---	---
	20	4596	2239	871,00	---	---	---	---

EN442 output at 20°C room temperature

TEMPO - H 030

TEMW.030 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	330	161	131,00	11	448	215	214,00
	15	544	267	155,00	16	592	281	252,00
	20	762	373	180,00	21	779	368	267,00
050	10	413	202	142,00	11	561	269	231,00
	15	680	333	170,00	16	740	352	276,00
	20	953	467	198,00	21	974	460	294,00
060	10	496	242	153,00	11	673	323	246,00
	15	815	399	184,00	16	888	422	297,00
	20	1144	561	217,00	21	1169	552	321,00
070	10	578	282	175,00	11	785	376	282,00
	15	951	466	213,00	16	1036	492	345,00
	20	1334	654	253,00	21	1364	644	375,00
080	10	661	323	186,00	11	897	430	299,00
	15	1087	533	228,00	16	1184	563	369,00
	20	1525	747	273,00	21	1558	736	404,00
090	10	743	363	198,00	11	1009	484	316,00
	15	1223	599	244,00	16	1332	633	394,00
	20	1715	841	293,00	21	1753	828	432,00
100	10	826	403	217,00	11	1121	537	347,00
	15	1359	666	269,00	16	1480	703	434,00
	20	1906	934	325,00	21	1948	920	480,00
110	10	909	444	230,00	11	1233	591	365,00
	15	1495	733	288,00	16	1628	774	461,00
	20	2097	1028	347,00	21	2143	1012	511,00
120	10	991	484	240,00	11	1345	645	382,00
	15	1631	799	302,00	16	1776	844	486,00
	20	2287	1121	367,00	21	2338	1105	540,00
140	10	1156	565	271,00	11	1569	752	427,00
	15	1903	933	342,00	16	2072	985	545,00
	20	2668	1308	438,00	21	2727	1288	646,00
160	10	1322	646	314,00	11	1794	860	496,00
	15	2174	1066	402,00	16	2368	1126	643,00
	20	3050	1495	517,00	21	3117	1473	762,00
180	10	1487	726	340,00	11	2018	967	536,00
	15	2446	1199	437,00	16	2664	1266	698,00
	20	3431	1682	562,00	21	3506	1656	828,00
200	10	1652	807	370,00	11	2242	1074	579,00
	15	2718	1332	500,00	16	2960	1407	800,00
	20	3812	1868	611,00	21	3896	1841	897,00
220	10	1817	887	421,00	11	2466	1182	660,00
	15	2990	1465	572,00	16	3256	1548	917,00
	20	4193	2055	702,00	21	4286	2025	1033,00
240	10	1982	968	452,00	11	2690	1289	708,00
	15	3262	1599	614,00	16	3552	1688	984,00
	20	4574	2242	755,00	21	4675	2209	1110,00
260	10	2148	1049	480,00	11	2915	1397	752,00
	15	3533	1732	654,00	16	3848	1829	1046,00
	20	4956	2429	805,00	21	5065	2393	1183,00
280	10	2313	1130	516,00	11	3139	1504	802,00
	15	3805	1865	699,00	16	4144	1970	1113,00
	20	5337	2616	861,00	21	5454	2577	1261,00
300	10	2478	1210	542,00	11	3363	1612	843,00
	15	4077	1998	735,00	16	4440	2110	1170,00
	20	5718	2802	907,00	21	5844	2761	1329,00

EN442 output at 20°C room temperature

H040 - TEMPO

TEMW.040 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	385	189	140,00	11	506	243	222,00
	15	627	309	167,00	16	680	323	264,00
	20	878	433	192,00	21	910	428	280,00
050	10	482	236	151,00	11	632	303	240,00
	15	784	386	182,00	16	850	403	288,00
	20	1098	541	211,00	21	1137	535	307,00
060	10	578	284	163,00	11	758	363	256,00
	15	941	464	197,00	16	1020	484	311,00
	20	1318	650	230,00	21	1364	641	335,00
070	10	674	331	186,00	11	885	424	293,00
	15	1098	541	227,00	16	1190	564	359,00
	20	1537	758	268,00	21	1592	749	390,00
080	10	770	378	198,00	11	1011	485	311,00
	15	1254	618	243,00	16	1360	645	384,00
	20	1757	866	288,00	21	1819	855	419,00
090	10	867	425	211,00	11	1138	546	329,00
	15	1411	695	260,00	16	1530	726	410,00
	20	1976	974	310,00	21	2047	963	449,00
100	10	963	472	231,00	11	1264	606	361,00
	15	1568	773	286,00	16	1700	806	451,00
	20	2196	1083	343,00	21	2274	1069	498,00
110	10	1059	520	245,00	11	1390	666	380,00
	15	1725	850	306,00	16	1870	887	480,00
	20	2416	1191	366,00	21	2501	1176	530,00
120	10	1156	567	256,00	11	1517	727	398,00
	15	1882	928	321,00	16	2040	968	504,00
	20	2635	1299	386,00	21	2729	1283	559,00
140	10	1348	661	289,00	11	1770	849	445,00
	15	2195	1082	365,00	16	2380	1129	569,00
	20	3074	1516	461,00	21	3184	1497	669,00
160	10	1541	756	334,00	11	2022	969	516,00
	15	2509	1237	426,00	16	2720	1290	668,00
	20	3514	1733	542,00	21	3638	1711	787,00
180	10	1733	850	363,00	11	2275	1091	558,00
	15	2822	1391	464,00	16	3060	1452	726,00
	20	3953	1949	589,00	21	4093	1925	855,00
200	10	1926	945	395,00	11	2528	1212	604,00
	15	3136	1546	530,00	16	3400	1613	830,00
	20	4392	2166	641,00	21	4548	2139	927,00
220	10	2119	1040	448,00	11	2781	1333	687,00
	15	3450	1700	603,00	16	3740	1774	949,00
	20	4831	2382	734,00	21	5003	2353	1064,00
240	10	2311	1134	482,00	11	3034	1455	738,00
	15	3763	1855	649,00	16	4080	1935	1019,00
	20	5270	2599	790,00	21	5458	2567	1146,00
260	10	2504	1229	511,00	11	3286	1576	783,00
	15	4077	2009	690,00	16	4420	2097	1082,00
	20	5710	2816	842,00	21	5912	2780	1219,00
280	10	2696	1323	550,00	11	3539	1697	836,00
	15	4390	2164	738,00	16	4760	2258	1152,00
	20	6149	3032	900,00	21	6367	2994	1300,00
300	10	2889	1417	577,00	11	3792	1818	878,00
	15	4704	2318	776,00	16	5100	2419	1211,00
	20	6588	3249	949,00	21	6822	3208	1370,00

EN442 output at 20°C room temperature

TEMPO - H050

TEMW.050 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	430	212	150,00	11	554	266	233,00
	15	694	344	179,00	16	759	359	276,00
	20	970	481	206,00	21	1033	484	293,00
050	10	538	265	162,00	11	693	332	251,00
	15	867	430	195,00	16	949	449	301,00
	20	1213	602	225,00	21	1291	605	321,00
060	10	646	318	174,00	11	832	399	268,00
	15	1040	516	211,00	16	1139	539	324,00
	20	1455	722	246,00	21	1549	725	350,00
070	10	753	371	199,00	11	970	465	306,00
	15	1214	602	242,00	16	1329	629	374,00
	20	1698	842	284,00	21	1807	846	406,00
080	10	861	424	211,00	11	1109	532	324,00
	15	1387	688	259,00	16	1518	719	399,00
	20	1940	962	305,00	21	2066	968	436,00
090	10	968	477	225,00	11	1247	598	343,00
	15	1561	774	277,00	16	1708	809	427,00
	20	2183	1083	327,00	21	2324	1088	466,00
100	10	1076	530	246,00	11	1386	665	376,00
	15	1734	860	304,00	16	1898	898	469,00
	20	2425	1203	362,00	21	2582	1209	516,00
110	10	1184	584	261,00	11	1525	732	397,00
	15	1907	946	325,00	16	2088	988	498,00
	20	2668	1323	386,00	21	2840	1330	550,00
120	10	1291	636	273,00	11	1663	798	415,00
	15	2081	1032	340,00	16	2278	1078	523,00
	20	2910	1443	406,00	21	3098	1451	580,00
140	10	1506	742	310,00	11	1940	931	466,00
	15	2428	1204	387,00	16	2657	1258	592,00
	20	3395	1684	486,00	21	3615	1693	694,00
160	10	1722	849	356,00	11	2218	1064	538,00
	15	2774	1376	451,00	16	3037	1438	692,00
	20	3880	1924	569,00	21	4131	1935	814,00
180	10	1937	955	386,00	11	2495	1197	582,00
	15	3121	1548	491,00	16	3416	1617	752,00
	20	4365	2165	618,00	21	4648	2177	883,00
200	10	2152	1061	421,00	11	2772	1330	630,00
	15	3468	1720	559,00	16	3796	1797	859,00
	20	4850	2405	672,00	21	5164	2418	958,00
220	10	2367	1167	476,00	11	3049	1463	715,00
	15	3815	1892	634,00	16	4176	1977	980,00
	20	5335	2646	767,00	21	5680	2660	1097,00
240	10	2582	1273	513,00	11	3326	1596	769,00
	15	4162	2064	683,00	16	4555	2156	1053,00
	20	5820	2886	827,00	21	6197	2902	1182,00
260	10	2798	1379	544,00	11	3604	1729	816,00
	15	4508	2236	726,00	16	4935	2336	1118,00
	20	6305	3127	880,00	21	6713	3144	1258,00
280	10	3013	1485	585,00	11	3881	1862	871,00
	15	4855	2408	776,00	16	5314	2516	1191,00
	20	6790	3367	941,00	21	7230	3386	1341,00
300	10	3228	1591	614,00	11	4158	1995	915,00
	15	5202	2580	816,00	16	5694	2695	1251,00
	20	7275	3608	991,00	21	7746	3628	1413,00

EN442 output at 20°C room temperature

H060-TEMPO

TEMW.060 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	468	232	161,00	11	598	287	243,00
	15	746	372	188,00	16	834	394	285,00
	20	1043	520	217,00	21	1153	538	304,00
050	10	585	290	173,00	11	747	359	262,00
	15	933	466	204,00	16	1042	492	310,00
	20	1304	651	236,00	21	1441	672	332,00
060	10	702	348	187,00	11	896	430	281,00
	15	1120	559	222,00	16	1250	591	335,00
	20	1565	781	258,00	21	1729	806	362,00
070	10	819	406	212,00	11	1046	502	319,00
	15	1306	652	254,00	16	1459	689	386,00
	20	1826	911	298,00	21	2017	941	420,00
080	10	936	463	225,00	11	1195	574	338,00
	15	1493	745	271,00	16	1667	788	412,00
	20	2086	1041	319,00	21	2306	1076	450,00
090	10	1053	521	240,00	11	1345	646	358,00
	15	1679	838	290,00	16	1876	886	440,00
	20	2347	1171	342,00	21	2594	1210	482,00
100	10	1170	579	263,00	11	1494	717	392,00
	15	1866	931	318,00	16	2084	985	483,00
	20	2608	1301	378,00	21	2882	1344	533,00
110	10	1287	637	278,00	11	1643	789	414,00
	15	2053	1024	341,00	16	2292	1083	514,00
	20	2869	1432	403,00	21	3170	1479	567,00
120	10	1404	695	290,00	11	1793	861	433,00
	15	2239	1117	356,00	16	2501	1182	540,00
	20	3130	1562	424,00	21	3458	1613	598,00
140	10	1638	811	332,00	11	2092	1004	488,00
	15	2612	1303	407,00	16	2918	1379	611,00
	20	3651	1822	507,00	21	4035	1882	715,00
160	10	1872	927	380,00	11	2390	1147	562,00
	15	2986	1490	472,00	16	3334	1575	713,00
	20	4173	2082	591,00	21	4611	2151	837,00
180	10	2106	1043	412,00	11	2689	1291	608,00
	15	3359	1676	514,00	16	3751	1772	776,00
	20	4694	2342	642,00	21	5188	2420	908,00
200	10	2340	1159	450,00	11	2988	1434	659,00
	15	3732	1862	585,00	16	4168	1969	885,00
	20	5216	2603	700,00	21	5764	2688	986,00
220	10	2574	1275	506,00	11	3287	1578	745,00
	15	4105	2048	661,00	16	4585	2166	1007,00
	20	5738	2863	796,00	21	6340	2957	1127,00
240	10	2808	1390	547,00	11	3586	1721	803,00
	15	4478	2234	713,00	16	5002	2363	1084,00
	20	6259	3123	859,00	21	6917	3226	1214,00
260	10	3042	1506	579,00	11	3884	1864	851,00
	15	4852	2421	758,00	16	5418	2560	1150,00
	20	6781	3383	914,00	21	7493	3495	1291,00
280	10	3276	1622	623,00	11	4183	2008	909,00
	15	5225	2607	811,00	16	5835	2757	1225,00
	20	7302	3643	977,00	21	8070	3764	1377,00
300	10	3510	1738	654,00	11	4482	2151	955,00
	15	5598	2793	852,00	16	6252	2954	1288,00
	20	7824	3904	1029,00	21	8646	4033	1451,00

EN442 output at 20°C room temperature

TEMPO - H070

TEMW.070 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	499	248	170,00	11	636	305	253,00
	15	789	396	198,00	16	904	426	295,00
	20	1101	553	228,00	21	1271	590	316,00
050	10	624	311	183,00	11	795	382	272,00
	15	986	495	214,00	16	1130	533	321,00
	20	1377	691	248,00	21	1589	738	344,00
060	10	749	373	198,00	11	954	458	292,00
	15	1183	594	233,00	16	1356	639	347,00
	20	1652	829	271,00	21	1906	885	375,00
070	10	874	435	224,00	11	1113	534	331,00
	15	1380	692	266,00	16	1582	746	398,00
	20	1927	967	311,00	21	2224	1033	434,00
080	10	998	497	237,00	11	1272	611	351,00
	15	1578	792	284,00	16	1808	852	425,00
	20	2202	1105	333,00	21	2542	1181	464,00
090	10	1123	559	253,00	11	1431	687	372,00
	15	1775	891	304,00	16	2034	959	454,00
	20	2478	1244	358,00	21	2859	1328	497,00
100	10	1248	621	277,00	11	1590	764	407,00
	15	1972	989	333,00	16	2260	1065	498,00
	20	2753	1382	394,00	21	3177	1476	550,00
110	10	1373	683	294,00	11	1749	840	430,00
	15	2169	1088	357,00	16	2486	1172	530,00
	20	3028	1520	421,00	21	3495	1623	585,00
120	10	1498	746	306,00	11	1908	916	449,00
	15	2366	1187	373,00	16	2712	1279	557,00
	20	3304	1659	442,00	21	3812	1771	616,00
140	10	1747	869	351,00	11	2226	1069	508,00
	15	2761	1385	428,00	16	3164	1492	632,00
	20	3854	1935	530,00	21	4448	2066	738,00
160	10	1997	994	401,00	11	2544	1222	583,00
	15	3155	1583	494,00	16	3616	1705	736,00
	20	4405	2211	615,00	21	5083	2361	861,00
180	10	2246	1118	435,00	11	2862	1374	631,00
	15	3550	1781	538,00	16	4068	1918	800,00
	20	4955	2488	668,00	21	5719	2657	934,00
200	10	2496	1242	476,00	11	3180	1527	685,00
	15	3944	1979	611,00	16	4520	2131	912,00
	20	5506	2764	728,00	21	6354	2952	1015,00
220	10	2746	1367	533,00	11	3498	1680	773,00
	15	4338	2177	690,00	16	4972	2344	1036,00
	20	6057	3041	826,00	21	6989	3247	1157,00
240	10	2995	1491	577,00	11	3816	1832	833,00
	15	4733	2375	745,00	16	5424	2557	1115,00
	20	6607	3317	893,00	21	7625	3542	1249,00
260	10	3245	1615	611,00	11	4134	1985	883,00
	15	5127	2573	791,00	16	5876	2770	1184,00
	20	7158	3594	949,00	21	8260	3837	1327,00
280	10	3494	1739	657,00	11	4452	2138	943,00
	15	5522	2771	846,00	16	6328	2983	1262,00
	20	7708	3870	1015,00	21	8896	4132	1416,00
300	10	3744	1863	690,00	11	4770	2291	991,00
	15	5916	2968	889,00	16	6780	3196	1325,00
	20	8259	4146	1069,00	21	9531	4427	1491,00

EN442 output at 20°C room temperature

H090 - TEMPO

TEMW.090 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	548	275	189,00	11	703	338	272,00
	15	848	431	220,00	16	1038	487	317,00
	20	1183	601	253,00	21	1508	694	341,00
050	10	685	344	203,00	11	879	423	292,00
	15	1060	538	238,00	16	1298	609	343,00
	20	1479	751	274,00	21	1885	868	370,00
060	10	821	412	220,00	11	1055	507	314,00
	15	1272	646	258,00	16	1558	732	372,00
	20	1774	901	299,00	21	2262	1042	403,00
070	10	958	481	249,00	11	1231	592	356,00
	15	1484	754	294,00	16	1817	853	425,00
	20	2070	1051	342,00	21	2639	1215	464,00
080	10	1095	550	263,00	11	1406	676	377,00
	15	1696	861	312,00	16	2077	975	453,00
	20	2366	1202	365,00	21	3016	1389	496,00
090	10	1232	619	281,00	11	1582	760	400,00
	15	1908	969	335,00	16	2336	1097	484,00
	20	2661	1352	391,00	21	3393	1562	531,00
100	10	1369	688	307,00	11	1758	845	437,00
	15	2120	1077	366,00	16	2596	1219	531,00
	20	2957	1502	431,00	21	3770	1736	585,00
110	10	1506	756	326,00	11	1934	930	462,00
	15	2332	1185	392,00	16	2856	1341	565,00
	20	3253	1652	459,00	21	4147	1910	623,00
120	10	1643	825	340,00	11	2110	1014	482,00
	15	2544	1292	409,00	16	3115	1463	592,00
	20	3548	1802	481,00	21	4524	2083	655,00
140	10	1917	963	392,00	11	2461	1183	548,00
	15	2968	1508	471,00	16	3634	1706	675,00
	20	4140	2103	577,00	21	5278	2431	785,00
160	10	2190	1100	445,00	11	2813	1352	627,00
	15	3392	1723	541,00	16	4154	1950	782,00
	20	4731	2403	666,00	21	6032	2778	911,00
180	10	2464	1238	483,00	11	3164	1521	679,00
	15	3816	1938	589,00	16	4673	2194	850,00
	20	5323	2704	723,00	21	6786	3125	989,00
200	10	2738	1375	529,00	11	3516	1690	738,00
	15	4240	2154	668,00	16	5192	2438	968,00
	20	5914	3004	789,00	21	7540	3472	1075,00
220	10	3012	1513	589,00	11	3868	1859	829,00
	15	4664	2369	749,00	16	5711	2681	1095,00
	20	6505	3304	890,00	21	8294	3819	1220,00
240	10	3286	1650	639,00	11	4219	2028	896,00
	15	5088	2584	812,00	16	6230	2925	1181,00
	20	7097	3605	964,00	21	9048	4167	1319,00
260	10	3559	1788	677,00	11	4571	2197	949,00
	15	5512	2800	860,00	16	6750	3169	1253,00
	20	7688	3905	1023,00	21	9802	4514	1401,00
280	10	3833	1925	728,00	11	4922	2366	1015,00
	15	5936	3015	922,00	16	7269	3413	1336,00
	20	8280	4206	1095,00	21	10556	4861	1494,00
300	10	4107	2063	764,00	11	5274	2535	1065,00
	15	6360	3231	967,00	16	7788	3657	1402,00
	20	8871	4506	1151,00	21	11310	5208	1573,00

EN442 output at 20°C room temperature

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st January 2020.
Replaces all existing price lists.