


# jaga

CLIMATE DESIGNERS

Heating 

IGUANA ANGULA PLUS € 2021.EX



# jaga

CLIMATE DESIGNERS

## IGUANA ANGULA PLUS

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

A radiator around the corner. Great capacity in a small space. A special solution, both energy-wise and aesthetically!



Top 10  
Design  
Award  
Winner  
2000

ISH 1999  
DESIGN PLUS  
Award Winner 2001

IGUANA ANGULA traffic white 333





IGUANA ANGUOLA PLUS




# IGUANA ANGULA PLUS




DIMENSIONS (in cm)



## ANGULA PLUS / CR



## ANGULA PLUS / CL



L	A	B	C	E
40.0	10.5	29.0	10.0	21.0
45.5	13.0	34.5	15.5	26.5
51.0	16.0	40.0	21.0	32.0

## DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- 2 side panels

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
  - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

## CONNECTION

Top connection:

specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection:

connection sets 41, 42, 48 or 49.  
Max. 2 radiators per heating ring.




## CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

### Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



<b>set 48</b>	<b>BRUSHED STAINLESS STEEL</b>	€
	CODE.PW3.PS.1...	<b>245,00</b>
<b>set 41</b>	<b>CHROME</b>	€
	CODE.PW3.AW.1...	<b>158,00</b>
	CODE.PW3.AC.1...	<b>172,00</b>

fill in sleeve coupling code

Precision metal tube 15/1	<b>115</b>
Precision metal tube 16/1	<b>116</b>
Precision metal tube 18/1	<b>118</b>
RPE/ALU tube 16/2	<b>316</b>
RPE/ALU tube 18/2	<b>318</b>

### Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information



# IGUANA ANGULA PLUS

code	height	length	colour	conn.	corner
ANPW .	180	040 .	XXX /MM /XX		
		fill in colour code	└─┘		┌─┘
			CL or CR		

	Watts 75/65	Watts 55/45	€ st. colour	€ other
--	----------------	----------------	-----------------	------------

## L H 180

040	1745	866	1271,00	1525,00
046	2078	1032	1479,00	1775,00
051	2410	1196	1686,00	2024,00

## L H 192

040	1823	911	1351,00	1622,00
046	2170	1084	1556,00	1868,00
051	2517	1257	1762,00	1622,00

## L H 220

040	1978	1002	1507,00	1809,00
046	2355	1193	1724,00	2069,00
051	2732	1385	1943,00	2331,00

## L H 240

040	2066	1058	1589,00	1908,00
046	2460	1260	1819,00	2183,00
051	2854	1461	2048,00	2458,00

EN442 output at 20°C room temperature





**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from February 1, 2021.  
Replaces all existing price lists.