

# jaga

CLIMATE DESIGNERS



*Eyecatchers*

**IGUANA ARCO & VISIO**

€ 2020.EX

# jaga

CLIMATE DESIGNERS

## IGUANA ARCO & VISIO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Arco and Visio the slim triangular radiant pipes are built with a slight curve, giving the Iguana a new look from any angle.

The Iguana Visio's many functions have been expanded by the addition of a mirror. Perfect for halls or bedrooms.

Also available as "Plus" version for low flow temperatures.



Top 10  
Design  
Award  
Winner  
2000

ISH 1999  
DESIGN PLUS  
BEST HEATING 2000

IGUANA VISIO aluminium 006, optional towel rail






IGUANA ARCO & VISIO 

# IGUANA ARCO

DIMENSIONS (in cm)



## ARCO ARCO PLUS



L	C	D1	D2	E1	E2
29.8	10	10.1	14.1	4.1	8.1
41.0	20	11.1	16.1	5.1	10.1
51.9	30	12.7	17.7	6.7	11.7
62.5	40	12.2	17.2	6.2	11.2
73.3	50	13.7	18.7	7.7	12.7
83.9	60	15.7	20.7	9.7	14.7

### DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

### COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
  - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

### CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.



### CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

#### Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

**BRUSHED STAINLESS STEEL** €

CODE.PW3.PS.1... 238,00

set 41

**CHROME** €

CODE.PW3.AW.1... 153,00

CODE.PW3.AC.1... 167,00

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

### Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

### OPTIONS

#### Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
<b>Towel rail</b>			
9087.023550	55	41-51	223,00
9087.023656	66	62-73-83	223,00
<b>Hat rack</b>			
9087.024550	55	41-51	257,00
9087.024656	66	62-73-83	257,00



### IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

CODE	L	L radiator	€
<b>Hat rack</b>			
9087.024550	55	41-51	257,00
9087.024656	66	62-73-83	257,00



## ARCO

code	height	length	colour	conn.
ARCW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
--	----------------	----------------	-----------------	------------

L	H 180			
029	791	397	520,00	624,00
041	1079	542	679,00	814,00
051	1366	686	839,00	1006,00
062	1654	831	998,00	1197,00
073	1941	975	1156,00	1388,00
083	2229	1120	1315,00	1578,00

L	H 192			
029	813	409	540,00	647,00
041	1109	558	706,00	847,00
051	1404	707	871,00	1045,00
062	1700	856	1037,00	1244,00
073	1995	1004	1203,00	1444,00
083	2291	1153	1369,00	1643,00

L	H 200			
029	826	416	552,00	662,00
041	1127	568	723,00	868,00
051	1427	719	894,00	1072,00
062	1727	871	1063,00	1276,00
073	2028	1022	1234,00	1481,00
083	2328	1174	1405,00	1686,00

L	H 220			
029	858	434	584,00	700,00
041	1170	592	766,00	919,00
051	1482	750	948,00	1138,00
062	1794	908	1131,00	1357,00
073	2106	1065	1313,00	1575,00
083	2418	1223	1495,00	1794,00

L	H 240			
029	886	450	615,00	739,00
041	1208	613	809,00	971,00
051	1530	776	1003,00	1204,00
062	1852	940	1197,00	1436,00
073	2174	1103	1391,00	1669,00
083	2496	1267	1584,00	1901,00

## IGUANA ARCO

### ARCO PLUS

code	height	length	colour	conn.
ARPW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
--	----------------	----------------	-----------------	------------

L	H 180			
029	999	496	676,00	811,00
041	1362	676	882,00	1059,00
051	1725	856	1090,00	1308,00
062	2088	1036	1297,00	1556,00
073	2452	1217	1503,00	1803,00
083	2815	1397	1709,00	2051,00

L	H 192			
029	1046	521	702,00	842,00
041	1427	710	918,00	1101,00
051	1807	899	1132,00	1358,00
062	2187	1088	1348,00	1618,00
073	2568	1278	1564,00	1877,00
083	2948	1467	1780,00	2136,00

L	H 200			
029	1076	537	717,00	861,00
041	1467	732	940,00	1128,00
051	1858	927	1162,00	1394,00
062	2249	1122	1382,00	1659,00
073	2641	1317	1604,00	1925,00
083	3032	1512	1826,00	2192,00

L	H 220			
029	1146	574	759,00	910,00
041	1563	783	995,00	1194,00
051	1980	992	1232,00	1479,00
062	2397	1201	1470,00	1764,00
073	2813	1409	1706,00	2048,00
083	3230	1618	1943,00	2332,00


L	H 240			
029	1210	609	800,00	960,00
041	1650	830	1052,00	1263,00
051	2090	1052	1304,00	1565,00
062	2530	1273	1556,00	1867,00
073	2970	1495	1808,00	2170,00
083	3410	1716	2060,00	2471,00

EN442 output at 20°C room temperature



# IGUANA VISIO

DIMENSIONS (in cm)



L	C	D1	D2	E1	E2
51.9	30	10.5	15.5	6.7	11.7
62.5	40	11.0	16.0	6.2	11.2
73.3	50	12.5	17.5	7.7	12.7

## DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
  - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

## CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.



## CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

### Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

**BRUSHED STAINLESS STEEL** €

CODE.PW3.PS.1... 238,00

set 41

**CHROME** €

CODE.PW3.AW.1... 153,00

CODE.PW3.AC.1... 167,00

fill in sleeve coupling code

Precision metal tube 15/1 115

Precision metal tube 16/1 116

Precision metal tube 18/1 118

RPE/ALU tube 16/2 316


RPE/ALU tube 18/2 318

### Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

## OPTIONS

### Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
<b>Towel rail</b>			
9087.023550	55	51	223,00
9087.023656	66	62-73	223,00
<b>Hat rack</b>			
9087.024550	55	51	257,00
9087.024656	66	62-73	257,00



### IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

CODE	L	L radiator	€
<b>Hat rack</b>			
9087.024550	55	41-51	257,00
9087.024656	66	62-73-83	257,00





40% more warmth

## VISIO

code	height	length	colour	conn.
<b>VISW .</b>	<b>180</b>	<b>051 .</b>	<b>XXX</b>	<b>/MM</b>
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
<b>L H 180</b>				
<b>051</b>	719	361	<b>720,00</b>	<b>864,00</b>
<b>062</b>	1007	506	<b>859,00</b>	<b>1031,00</b>
<b>073</b>	1294	650	<b>986,00</b>	<b>1183,00</b>
<b>L H 200</b>				
<b>051</b>	751	379	<b>764,00</b>	<b>916,00</b>
<b>062</b>	1051	530	<b>914,00</b>	<b>1097,00</b>
<b>073</b>	1352	682	<b>1051,00</b>	<b>1261,00</b>
<b>L H 220</b>				
<b>051</b>	780	395	<b>808,00</b>	<b>970,00</b>
<b>062</b>	1092	552	<b>969,00</b>	<b>1163,00</b>
<b>073</b>	1404	710	<b>1115,00</b>	<b>1338,00</b>

## IGUANA VISIO

### VISIO PLUS

code	height	length	colour	conn.
<b>VIPW .</b>	<b>180</b>	<b>051 .</b>	<b>XXX</b>	<b>/MM</b>
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
<b>L H 180</b>				
<b>051</b>	908	451	<b>936,00</b>	<b>1123,00</b>
<b>062</b>	1271	631	<b>1117,00</b>	<b>1341,00</b>
<b>073</b>	1634	811	<b>1282,00</b>	<b>1538,00</b>
<b>L H 200</b>				
<b>051</b>	978	488	<b>993,00</b>	<b>1191,00</b>
<b>062</b>	1369	683	<b>1188,00</b>	<b>1426,00</b>
<b>073</b>	1760	878	<b>1366,00</b>	<b>1639,00</b>
<b>L H 220</b>				
<b>051</b>	1042	522	<b>1050,00</b>	<b>1261,00</b>
<b>062</b>	1459	731	<b>1259,00</b>	<b>1511,00</b>
<b>073</b>	1876	940	<b>1450,00</b>	<b>1740,00</b>

EN442 output at 20°C room temperature



# jaga

## CLIMATE DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
[export@jaga.com](mailto:export@jaga.com)

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1 January 2020.  
Replaces all existing price lists.