

jaga



Energy
SAVERS
LOW-H₂O

KNOCKONWOOD

€ 2019.EX



Energy
SAVERS
LOW-H₂O

KNOCKONWOOD

Warm power, noble wood

- Completely pre-assembled casing with curved wooden shell finished in high-grade veneer.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



design award
winner



The mark of
responsible forestry

Certification only for
oak natural,
beech natural,
maple natural,
oak bleached,
beech bleached,
oak wenge-colour



LOW-H₂O
SELECTED AS
THE MOST
ECONOMICAL
RADIATOR


KNOCKKONWOOD



KNOCKONWOOD



DIMENSIONS (in cm)



DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation. Standard delivery:

- Low-H₂O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- casing in one piece with wooden cover in plywood with high-grade veneer and metal side panels in sandblast grey (001)
- cover plate in stainless steel effect for the side panel at the opposite end from the valve

WOOD FINISHES

The wooden casing is finished with a scratch-resistant polyurethane varnish, satin mat, gloss degree 40%. High UV resistance.

Category 1



700 Oak natural 720 Beech natural



760 Maple natural 740 Zebrano natural*

Category 2



701 Oak bleached 721 Beech bleached



710 Mahogany* 702 Oak wenge-colour



780 Walnut* * no FSC certification


CONNECTION

Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)
Ex. KNOW.030 060 06.xxx/60
High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:


add to the code of the radiator /00.
Ex. KNOW.030 060 06.xxx/00

For valve set prices see chapter "Connection sets & valves"

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



For Knockonwood type 06, use set 25
set 225 CODE 2-PIPE €

	COLO.SW2.JC.4...	69,30
	COLO.SW2.JW.4...	59,30

fill in sleeve coupling code		
Precision metal tube 14/1	114	
Precision metal tube 15/1	115	
Precision metal tube 16/1	116	
RPE/ALU tube 16/2	616	

Other connections:

See chapter "Connection sets and valves" for all connection options and technical information

ORDERING CODE

code	height	length	type	colour
KNOW . 030 060 10 . XXX				
fill in type of wood				




KNOCKONWOOD

KNOW.HHH LLL TT.XXX



	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ cat. 1	€ cat. 2	Type	Watts 75/65	Watts 55/45	€ cat. 1	€ cat. 2
L H 030										
060	---	---	---	---	---	06	416	198	649,30	717,80
	10	452	215	598,50	667,90	11	515	237	681,20	750,60
	15	689	330	636,90	707,00	16	752	350	738,40	808,50
080	---	---	---	---	---	06	554	263	723,30	796,80
	10	603	287	661,80	736,40	11	687	317	763,50	838,10
	15	919	440	711,60	787,60	16	1002	467	839,90	915,70
100	---	---	---	---	---	06	693	329	812,70	894,90
	10	754	359	760,90	846,80	11	859	396	878,20	964,20
	15	1149	550	822,20	909,70	16	1253	584	973,80	1061,20
120	---	---	---	---	---	06	832	395	957,60	1057,60
	10	905	431	882,30	983,40	11	1031	475	1011,70	1113,00
	15	1379	660	951,80	1054,80	16	1504	701	1121,40	1224,50
140	---	---	---	---	---	06	970	461	1052,70	1161,50
	10	1056	503	971,50	1081,70	11	1203	555	1112,90	1223,10
	15	1609	770	1052,20	1164,70	16	1754	817	1239,70	1352,00
180	---	---	---	---	---	06	1247	592	1162,10	1275,40
	10	1357	646	1060,90	1175,90	11	1546	713	1240,20	1355,60
	15	2068	990	1176,20	1295,60	16	2255	1051	1419,70	1539,00
220	---	---	---	---	---	06	1525	724	1351,80	1480,20
	10	1659	790	1225,10	1355,80	11	1890	871	1447,20	1577,80
	15	2528	1210	1394,40	1529,90	16	2757	1285	1719,60	1855,20
L H 055										
060	---	---	---	---	---	06	554	265	705,70	779,70
	10	660	322	654,20	728,50	11	718	336	740,80	815,30
	15	1001	492	695,90	771,30	16	1063	499	801,30	876,90
080	---	---	---	---	---	06	739	354	790,70	871,30
	10	880	429	728,00	809,20	11	958	448	833,60	914,90
	15	1335	657	781,10	863,70	16	1418	666	913,30	996,00
100	---	---	---	---	---	06	924	443	912,60	1006,50
	10	1100	536	842,90	937,90	11	1197	560	964,30	1059,20
	15	1669	821	912,60	1009,90	16	1772	832	1068,20	1165,60
120	---	---	---	---	---	06	1109	531	1060,00	1172,10
	10	1320	643	984,60	1097,80	11	1436	672	1118,00	1231,40
	15	2003	985	1063,90	1180,20	16	2126	998	1237,60	1353,70
140	---	---	---	---	---	06	1294	620	1186,30	1311,30
	10	1540	751	1106,40	1232,80	11	1676	784	1251,70	1378,10
	15	2337	1150	1196,10	1325,70	16	2481	1165	1387,80	1517,20
180	---	---	---	---	---	06	1663	797	1330,40	1464,90
	10	1980	965	1227,70	1363,90	11	2155	1008	1411,30	1547,50
	15	3004	1478	1344,40	1484,20	16	3190	1498	1591,70	1731,50
220	---	---	---	---	---	06	2033	974	1545,40	1699,00
	10	2420	1179	1416,90	1572,30	11	2633	1232	1643,10	1798,30
	15	3672	1806	1587,40	1747,10	16	3898	1830	1916,40	2076,20
L H 080										
060	---	---	---	---	---	06	645	312	753,50	832,80
	10	778	388	706,20	785,60	11	845	401	793,00	872,50
	15	1165	588	755,90	836,40	16	1288	609	861,60	942,30
080	---	---	---	---	---	06	860	416	857,60	946,50
	10	1037	517	800,40	889,80	11	1127	535	906,60	996,00
	15	1553	784	866,00	957,40	16	1718	813	998,60	1090,10
100	---	---	---	---	---	06	1075	520	1014,60	1122,00
	10	1296	647	949,60	1058,00	11	1409	669	1071,20	1179,50
	15	1941	980	1028,90	1140,20	16	2147	1016	1185,10	1296,20
120	---	---	---	---	---	06	1290	624	1175,40	1302,80
	10	1555	776	1103,00	1231,40	11	1691	803	1236,90	1365,10
	15	2329	1176	1191,30	1322,70	16	2576	1219	1365,30	1496,60

EN442 output at 20°C room temperature



Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st January 2019.
Replaces all existing price lists.