


# jaga

CLIMATE DESIGNERS

Heating 

KNOCKONWOOD € 2020.EX



# jaga

CLIMATE DESIGNERS

## KNOCKONWOOD

Warm power, noble wood

- Subtle, timeless design, curved one piece wooden mantle with a high-grade veneer finish.
- Low-H<sub>2</sub>O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



design award  
winner



The mark of  
responsible forestry

*Certification only for  
oak natural,  
beech natural,  
maple natural,  
oak bleached,  
beech bleached,  
oak wenge-colour*








KNOCKONWOOD



# KNOCKONWOOD



## DIMENSIONS (in cm)



## DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation. Standard delivery:

- Low-H<sub>2</sub>O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- casing in one piece with wooden cover in plywood with high-grade veneer and metal side panels in sandblast grey (001)
- cover plate in stainless steel effect for the side panel at the opposite end from the valve

## WOOD FINISHES

The wooden casing is finished with a scratch-resistant polyurethane varnish, satin mat, gloss degree 40%. High UV resistance.

**Available from stock in height 055 and lengths from 060 to 140**



700 Oak natural 740 Zebrano natural\*


## CONNECTION

Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)  
Ex. KNOW.030 060 06.xxx/60  
High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:

add to the code of the radiator /00.  
Ex. KNOW.030 060 06.xxx/00  
For valve set prices see chapter "Connection sets & valves"

## ORDERING CODE


code	height	length	type	colour
KNOW .	055	060	10 .	XXX
<i>fill in type of wood</i>				



## CONNECTION SETS

**To the wall, totally concealed within the casing**

TRV head and sleeve couplings Eurocone 3/4" included.



For Knockonwood type 06, use set 25

set 225

CODE 2-PIPE

	COLO.SW2.JC.4...	71,00
	COLO.SW2.JW.4...	61,00

*fill in sleeve coupling code*

Precision metal tube 14/1	114
Precision metal tube 15/1	115
Precision metal tube 16/1	116
RPE/ALU tube 16/2	616

## Other connections:

See chapter "Connection sets and valves" for all connection options and technical information

# KNOCKONWOOD

## STANDARD RANGE

KNOW.HHH LLL TT.XXX

	STANDARD				TWIN			
	Type	Watts	Watts	€	Type	Watts	Watts	€
		75/65	55/45			75/65	55/45	
<b>L</b>	<b>H 055</b>							
<b>060</b>	<b>10</b>	660	322	<b>674,00</b>	<b>11</b>	718	336	<b>763,00</b>
	<b>15</b>	1001	492	<b>717,00</b>	<b>16</b>	1063	499	<b>825,00</b>
<b>080</b>	<b>10</b>	880	429	<b>750,00</b>	<b>11</b>	958	448	<b>859,00</b>
	<b>15</b>	1335	657	<b>805,00</b>	<b>16</b>	1418	666	<b>941,00</b>
<b>100</b>	<b>10</b>	1100	536	<b>868,00</b>	<b>11</b>	1197	560	<b>993,00</b>
	<b>15</b>	1669	821	<b>940,00</b>	<b>16</b>	1772	832	<b>1100,00</b>
<b>120</b>	<b>10</b>	1320	643	<b>1014,00</b>	<b>11</b>	1436	672	<b>1152,00</b>
	<b>15</b>	2003	985	<b>1096,00</b>	<b>16</b>	2126	998	<b>1275,00</b>
<b>140</b>	<b>10</b>	1540	751	<b>1140,00</b>	<b>11</b>	1676	784	<b>1289,00</b>
	<b>15</b>	2337	1150	<b>1232,00</b>	<b>16</b>	2481	1165	<b>1429,00</b>

## AVAILABLE ON REQUEST

### Other wood finishes:

	
<b>760</b> Maple natural	<b>720</b> Beech natural
	
<b>701</b> Oak bleached	<b>721</b> Beech bleached
	
<b>710</b> Mahogany*	<b>702</b> Oak wenge-colour
	
<b>780</b> Walnut*	<i>* no FSC certification</i>

### Other dimensions:

Height 030 and 090cm. Length 180 and 220 cm



Not available per piece! For your personalized offer  
tel. 0032 11 29 41 12

EN442 output at 20°C room temperature





**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1st January 2020.  
Replaces all existing price lists.