



jaga



Energy
SAVERS
LOW-H₂O
LINEA PLUS
€ 2019.EX



Energy
SAVERS
LOW-H₂O

LINEA PLUS

Warm power, slim line

- A Jaga classic with timeless design, the first award winning radiator ever !
- Discreet, slim-line design with perforated and curved grille .
- Clean and simple, flat front panel.
- Partially pre-assembled for quick installation.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE model for super-low water temperatures from 28°C.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



1990
European
DESIGN PRIZE

Also available as freestanding model for glazed façades.
See page 88 .



35
30

LOW-H₂O
SELECTED AS
THE MOST
ECONOMICAL
RADIATOR


LINEA PLUS



LINEA PLUS



DIMENSIONS (in cm)



⚠ Plug socket or 12Vdc power supply required behind or alongside the radiator.

DELIVERY

Easy to install by one person. Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit
- air vent elbow (standard) or automatic air vent (twin) 1/8" and drain plug 1/2"
- partially pre-mounted casing for connection left or right at low level

Delivery with DBE:

- number of DBE unit(s) varies according to the length
- operation, control and power supply 12VDC
- mounting instructions
- packed with the radiator

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

CONNECTION

Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve: add to the code of the radiator /30 (left) or /60 (right)
Ex. LINW.035 050 10.xxx/60
High level valve details : see "Connection sets & Valves".




Optional remote controlled valve: add to the code of the radiator /00.

Ex. LINW.035 050 10.xxx/00
For valve set prices see chapter "Connection sets & valves"

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set 225

CODE 2-PIPE

€



COLO.SW2.JC.4...

69,30



COLO.SW2.JW.4...

59,30

fill in sleeve coupling code

Precision metal tube 14/1 114


Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

Other connections:

See chapter "Connection sets and valves" for all connection options and technical information.



ORDERING CODE

code	height	length	type	colour
LINW . 020	050	10 .	XXX	

fill in colour code ↓

ORDERING CODE WITH DBE

code	height	length	type	colour	Option
LINW . 020	060	06 .	XXX		/DBE


fill in colour code ↓

DBE should be selected according to the power in comfort mode, as stated in the price and output table. The transition between standby (inactive) and comfort is managed automatically depending on the measured temperature and settings. For output in boost mode: see www.jaga.com



TOWEL RAILS

Chrome-plated alu.



Chrome-plated alu.	L	€
5501.001	56	212,90
5501.002	66	212,90

Also available as freestanding model for glazed façades. See page 88.

H020 - LINEA PLUS



LINW.020 LLL TT.XXX

LINW.020 LLL TT.XXX/DBE

L	STANDARD					TWIN					WITH DBE in comfort mode					
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
050	10	284	136	141,20	179,70	---	---	---	---	---	---	---	---	---	---	---
	15	519	251	168,00	209,40	---	---	---	---	---	---	---	---	---	---	---
	20	697	337	194,00	238,40	---	---	---	---	---	---	---	---	---	---	---
060	10	341	164	151,10	192,40	---	---	---	---	---	10	491	295	123	356,10	397,20
	15	623	301	180,40	224,10	---	---	---	---	---	15	873	524	218	395,60	439,20
	20	836	404	210,60	257,30	---	---	---	---	---	20	1086	652	272	425,70	472,50
070	10	398	191	169,20	212,10	---	---	---	---	---	10	548	329	137	374,10	416,90
	15	727	351	204,70	250,20	---	---	---	---	---	15	977	586	244	419,80	465,40
	20	976	471	242,90	292,70	---	---	---	---	---	20	1226	736	307	458,10	507,80
080	10	454	218	181,40	227,10	---	---	---	---	---	10	604	362	151	386,30	432,00
	15	830	401	221,70	270,90	---	---	---	---	---	15	1080	648	270	436,80	486,00
	20	1115	538	263,20	316,70	---	---	---	---	---	20	1365	819	341	478,50	531,80
090	10	511	245	191,20	239,40	---	---	---	---	---	10	811	487	203	473,50	521,90
	15	934	451	236,10	288,20	---	---	---	---	---	15	1434	860	359	539,00	591,10
	20	1255	606	280,90	337,10	---	---	---	---	---	20	1755	1053	439	583,60	639,90
100	10	568	273	207,60	257,80	---	---	---	---	---	10	868	521	217	490,00	540,30
	15	1038	502	257,60	312,00	---	---	---	---	---	15	1538	923	385	560,50	615,00
	20	1394	673	310,20	369,30	---	---	---	---	---	20	1894	1136	474	613,30	672,50
110	10	625	300	218,50	271,50	---	---	---	---	---	10	925	555	231	500,90	553,90
	15	1142	552	272,60	329,30	---	---	---	---	---	15	1642	985	411	575,70	632,40
	20	1533	740	329,00	391,00	---	---	---	---	---	20	2033	1220	508	631,90	693,80
120	10	682	327	234,00	289,80	---	---	---	---	---	10	982	589	246	516,50	572,20
	15	1246	602	293,00	353,00	---	---	---	---	---	15	1746	1048	437	596,00	655,90
	20	1673	808	354,30	419,80	---	---	---	---	---	20	2173	1304	543	657,20	722,60
140	10	795	382	255,40	315,80	---	---	---	---	---	10	1095	657	274	537,70	598,30
	15	1453	702	322,60	388,20	---	---	---	---	---	15	1953	1172	488	625,60	691,10
	20	1952	943	414,80	486,40	---	---	---	---	---	20	2452	1471	613	717,70	789,40
160	10	909	437	303,90	376,00	---	---	---	---	---	10	1509	905	377	741,10	813,30
	15	1661	803	385,90	463,20	---	---	---	---	---	15	2661	1597	665	864,30	941,60
	20	2230	1077	495,50	580,10	---	---	---	---	---	20	3230	1938	808	974,00	1058,50
180	10	1022	491	330,40	410,00	---	---	---	---	---	10	1622	973	406	767,60	847,30
	15	1868	903	422,30	508,10	---	---	---	---	---	15	2868	1721	717	900,70	986,50
	20	2509	1212	540,00	633,00	---	---	---	---	---	20	3509	2105	877	1018,30	1111,60
200	10	1136	546	359,10	447,20	---	---	---	---	---	10	1736	1042	434	796,30	884,60
	15	2076	1003	482,40	577,20	---	---	---	---	---	15	3076	1846	769	960,60	1055,50
	20	2788	1346	587,00	689,90	---	---	---	---	---	20	3788	2273	947	1065,30	1168,30
220	10	1250	600	419,00	523,50	---	---	---	---	---	10	1850	1110	463	856,40	960,60
	15	2284	1104	561,50	672,90	---	---	---	---	---	15	3284	1970	821	1039,80	1151,30
	20	3067	1481	683,40	803,60	---	---	---	---	---	20	4067	2440	1017	1161,80	1282,00
240	10	1363	655	450,60	562,40	---	---	---	---	---	10	2263	1358	566	1042,90	1154,60
	15	2491	1204	604,20	724,20	---	---	---	---	---	15	3991	2395	998	1258,10	1378,00
	20	3346	1616	736,90	866,10	---	---	---	---	---	20	4846	2908	1212	1390,90	1519,90
260	10	1477	709	479,40	598,20	---	---	---	---	---	10	2377	1426	594	1071,70	1190,40
	15	2699	1304	642,00	768,50	---	---	---	---	---	15	4199	2519	1050	1295,70	1422,20
	20	3624	1750	785,50	922,70	---	---	---	---	---	20	5124	3074	1281	1439,40	1576,60
280	10	1590	764	506,20	630,80	---	---	---	---	---	10	2490	1494	623	1098,30	1222,80
	15	2906	1404	678,80	812,60	---	---	---	---	---	15	4406	2644	1102	1332,80	1466,40
	20	3903	1885	831,50	975,50	---	---	---	---	---	20	5403	3242	1351	1485,20	1629,30

EN442 output at 20°C room temperature

LINEA PLUS - H035

LINW.035 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	10	393	190	155,70	200,80	11	549	260	242,40	287,70
	15	659	323	182,70	231,00	16	813	385	285,80	333,90
	20	901	441	211,10	262,90	21	1039	488	304,40	356,10
060	10	471	228	167,40	216,50	11	659	313	258,40	307,50
	15	790	387	196,90	248,40	16	975	461	307,20	358,50
	20	1081	529	229,20	284,90	21	1247	585	330,20	385,50
070	10	550	266	186,20	237,50	11	769	365	290,00	341,20
	15	922	451	221,70	275,80	16	1138	538	349,60	403,60
	20	1261	617	262,30	321,00	21	1455	683	380,30	439,10
080	10	628	304	199,00	253,70	11	878	416	309,40	363,90
	15	1054	516	239,80	297,80	16	1300	615	376,50	434,70
	20	1441	705	283,50	346,50	21	1662	780	410,60	473,30
090	10	707	342	211,10	270,00	11	988	469	326,20	385,00
	15	1185	580	256,40	318,90	16	1463	692	402,20	464,80
	20	1621	793	303,30	370,80	21	1870	878	438,60	505,90
100	10	785	380	228,10	288,80	11	1098	521	353,80	414,60
	15	1317	645	278,20	343,40	16	1625	769	438,60	503,70
	20	1801	881	333,10	403,90	21	2078	975	483,30	553,90
110	10	864	419	240,00	304,30	11	1208	573	371,70	436,20
	15	1449	709	294,60	362,80	16	1788	846	463,10	531,20
	20	1981	969	353,00	427,10	21	2286	1073	512,60	586,50
120	10	942	456	258,10	325,60	11	1318	625	398,30	465,50
	15	1580	774	317,30	389,00	16	1950	923	497,80	569,40
	20	2161	1058	381,70	459,30	21	2494	1170	551,90	629,60
140	10	1099	532	282,40	356,00	11	1537	729	434,10	507,70
	15	1844	903	349,60	428,40	16	2275	1076	547,90	626,70
	20	2521	1234	444,70	530,40	21	2909	1365	645,80	731,50
160	10	1256	608	333,50	421,20	11	1757	833	510,60	598,40
	15	2107	1032	415,90	508,70	16	2600	1230	650,40	743,50
	20	2882	1410	528,20	629,10	21	3325	1560	766,30	867,30
180	10	1413	684	362,80	459,60	11	1976	937	553,00	649,80
	15	2371	1161	454,90	558,20	16	2925	1384	709,10	812,40
	20	3242	1587	575,40	686,70	21	3740	1755	833,50	944,80
200	10	1570	760	393,60	500,60	11	2196	1042	596,60	703,60
	15	2634	1290	517,00	630,70	16	3250	1538	808,80	922,50
	20	3602	1763	624,50	746,80	21	4156	1950	902,20	1024,50
220	10	1727	837	456,10	580,90	11	2416	1146	688,80	813,60
	15	2897	1418	598,60	730,90	16	3575	1691	934,90	1067,00
	20	3962	1939	723,70	865,10	21	4572	2146	1044,30	1185,80
240	10	1884	913	492,60	626,10	11	2635	1250	741,60	875,20
	15	3161	1548	646,20	788,00	16	3900	1845	1005,60	1147,40
	20	4322	2115	782,30	934,00	21	4987	2340	1126,90	1278,60
260	10	2041	989	523,50	665,40	11	2855	1354	787,50	929,20
	15	3424	1676	685,90	836,00	16	4225	1999	1067,50	1217,40
	20	4683	2292	832,80	994,10	21	5403	2536	1199,00	1360,40
280	10	2198	1065	552,30	702,10	11	3074	1458	830,30	980,20
	15	3688	1806	724,90	884,10	16	4550	2153	1127,90	1286,90
	20	5043	2468	881,20	1051,30	21	5818	2730	1268,90	1439,20

EN442 output at 20°C room temperature

LINW.035 LLL TT.XXX/DBE

Type	WITH DBE in comfort mode				
	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
11	959	575	240	463,40	512,50
16	1455	873	364	522,20	573,80
21	1727	1036	432	545,50	600,90
11	1069	641	267	494,90	546,10
16	1618	971	405	564,80	618,80
21	1935	1161	484	595,60	654,30
11	1178	707	295	514,20	568,80
16	1780	1068	445	591,90	650,00
21	2142	1285	536	625,70	688,70
11	1588	953	397	608,60	667,40
16	2423	1454	606	705,10	767,60
21	2830	1698	708	741,40	808,80
11	1698	1019	425	636,30	697,00
16	2585	1551	646	741,40	806,60
21	3038	1823	760	786,10	856,90
11	1808	1085	452	654,30	718,50
16	2748	1649	687	766,10	834,20
21	3246	1948	812	815,40	889,40
11	1918	1151	480	680,60	747,90
16	2910	1746	728	800,80	872,40
21	3454	2072	864	854,70	932,60
11	2137	1282	534	716,50	790,00
16	3235	1941	809	850,80	929,70
21	3869	2321	967	948,90	1034,50
11	2957	1774	739	948,10	1035,70
16	4520	2712	1130	1128,80	1221,70
21	5245	3147	1311	1244,80	1345,80
11	3176	1906	794	990,20	1087,00
16	4845	2907	1211	1187,50	1290,80
21	5660	3396	1415	1311,80	1423,20
11	3396	2038	849	1033,90	1140,90
16	5170	3102	1293	1287,30	1401,00
21	6076	3646	1519	1380,50	1502,90
11	3616	2170	904	1125,90	1250,80
16	5495	3297	1374	1413,30	1545,50
21	6492	3895	1623	1522,80	1664,30
11	4435	2661	1109	1333,80	1467,20
16	6780	4068	1695	1659,50	1801,30
21	7867	4720	1967	1780,90	1932,60
11	4655	2793	1164	1379,70	1521,50
16	7105	4263	1776	1721,20	1871,30
21	8283	4970	2071	1853,00	2014,30
11	4874	2924	1219	1422,30	1572,20
16	7430	4458	1858	1781,60	1940,80
21	8698	5219	2175	1923,00	2093,00

H 050 - LINEA PLUS



LINW.050 LLL TT.XXX

LINW.050 LLL TT.XXX/DBE

L	STANDARD				TWIN				WITH DBE in comfort mode							
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
050	10	482	236	167,80	218,90	11	655	311	254,40	305,70	---	---	---	---	---	---
	15	767	381	197,00	252,20	16	976	462	299,00	353,90	---	---	---	---	---	---
	20	1060	526	227,30	286,50	21	1282	600	320,80	380,00	---	---	---	---	---	---
060	10	578	282	179,90	235,70	11	785	373	270,90	326,60	11	1085	651	271	475,80	531,50
	15	920	456	211,70	270,80	16	1171	555	320,80	379,80	16	1651	991	413	536,10	595,10
	20	1272	631	246,10	309,70	21	1538	720	347,20	410,80	21	2018	1211	505	562,50	625,90
070	10	675	330	200,20	259,20	11	916	436	304,10	363,10	11	1216	730	304	509,00	567,80
	15	1073	532	238,20	300,80	16	1366	647	364,70	427,50	16	1846	1108	462	579,90	642,70
	20	1484	736	280,70	348,70	21	1795	840	398,80	467,00	21	2275	1365	569	614,00	682,00
080	10	771	377	214,10	277,20	11	1047	498	324,40	387,50	11	1347	808	337	529,30	592,40
	15	1226	608	257,20	324,60	16	1561	739	392,80	460,40	16	2041	1225	510	608,10	675,60
	20	1696	841	303,00	375,80	21	2051	960	429,90	503,00	21	2531	1519	633	645,30	718,20
090	10	868	424	227,00	294,40	11	1178	560	342,10	409,40	11	1778	1067	445	624,30	691,80
	15	1380	685	274,50	346,70	16	1756	832	418,80	491,20	16	2716	1630	679	721,90	794,10
	20	1908	946	323,30	400,90	21	2308	1080	458,50	536,10	21	3268	1961	817	761,40	839,20
100	10	964	471	244,10	314,30	11	1309	623	370,10	440,10	11	1909	1145	477	652,30	722,50
	15	1533	761	296,80	372,10	16	1951	924	455,90	531,20	16	2911	1747	728	758,90	834,20
	20	2120	1051	353,60	435,00	21	2564	1200	503,80	585,40	21	3524	2114	881	806,70	888,50
110	10	1060	518	257,70	332,20	11	1440	685	389,50	463,80	11	2040	1224	510	671,70	746,20
	15	1686	837	314,50	393,50	16	2146	1016	481,70	560,80	16	3106	1864	777	784,70	863,70
	20	2332	1156	374,90	460,60	21	2820	1320	534,60	620,30	21	3780	2268	945	837,40	923,10
120	10	1157	565	278,50	356,80	11	1571	747	418,50	496,70	11	2171	1303	543	700,90	779,10
	15	1840	913	340,50	424,20	16	2341	1109	519,20	602,70	16	3301	1981	825	822,20	905,60
	20	2544	1262	407,20	497,50	21	3077	1440	577,80	668,00	21	4037	2422	1009	880,70	970,90
140	10	1350	660	304,50	390,50	11	1833	872	456,50	542,60	11	2433	1460	608	738,80	824,80
	15	2146	1065	375,00	467,10	16	2731	1293	571,40	663,50	16	3691	2215	923	874,40	966,50
	20	2968	1472	472,20	571,80	21	3590	1680	673,90	773,70	21	4550	2730	1138	976,90	1076,40
160	10	1542	753	359,70	462,30	11	2094	996	536,70	639,40	11	3294	1976	824	974,20	1076,70
	15	2453	1217	444,90	553,70	16	3122	1479	677,60	786,40	16	5042	3025	1261	1156,00	1264,70
	20	3392	1682	559,70	677,10	21	4102	1920	798,10	915,40	21	6022	3613	1506	1276,30	1393,80
180	10	1735	848	390,60	503,40	11	2356	1120	580,70	693,40	11	3556	2134	889	1018,00	1130,80
	15	2759	1369	485,70	605,90	16	3512	1663	738,00	858,20	16	5432	3259	1358	1216,40	1336,50
	20	3816	1892	608,50	737,50	21	4615	2160	866,60	995,70	21	6535	3921	1634	1345,10	1474,00
200	10	1928	942	423,40	547,80	11	2618	1245	626,30	750,80	11	3818	2291	955	1063,70	1188,10
	15	3066	1521	549,70	681,90	16	3902	1848	839,50	971,70	16	5822	3493	1456	1318,10	1450,20
	20	4240	2103	659,60	801,10	21	5128	2400	937,60	1079,10	21	7048	4229	1762	1416,00	1557,50
220	10	2121	1036	488,60	632,90	11	2880	1370	721,20	865,70	11	4080	2448	1020	1158,40	1302,90
	15	3373	1674	634,10	786,80	16	4292	2033	968,10	1121,00	16	6212	3727	1553	1446,70	1599,50
	20	4664	2313	761,30	924,00	21	5641	2641	1082,20	1244,90	21	7561	4537	1890	1560,60	1723,30
240	10	2314	1131	528,50	682,90	11	3142	1494	777,60	931,90	11	4942	2965	1236	1369,80	1524,10
	15	3679	1825	685,60	849,40	16	4682	2218	1042,40	1206,10	16	7562	4537	1891	1696,40	1859,90
	20	5088	2523	824,80	998,90	21	6154	2881	1169,80	1343,80	21	9034	5420	2259	1823,60	1997,80
260	10	2506	1224	562,10	727,10	11	3403	1618	826,10	991,10	11	5203	3122	1301	1418,10	1583,10
	15	3986	1978	728,10	902,10	16	5073	2403	1107,10	1281,20	16	7953	4772	1988	1761,00	1935,00
	20	5512	2733	877,90	1063,70	21	6666	3120	1244,50	1430,40	21	9546	5728	2387	1898,40	2084,30
280	10	2699	1319	592,90	766,80	11	3665	1743	870,90	1044,70	11	5465	3279	1366	1463,10	1636,90
	15	4292	2130	769,20	953,30	16	5463	2587	1169,60	1353,60	16	8343	5006	2086	1823,40	2007,30
	20	5936	2944	928,30	1124,00	21	7179	3360	1316,40	1512,00	21	10059	6035	2515	1970,30	2165,90

EN442 output at 20°C room temperature

LINEA PLUS - H065

LINW.065 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	10	561	277	180,40	238,70	11	742	354	267,00	325,10
	15	858	432	212,10	274,90	16	1114	528	314,90	377,80
	20	1196	601	244,80	311,90	21	1503	702	338,00	405,40
060	10	673	332	193,50	256,60	11	890	424	284,40	347,40
	15	1029	518	227,70	294,90	16	1336	634	337,80	405,10
	20	1435	721	264,60	336,30	21	1803	842	365,40	437,20
070	10	785	387	215,00	281,70	11	1038	495	318,60	385,40
	15	1201	604	255,10	326,80	16	1559	740	382,80	454,40
	20	1674	841	299,90	377,20	21	2104	983	418,10	495,10
080	10	897	442	230,70	302,70	11	1186	565	340,40	412,70
	15	1372	690	275,80	353,30	16	1782	845	412,60	489,90
	20	1913	961	324,00	407,00	21	2404	1123	450,80	533,90
090	10	1009	497	243,50	320,60	11	1335	637	358,50	435,40
	15	1544	777	293,30	376,10	16	2004	951	439,00	521,80
	20	2152	1081	344,70	432,70	21	2705	1264	479,50	567,80
100	10	1121	553	261,50	341,70	11	1483	707	387,10	467,30
	15	1715	863	316,60	402,60	16	2227	1056	476,50	562,70
	20	2391	1201	375,50	468,00	21	3005	1404	525,80	618,30
110	10	1233	608	275,40	360,30	11	1631	778	407,10	491,90
	15	1887	949	334,70	424,90	16	2450	1162	503,00	593,30
	20	2630	1321	397,40	494,60	21	3306	1544	556,90	654,00
120	10	1345	663	300,50	390,70	11	1780	849	440,30	530,80
	15	2058	1035	365,20	461,80	16	2672	1267	545,60	642,00
	20	2869	1441	435,40	538,90	21	3606	1685	605,70	709,30
140	10	1569	773	327,70	426,80	11	2076	990	479,10	578,20
	15	2401	1208	400,80	506,70	16	3118	1479	598,60	704,50
	20	3347	1681	501,50	615,10	21	4207	1965	703,00	816,60
160	10	1794	884	385,90	503,50	11	2373	1131	562,70	680,30
	15	2744	1380	473,90	598,30	16	3563	1690	708,10	832,60
	20	3826	1922	592,10	725,50	21	4808	2246	829,90	963,50
180	10	2018	995	418,80	548,30	11	2669	1273	609,00	738,20
	15	3087	1553	516,80	654,30	16	4009	1902	770,60	908,20
	20	4304	2162	643,00	789,60	21	5409	2527	901,00	1047,60
200	10	2242	1105	454,20	597,10	11	2966	1414	657,10	800,10
	15	3430	1725	583,20	734,80	16	4454	2113	874,80	1026,30
	20	4782	2402	696,80	857,80	21	6010	2808	974,40	1135,50
220	10	2466	1215	521,60	685,40	11	3263	1556	753,90	917,80
	15	3773	1898	669,90	842,70	16	4899	2324	1005,60	1178,50
	20	5260	2642	800,60	983,90	21	6611	3088	1121,10	1304,40
240	10	2690	1326	565,80	741,80	11	3559	1697	814,40	990,40
	15	4116	2071	725,90	912,00	16	5345	2535	1085,00	1271,20
	20	5738	2882	869,90	1066,70	21	7212	3369	1214,40	1411,30
260	10	2915	1437	601,20	789,00	11	3856	1838	865,00	1052,70
	15	4459	2243	770,30	967,90	16	5790	2746	1151,70	1349,30
	20	6217	3123	925,10	1134,70	21	7813	3650	1291,40	1501,00
280	10	3139	1547	634,30	832,40	11	4152	1980	911,80	1110,20
	15	4802	2416	813,50	1022,80	16	6236	2958	1216,10	1425,30
	20	6695	3363	977,30	1198,60	21	8414	3931	1365,00	1586,30

EN442 output at 20°C room temperature

LINW.065 LLL TT.XXX/DBE

Type	WITH DBE in comfort mode				
	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
11	1190	714	298	489,50	552,40
16	1816	1090	454	553,10	620,40
21	2283	1370	571	580,50	652,50
11	1338	803	335	523,50	590,40
16	2039	1223	510	598,00	669,70
21	2584	1550	646	633,20	710,30
11	1486	892	372	545,60	617,70
16	2262	1357	566	627,70	705,30
21	2884	1730	721	666,20	749,20
11	1935	1161	484	640,70	717,80
16	2964	1778	741	741,90	824,70
21	3665	2199	916	782,60	870,90
11	2083	1250	521	669,70	749,60
16	3187	1912	797	779,40	865,60
21	3965	2379	991	828,70	921,20
11	2231	1339	558	689,50	774,20
16	3410	2046	853	805,90	896,20
21	4266	2560	1067	859,80	956,90
11	2380	1428	595	722,70	813,20
16	3632	2179	908	848,50	945,00
21	4566	2740	1142	908,50	1012,10
11	2676	1606	669	761,50	860,60
16	4078	2447	1020	901,80	1007,60
21	5167	3100	1292	1005,90	1119,60
11	3573	2144	893	999,90	1117,60
16	5483	3290	1371	1186,50	1311,00
21	6728	4037	1682	1308,40	1441,90
11	3869	2321	967	1046,10	1175,40
16	5929	3557	1482	1248,90	1386,40
21	7329	4397	1832	1379,40	1525,90
11	4166	2500	1042	1094,30	1237,40
16	6374	3824	1594	1353,20	1504,70
21	7930	4758	1983	1452,70	1613,80
11	4463	2678	1116	1191,20	1354,90
16	6819	4091	1705	1484,10	1656,90
21	8531	5119	2133	1599,50	1782,80
11	5359	3215	1340	1406,60	1582,80
16	8225	4935	2056	1738,90	1925,00
21	10092	6055	2523	1868,30	2065,00
11	5656	3394	1414	1457,10	1644,90
16	8670	5202	2168	1805,50	2003,10
21	10693	6416	2673	1945,20	2155,00
11	5952	3571	1488	1504,00	1702,40
16	9116	5470	2279	1869,80	2079,20
21	11294	6776	2824	2018,80	2240,20

H095 - LINEA PLUS




LINW.095 LLL TT.XXX

LINW.095 LLL TT.XXX/DBE

L	STANDARD					TWIN					WITH DBE in comfort mode					
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
050	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
060	10	838	420	215,40	291,50	11	1055	505	306,60	382,50	11	1355	813	339	511,40	587,50
	15	1210	625	255,00	336,90	16	1608	765	365,00	446,80	16	2088	1253	522	580,30	662,00
	20	1706	880	290,70	376,90	21	2290	1065	392,10	478,10	21	2770	1662	693	607,30	693,30
070	10	977	490	238,00	318,60	11	1231	590	341,70	422,30	11	1531	919	383	546,60	627,30
	15	1411	729	283,40	370,40	16	1876	892	411,30	498,20	16	2356	1414	589	626,50	713,40
	20	1991	1027	327,40	419,00	21	2671	1242	445,70	537,70	21	3151	1891	788	660,80	752,80
080	10	1117	560	256,00	344,00	11	1406	673	366,30	454,10	11	1706	1024	427	571,10	659,00
	15	1613	833	306,70	401,30	16	2144	1020	443,40	538,10	16	2624	1574	656	658,40	753,30
	20	2275	1173	353,90	453,80	21	3053	1420	481,20	581,00	21	3533	2120	883	696,30	796,30
090	10	1256	630	271,30	365,40	11	1582	758	386,50	480,60	11	2182	1309	546	668,80	762,90
	15	1814	937	326,40	427,80	16	2412	1147	472,00	573,50	16	3372	2023	843	774,90	876,30
	20	2560	1320	376,90	483,20	21	3434	1597	512,30	618,60	21	4394	2636	1099	815,00	921,50
100	10	1396	700	294,40	395,10	11	1758	842	420,20	520,90	11	2358	1415	590	702,60	803,20
	15	2016	1041	354,50	463,00	16	2680	1275	514,70	623,00	16	3640	2184	910	817,50	925,90
	20	2844	1467	413,10	527,00	21	3816	1774	563,40	677,50	21	4776	2866	1194	866,40	980,40
110	10	1536	771	311,40	419,20	11	1934	926	443,20	551,00	11	2534	1520	634	725,60	833,50
	15	2218	1146	376,00	490,90	16	2948	1402	544,10	659,20	16	3908	2345	977	847,10	962,00
	20	3128	1613	437,90	559,10	21	4198	1952	597,60	718,50	21	5158	3095	1290	900,50	1021,60
120	10	1675	840	339,10	452,90	11	2110	1011	479,00	593,00	11	2710	1626	678	761,40	875,40
	15	2419	1250	410,90	532,30	16	3216	1529	591,00	712,60	16	4176	2506	1044	894,00	1015,50
	20	3413	1760	479,90	607,70	21	4579	2129	650,70	778,60	21	5539	3323	1385	953,70	1081,50
140	10	1954	980	372,50	499,40	11	2461	1179	524,40	651,40	11	3061	1837	765	806,80	933,60
	15	2822	1458	452,70	587,90	16	3752	1784	650,50	785,90	16	4712	2827	1178	953,80	1089,00
	20	3982	2054	552,60	695,00	21	5342	2484	754,20	896,90	21	6302	3781	1576	1057,20	1199,70

EN442 output at 20°C room temperature



Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st January 2019.
Replaces all existing price lists.