



jaga



Eyecatchers

PANEL PLUS HORIZONTAL

€ 2019.EX



PANEL PLUS HORIZONTAL

Elegant simplicity and power

Streamlined, elegant design. The compact style of the Panel Plus allows creative freedom to the designer and saves space too! The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model starting at a height of 6 cm! The robust design of the Panel Plus radiator with its hidden collectors provides an elegant simplicity that oozes quality.

Vertical version: see p. 222.
Freestanding version: see p. 178.

PANEL PLUS HORIZONTAL sandblast grey 001



Eye catchers

From design to art

PANEL PLUS HORIZONTAL





PANEL PLUS HORIZONTAL



DIMENSIONS (in cm)

- standard connection
- variant




Type 11 standard wall fixing

Type 11 extended wall fixing

Type 22

Type 22

Vertical version: see p. 222.
Freestanding version: see p. 178.



DELIVERY

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain plug G1/2"
- pre-mounted grille
- type 11 is provided with standard and extended wall fixings

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

Code 18, reversible 18 or 81



Other connections (no surcharge):

- side connection:
 - one-sided: code 32 or 67 instead of 18
 - cross-over: code 37 or 62 instead of 18
- single point connection: code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) min. 100 mm long and a reduction washer.


CONNECTION SETS

Example showing connection set to the wall

Jaga Deco double angled

TRV head and sleeve couplings included.



	set 35 To the wall	€
	CODE.JH2.AC.1...	162,60

fill in sleeve coupling code

Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connection sets and sleeve couplings

see chapter "Connection sets and valves" for all connection options and technical information

PANEL PLUS HORIZONTAL

code height length type colour conn.
PPHW . 018 100 11 . XXX /18 /GR
 fill in colour code —┘

Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 018				
060	---	---	---	---
080	---	---	---	---
100	11 389	206 206	313,50	376,10
	22 626	314 314	586,40	703,70
120	11 466	246 246	345,70	415,10
	22 751	377 377	643,00	771,80
140	11 544	288 288	379,20	454,90
	22 876	440 440	701,10	841,20
160	11 622	329 329	413,80	496,70
	22 1001	503 503	760,90	913,20
180	11 699	369 369	447,10	536,60
	22 1126	565 565	817,50	981,10
200	11 777	411 411	479,20	575,20
	22 1252	629 629	873,30	1047,90
220	11 855	452 452	512,80	615,40
	22 1377	691 691	931,00	1117,30
240	11 932	493 493	545,10	653,80
	22 1502	754 754	986,80	1183,80
260	11 1010	534 534	579,50	695,40
	22 1627	817 817	1046,80	1256,40
280	11 1088	575 575	611,80	734,20
	22 1752	880 880	1102,70	1323,30
300	11 1166	616 616	645,20	774,40
	22 1877	942 942	1160,30	1392,50
L H 037				
060	11 380	201 201	367,80	441,40
	22 659	331 331	719,40	863,20
080	11 507	268 268	420,50	504,40
	22 879	441 441	815,50	978,50
100	11 633	335 335	472,70	567,20
	22 1098	551 551	912,50	1095,00
120	11 760	402 402	525,30	630,60
	22 1318	662 662	1008,40	1210,10
140	11 887	469 469	576,60	692,00
	22 1538	772 772	1103,20	1324,10
160	11 1013	535 535	629,20	755,20
	22 1757	882 882	1200,60	1440,90
180	11 1140	603 603	680,70	816,90
	22 1977	993 993	1295,60	1554,70
200	11 1267	670 670	733,10	879,60
	22 2197	1103 1103	1391,60	1669,90
220	11 1394	737 737	784,70	941,70
	22 2416	1213 1213	1486,40	1783,80
240	11 1520	803 803	836,80	1004,10
	22 2636	1323 1323	1582,40	1898,80
260	11 1647	871 871	888,70	1066,60
	22 2856	1434 1434	1677,80	2013,40
280	11 1774	938 938	940,00	1128,00
	22 3075	1544 1544	1771,60	2126,10
300	11 1900	1004 1004	991,40	1189,70
	22 3295	1654 1654	1866,50	2239,70

Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 024				
060	11 285	151 151	275,40	330,50
	22 477	239 239	530,60	636,60
080	11 380	201 201	314,20	377,00
	22 636	319 319	598,80	718,40
100	11 475	251 251	352,80	423,40
	22 794	399 399	667,10	800,50
120	11 570	301 301	388,30	466,00
	22 953	478 478	729,10	875,20
140	11 665	352 352	423,70	508,50
	22 1112	558 558	791,20	949,40
160	11 760	402 402	461,40	554,00
	22 1271	638 638	857,50	1029,00
180	11 855	452 452	497,00	596,60
	22 1430	718 718	919,70	1103,50
200	11 950	502 502	532,40	638,80
	22 1589	798 798	981,60	1177,80
220	11 1045	552 552	567,80	681,60
	22 1748	878 878	1043,60	1252,40
240	11 1140	603 603	604,60	725,20
	22 1907	957 957	1107,90	1329,30
260	11 1235	653 653	640,00	768,00
	22 2065	1037 1037	1171,00	1405,40
280	11 1330	703 703	675,50	810,70
	22 2224	1117 1117	1233,00	1479,90
300	11 1425	753 753	711,20	853,40
	22 2383	1196 1196	1294,10	1553,00
L H 043				
060	11 425	225 225	413,60	496,30
	22 742	373 373	811,70	974,10
080	11 566	299 299	473,70	568,40
	22 989	497 497	923,60	1108,20
100	11 708	374 374	532,20	638,50
	22 1236	621 621	1034,50	1241,40
120	11 849	449 449	593,20	712,00
	22 1483	745 745	1147,60	1377,40
140	11 991	524 524	652,90	783,50
	22 1730	869 869	1259,60	1511,60
160	11 1132	598 598	713,20	855,80
	22 1978	993 993	1371,70	1646,10
180	11 1274	673 673	774,10	928,90
	22 2225	1117 1117	1485,60	1783,00
200	11 1415	748 748	833,90	1000,60
	22 2472	1241 1241	1596,50	1915,80
220	11 1557	823 823	892,90	1071,60
	22 2719	1365 1365	1707,40	2048,90
240	11 1698	898 898	953,80	1144,50
	22 2966	1489 1489	1821,50	2185,70
260	11 1840	973 973	1013,80	1216,60
	22 3214	1614 1614	1932,40	2319,20
280	11 1981	1047 1047	1074,80	1289,90
	22 3461	1738 1738	2046,70	2456,20
300	11 2123	1122 1122	1136,00	1363,20
	22 3708	1862 1862	2160,70	2593,00

Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 031				
060	11 334	177 177	321,30	385,30
	22 571	287 287	622,80	747,20
080	11 445	235 235	367,30	440,80
	22 761	382 382	707,00	848,40
100	11 556	294 294	411,90	494,40
	22 951	477 477	789,20	947,00
120	11 668	353 353	453,00	543,60
	22 1142	573 573	862,10	1034,60
140	11 779	412 412	501,20	601,40
	22 1332	669 669	949,40	1139,20
160	11 890	470 470	544,10	653,20
	22 1522	764 764	1026,50	1232,10
180	11 1001	529 529	588,30	706,10
	22 1713	860 860	1106,70	1328,00
200	11 1113	588 588	632,20	758,60
	22 1903	955 955	1185,40	1422,40
220	11 1224	647 647	675,20	810,30
	22 2093	1051 1051	1263,70	1516,30
240	11 1335	706 706	720,00	863,90
	22 2283	1146 1146	1343,70	1612,40
260	11 1446	764 764	765,30	918,40
	22 2474	1242 1242	1425,90	1711,10
280	11 1558	824 824	811,60	974,10
	22 2664	1337 1337	1510,20	1812,40
300	11 1669	882 882	857,50	1029,20
	22 2854	1433 1433	1592,30	1910,80
L H 050				
060	11 468	247 247	460,30	552,10
	22 819	411 411	907,20	1088,70
080	11 624	330 330	527,70	633,30
	22 1092	548 548	1034,30	1241,00
100	11 780	412 412	593,70	712,70
	22 1365	685 685	1158,80	1390,40
120	11 936	495 495	662,20	795,00
	22 1638	822 822	1287,70	1545,40
140	11 1091	577 577	729,50	875,50
	22 1911	959 959	1415,40	1698,70
160	11 1247	659 659	798,40	958,20
	22 2185	1097 1097	1544,70	1853,60
180	11 1403	742 742	865,50	1038,90
	22 2458	1234 1234	1671,60	2006,10
200	11 1559	824 824	933,80	1120,50
	22 2731	1371 1371	1801,60	2161,70
220	11 1715	907 907	1001,10	1201,30
	22 3004	1508 1508	1928,10	2313,90
240	11 1871	989 989	1070,70	1284,70
	22 3277	1645 1645	2059,30	2471,10
260	11 2027	1071 1071	1139,10	1367,30
	22 3550	1782 1782	2188,50	2626,10
280	11 2183	1154 1154	1206,70	1448,20
	22 3823	1919 1919	2315,10	2778,30
300	11 2339	1236 1236	1273,90	1528,80
	22 4096	2056 2056	2442,10	2930,60

EN442 output at 20°C room temperature

PANEL PLUS HORIZONTAL



	Type	Watts	Watts	£	£
		75/65	55/45	st. colour	other
L H 056					
060	11	510	270	505,90	607,00
	22	892	448	1000,80	1200,80
080	11	680	359	580,80	697,00
	22	1190	597	1142,50	1370,80
100	11	850	449	653,20	783,80
	22	1487	747	1280,80	1536,90
120	11	1020	539	730,30	876,40
	22	1784	896	1428,10	1713,90
140	11	1190	629	806,00	967,30
	22	2082	1045	1570,60	1884,80
160	11	1360	719	882,20	1058,60
	22	2379	1194	1715,80	2059,00
180	11	1530	809	957,60	1149,40
	22	2676	1343	1860,50	2232,70
200	11	1700	899	1034,70	1241,80
	22	2974	1493	2006,60	2407,70
220	11	1870	988	1110,60	1332,60
	22	3271	1642	2151,10	2581,50
240	11	2040	1078	1186,30	1423,80
	22	3569	1792	2295,00	2753,80
260	11	2210	1168	1262,40	1514,80
	22	3866	1941	2440,00	2928,10
280	11	2380	1258	1337,00	1604,60
	22	4163	2090	2581,90	3098,40
300	11	2549	1347	1412,80	1695,50
	22	4461	2240	2725,60	3270,80


	Type	Watts	Watts	£	£
		75/65	55/45	st. colour	other
L H 069					
060	11	592	313	589,70	707,70
	22	1025	515	1171,70	1406,00
080	11	789	417	673,00	807,70
	22	1367	686	1331,60	1598,00
100	11	986	521	758,50	910,30
	22	1709	858	1494,50	1793,20
120	11	1183	625	846,00	1015,40
	22	2051	1030	1663,70	1996,60
140	11	1381	730	934,50	1121,50
	22	2392	1201	1833,80	2200,60
160	11	1578	834	1024,30	1229,20
	22	2734	1373	2006,80	2408,30
180	11	1775	938	1113,00	1335,60
	22	3076	1544	2177,10	2612,50
200	11	1972	1042	1202,60	1442,90
	22	3418	1716	2348,40	2818,10
220	11	2169	1146	1292,10	1550,60
	22	3760	1888	2520,90	3025,00
240	11	2367	1251	1380,80	1656,60
	22	4101	2059	2691,10	3229,30
260	11	2564	1355	1470,70	1764,80
	22	4443	2231	2863,70	3436,60
280	11	2761	1459	1558,10	1869,90
	22	4785	2402	3033,20	3639,90
300	11	2958	1563	1647,80	1977,50
	22	5127	2574	3205,60	3846,80

	Type	Watts	Watts	£	£
		75/65	55/45	st. colour	other
L H 081					
060	11	671	355	661,10	793,20
	22	1143	574	1317,40	1580,80
080	11	895	473	751,70	902,10
	22	1524	765	1492,00	1790,20
100	11	1119	591	843,30	1011,90
	22	1905	957	1668,50	2002,30
120	11	1342	709	941,60	1129,60
	22	2286	1148	1858,00	2229,70
140	11	1566	827	1038,80	1246,40
	22	2667	1340	2046,40	2455,90
160	11	1790	946	1136,70	1364,40
	22	3048	1531	2235,90	2683,00
180	11	2013	1064	1234,30	1481,00
	22	3430	1723	2424,70	2909,50
200	11	2237	1182	1333,20	1599,70
	22	3811	1914	2614,80	3138,00
220	11	2461	1300	1431,40	1717,70
	22	4192	2106	2805,60	3366,80
240	11	2684	1418	1528,30	1833,90
	22	4573	2297	2992,70	3591,10
260	11	2908	1536	1626,70	1952,00
	22	4954	2488	3183,60	3820,30
280	11	3132	1655	1723,70	2068,50
	22	5335	2680	3371,00	4045,30
300	11	3356	1773	1823,00	2187,70
	22	5716	2871	3562,40	4274,90

EN442 output at 20°C room temperature

Panel Plus is available from 6cm high up to 94 cm, see: www.jaga.com





Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1 January 2019.
Replaces all existing price lists.