

# jaga

CLIMATE DESIGNERS

Heating 

PANEL PLUS HORIZONTAL € 2021.EX

# jaga

CLIMATE DESIGNERS


## PANEL PLUS HORIZONTAL

Elegant simplicity and power

Streamlined, elegant design. The compact style of the Panel Plus allows creative freedom to the designer and saves space too! The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model starting at a height of 6 cm! The robust design of the Panel Plus radiator with its hidden collectors provides an elegant simplicity that oozes quality.

Vertical version: see p. 112.  
Freestanding version: see p. 156.

PANEL PLUS HORIZONTAL sandblast grey 001





PANEL PLUS HORIZONTAL 




# PANEL PLUS HORIZONTAL

## DIMENSIONS (in cm)

- standard connection
- variant

Vertical version: see p. 112.  
Freestanding version: see p. 156.





Type 11  
standard  
wall fixing



Type 11  
extended  
wall fixing



Type 22



## DELIVERY

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain plug G1/2"
- pre-mounted grille
- type 11 is provided with standard and extended wall fixings

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
  - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

## CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

Code 18, reversible 18 or 81



Other connections (no surcharge):

- side connection:
  - one-sided: code 32 or 67 instead of 18
  - cross-over: code 37 or 62 instead of 18
- single point connection: code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) min. 100 mm long and a reduction washer.

## CONNECTION SETS

Example showing connection set to the wall

Jaga Deco double angled

TRV head and sleeve couplings included.



set 35	To the wall	€
	CODE.JH2.AC.1...	172,00

fill in sleeve coupling code	
Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

## Other connection sets and sleeve couplings

see chapter "Connection sets and valves" for all connection options and technical information

# PANEL PLUS HORIZONTAL

code height length type colour conn.  
**PPHW . 018 100 11 . XXX /18 /GR**  
 fill in colour code \_\_\_\_\_

Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
<b>L H 018</b>				
060	---	---	---	---
080	---	---	---	---
100	11 389	204	333,00	399,00
	22 626	312	622,00	747,00
120	11 466	244	367,00	441,00
	22 751	374	682,00	819,00
140	11 544	285	403,00	483,00
	22 876	436	744,00	892,00
160	11 622	326	439,00	527,00
	22 1001	498	808,00	969,00
180	11 699	367	475,00	570,00
	22 1126	561	867,00	1041,00
200	11 777	408	509,00	610,00
	22 1252	623	926,00	1111,00
220	11 855	449	544,00	653,00
	22 1377	686	988,00	1186,00
240	11 932	489	578,00	693,00
	22 1502	748	1046,00	1256,00
260	11 1010	530	615,00	737,00
	22 1627	810	1110,00	1333,00
280	11 1088	571	649,00	779,00
	22 1752	872	1170,00	1404,00
300	11 1166	612	685,00	822,00
	22 1877	935	1231,00	1477,00
<b>L H 037</b>				
060	11 380	199	390,00	469,00
	22 659	328	763,00	916,00
080	11 507	266	446,00	536,00
	22 879	438	865,00	1038,00
100	11 633	332	502,00	602,00
	22 1098	547	968,00	1162,00
120	11 760	399	557,00	670,00
	22 1318	656	1070,00	1283,00
140	11 887	465	612,00	734,00
	22 1538	766	1170,00	1405,00
160	11 1013	531	667,00	801,00
	22 1757	875	1274,00	1529,00
180	11 1140	598	722,00	866,00
	22 1977	984	1374,00	1649,00
200	11 1267	665	778,00	933,00
	22 2197	1094	1476,00	1772,00
220	11 1394	731	832,00	999,00
	22 2416	1203	1577,00	1892,00
240	11 1520	797	888,00	1065,00
	22 2636	1313	1679,00	2015,00
260	11 1647	864	942,00	1132,00
	22 2856	1422	1780,00	2136,00
280	11 1774	931	997,00	1197,00
	22 3075	1531	1880,00	2256,00
300	11 1900	997	1052,00	1262,00
	22 3295	1641	1980,00	2376,00

Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
<b>L H 024</b>				
060	11 285	150	293,00	350,00
	22 477	238	563,00	676,00
080	11 380	199	334,00	400,00
	22 636	317	636,00	762,00
100	11 475	249	374,00	449,00
	22 794	395	708,00	850,00
120	11 570	299	412,00	494,00
	22 953	475	774,00	928,00
140	11 665	349	449,00	540,00
	22 1112	554	839,00	1007,00
160	11 760	399	489,00	588,00
	22 1271	633	909,00	1092,00
180	11 855	449	527,00	632,00
	22 1430	712	975,00	1171,00
200	11 950	498	564,00	678,00
	22 1589	791	1041,00	1249,00
220	11 1045	548	603,00	723,00
	22 1748	870	1107,00	1329,00
240	11 1140	598	642,00	769,00
	22 1907	950	1175,00	1410,00
260	11 1235	648	679,00	815,00
	22 2065	1028	1242,00	1491,00
280	11 1330	698	717,00	860,00
	22 2224	1107	1308,00	1570,00
300	11 1425	748	755,00	905,00
	22 2383	1187	1373,00	1648,00
<b>L H 043</b>				
060	11 425	223	439,00	526,00
	22 742	369	861,00	1033,00
080	11 566	297	503,00	603,00
	22 989	492	980,00	1175,00
100	11 708	371	564,00	678,00
	22 1236	615	1098,00	1317,00
120	11 849	445	629,00	755,00
	22 1483	738	1217,00	1462,00
140	11 991	520	692,00	831,00
	22 1730	861	1336,00	1604,00
160	11 1132	594	757,00	907,00
	22 1978	985	1455,00	1746,00
180	11 1274	668	821,00	986,00
	22 2225	1108	1576,00	1891,00
200	11 1415	742	885,00	1062,00
	22 2472	1231	1693,00	2032,00
220	11 1557	817	948,00	1137,00
	22 2719	1354	1812,00	2173,00
240	11 1698	891	1011,00	1214,00
	22 2966	1477	1932,00	2319,00
260	11 1840	965	1075,00	1291,00
	22 3214	1600	2050,00	2461,00
280	11 1981	1039	1140,00	1369,00
	22 3461	1723	2171,00	2606,00
300	11 2123	1114	1205,00	1446,00
	22 3708	1846	2293,00	2751,00

Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
<b>L H 031</b>				
060	11 334	175	341,00	409,00
	22 571	284	660,00	793,00
080	11 445	233	389,00	468,00
	22 761	379	750,00	900,00
100	11 556	292	437,00	524,00
	22 951	474	837,00	1004,00
120	11 668	350	481,00	577,00
	22 1142	569	915,00	1098,00
140	11 779	409	531,00	638,00
	22 1332	663	1007,00	1208,00
160	11 890	467	577,00	693,00
	22 1522	758	1089,00	1307,00
180	11 1001	525	624,00	749,00
	22 1713	853	1174,00	1409,00
200	11 1113	584	671,00	804,00
	22 1903	948	1258,00	1509,00
220	11 1224	642	716,00	860,00
	22 2093	1042	1341,00	1609,00
240	11 1335	700	764,00	917,00
	22 2283	1137	1426,00	1711,00
260	11 1446	759	812,00	974,00
	22 2474	1232	1513,00	1815,00
280	11 1558	817	861,00	1033,00
	22 2664	1327	1603,00	1923,00
300	11 1669	876	909,00	1092,00
	22 2854	1421	1689,00	2027,00
<b>L H 050</b>				
060	11 468	246	488,00	586,00
	22 819	408	962,00	1155,00
080	11 624	327	560,00	672,00
	22 1092	544	1097,00	1316,00
100	11 780	409	630,00	756,00
	22 1365	680	1230,00	1475,00
120	11 936	491	702,00	844,00
	22 1638	816	1366,00	1640,00
140	11 1091	572	774,00	929,00
	22 1911	952	1502,00	1803,00
160	11 1247	654	847,00	1017,00
	22 2185	1088	1639,00	1966,00
180	11 1403	736	918,00	1102,00
	22 2458	1224	1774,00	2128,00
200	11 1559	818	991,00	1189,00
	22 2731	1360	1912,00	2294,00
220	11 1715	900	1062,00	1274,00
	22 3004	1496	2046,00	2454,00
240	11 1871	982	1136,00	1363,00
	22 3277	1632	2185,00	2621,00
260	11 2027	1063	1208,00	1450,00
	22 3550	1768	2322,00	2786,00
280	11 2183	1145	1280,00	1537,00
	22 3823	1904	2457,00	2948,00
300	11 2339	1227	1351,00	1622,00
	22 4096	2040	2590,00	3110,00

EN442 output at 20°C room temperature

# PANEL PLUS HORIZONTAL

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
<b>L</b>	<b>H 056</b>				
060	11	510	268	537,00	644,00
	22	892	444	1062,00	1274,00
080	11	680	357	616,00	740,00
	22	1190	593	1212,00	1454,00
100	11	850	446	693,00	831,00
	22	1487	740	1359,00	1630,00
120	11	1020	535	775,00	930,00
	22	1784	888	1515,00	1818,00
140	11	1190	624	855,00	1026,00
	22	2082	1037	1667,00	1999,00
160	11	1360	714	936,00	1123,00
	22	2379	1185	1820,00	2185,00
180	11	1530	803	1016,00	1220,00
	22	2676	1333	1973,00	2369,00
200	11	1700	892	1098,00	1317,00
	22	2974	1481	2129,00	2554,00
220	11	1870	981	1178,00	1414,00
	22	3271	1629	2282,00	2739,00
240	11	2040	1070	1259,00	1511,00
	22	3569	1777	2435,00	2921,00
260	11	2210	1159	1339,00	1607,00
	22	3866	1925	2588,00	3106,00
280	11	2380	1249	1418,00	1703,00
	22	4163	2073	2739,00	3287,00
300	11	2549	1337	1499,00	1798,00
	22	4461	2221	2891,00	3470,00

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
<b>L</b>	<b>H 069</b>				
060	11	592	310	625,00	751,00
	22	1025	510	1243,00	1491,00
080	11	789	414	714,00	857,00
	22	1367	681	1413,00	1695,00
100	11	986	517	804,00	966,00
	22	1709	851	1585,00	1902,00
120	11	1183	620	897,00	1077,00
	22	2051	1021	1765,00	2118,00
140	11	1381	724	992,00	1190,00
	22	2392	1191	1946,00	2335,00
160	11	1578	827	1087,00	1304,00
	22	2734	1361	2129,00	2555,00
180	11	1775	931	1180,00	1417,00
	22	3076	1532	2309,00	2772,00
200	11	1972	1034	1276,00	1531,00
	22	3418	1702	2492,00	2990,00
220	11	2169	1137	1371,00	1645,00
	22	3760	1872	2675,00	3209,00
240	11	2367	1241	1465,00	1757,00
	22	4101	2042	2855,00	3426,00
260	11	2564	1344	1560,00	1873,00
	22	4443	2212	3039,00	3646,00
280	11	2761	1448	1653,00	1984,00
	22	4785	2383	3218,00	3861,00
300	11	2958	1551	1748,00	2098,00
	22	5127	2553	3401,00	4081,00

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
<b>L</b>	<b>H 081</b>				
060	11	671	352	701,00	842,00
	22	1143	569	1398,00	1677,00
080	11	895	469	797,00	957,00
	22	1524	759	1583,00	1899,00
100	11	1119	587	895,00	1073,00
	22	1905	949	1771,00	2124,00
120	11	1342	704	999,00	1198,00
	22	2286	1139	1971,00	2366,00
140	11	1566	821	1102,00	1323,00
	22	2667	1329	2171,00	2606,00
160	11	1790	939	1206,00	1447,00
	22	3048	1519	2372,00	2846,00
180	11	2013	1056	1309,00	1571,00
	22	3430	1709	2572,00	3087,00
200	11	2237	1173	1414,00	1697,00
	22	3811	1899	2774,00	3329,00
220	11	2461	1290	1518,00	1822,00
	22	4192	2089	2977,00	3572,00
240	11	2684	1407	1621,00	1946,00
	22	4573	2278	3174,00	3810,00
260	11	2908	1525	1726,00	2071,00
	22	4954	2468	3377,00	4053,00
280	11	3132	1642	1828,00	2195,00
	22	5335	2658	3576,00	4292,00
300	11	3356	1760	1934,00	2321,00
	22	5716	2848	3779,00	4535,00

EN442 output at 20°C room temperature

Panel Plus is available from 6cm high up to 94 cm, see: [www.jaga.com](http://www.jaga.com)

**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from February 1, 2021.  
Replaces all existing price lists.