


# jaga

CLIMATE DESIGNERS

Heating 

PLAY€ 2021.EX



# jaga

CLIMATE DESIGNERS

## PLAY

Playful warmth, colourful comfort

- Completely pre-assembled and mounted casing, consisting of painted MDF panels with aluminium spacer rings.
- Standard pencil-proof grille, to prevent small objects or waste falling into the casing.
- Optional protective base grille.
- Integrated valve with thermostat in the front panel.
- Connections can be completely concealed within the casing.
- Low-H<sub>2</sub>O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.




PLAY PIANO





PLAY

## DIMENSIONS (in cm)



## DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation. standard delivery:

- Low-H<sub>2</sub>O heat exchanger with wall brackets and fixing kit, air vent 1/8" and drain plug 1/2"
- one piece casing, completely mounted, consisting of lacquered MDF panels with anodised aluminium spacer rings
- premounted and integrated control in the front panel in the top right hand corner, included valve and sleeve couplings for connection to the wall or to the floor
- pencil-proof grille

## COLOURS

Scratch resistant polyurethane finish with a soft structured mat surface. High UV resistance.

### Category 1



**WHI** Play White

### Category 2



**BLA** Play Black **PIA** Play Piano




**BOY** Play4Boy **GIR** Play4Girl

## ORDERING CODE


### Connection to the wall within the casing

code height length type colour conn.  
**PLAW. 035 060 10 .XXX /WR /TIB /...**  
 Enter colour code  
 To the wall, right /WR  
 To the wall, left /WL  
 Always 2-Pipe /TIB  
 Fill in sleeve coupling code: see p. 324




### Connection to the wall via bottom of the casing

code height length type colour conn.  
**PLAW. 035 060 10 .XXX /WR /TPB /...**  
 Enter colour code  
 To the wall, right /WR  
 To the wall, left /WL  
 2-pipe /TPB  
 1-pipe /TPO  
 Fill in sleeve coupling code: see p. 324



### Connection to the floor

code height length type colour conn.  
**PLAW. 035 060 10 .XXX /FR /TPB /...**  
 Enter colour code  
 To the floor, right /FR  
 To the floor, left /FL  
 2-pipe /TPB  
 1-pipe /TPO  
 Fill in sleeve coupling code: see p. 324




## CREATE YOUR OWN COLOURS OR CREATE YOUR OWN PRINT

Design your own colour combination or print on the front panel. For more info go to: [export@jaga.be](mailto:export@jaga.be)



## BASE GRILLE



Screens the bottom of the casing. Colour black (RAL 9005)

	code	length	type	model
<b>ORDERING CODE</b>	<b>5641.000</b>	<b>060</b>	<b>10</b>	<b>/PLA</b>
	<b>Type 10/11</b>	<b>15/16</b>	<b>20/21</b>	
<b>L</b>	<b>€</b>	<b>€</b>	<b>€</b>	<b>€</b>
<b>060</b>	32,00	35,00	36,00	
<b>080</b>	34,00	38,00	39,00	
<b>100</b>	36,00	41,00	43,00	
<b>120</b>	39,00	45,00	50,00	

STANDARD						TWIN				
	Type	Watts	Watts	€	€	Type	Watts	Watts	€	€
		75/65	55/45	cat. 1	cat. 2			75/65	55/45	cat. 1
<b>L H 035</b>										
060	10	529	259	819,00	1045,00	11	583	277	906,00	1133,00
	15	805	397	916,00	1193,00	16	870	409	1021,00	1298,00
	20	1104	547	1005,00	1327,00	21	1217	568	1100,00	1421,00
080	10	705	346	881,00	1157,00	11	777	369	986,00	1263,00
	15	1074	529	984,00	1314,00	16	1160	546	1115,00	1446,00
	20	1472	729	1091,00	1480,00	21	1622	756	1211,00	1601,00
100	10	881	432	929,00	1250,00	11	971	461	1046,00	1368,00
	15	1342	661	1045,00	1436,00	16	1450	682	1196,00	1586,00
	20	1840	911	1165,00	1615,00	21	2028	946	1304,00	1754,00
120	10	1057	518	980,00	1352,00	11	1165	553	1114,00	1488,00
	15	1610	793	1112,00	1556,00	16	1740	819	1286,00	1730,00
	20	2208	1093	1246,00	1766,00	21	2434	1135	1411,00	1931,00
<b>L H 050</b>										
060	10	591	287	866,00	1161,00	11	685	324	954,00	1248,00
	15	925	452	964,00	1316,00	16	1040	489	1068,00	1421,00
	20	1284	632	1062,00	1477,00	21	1461	683	1157,00	1572,00
080	10	788	383	930,00	1282,00	11	913	432	1036,00	1388,00
	15	1234	603	1042,00	1468,00	16	1386	652	1174,00	1600,00
	20	1712	842	1158,00	1648,00	21	1948	911	1279,00	1770,00
100	10	985	479	983,00	1396,00	11	1141	540	1101,00	1513,00
	15	1542	754	1109,00	1599,00	16	1733	815	1260,00	1748,00
	20	2140	1053	1237,00	1799,00	21	2435	1138	1376,00	1938,00
120	10	1182	574	1038,00	1511,00	11	1369	647	1173,00	1646,00
	15	1850	905	1179,00	1739,00	16	2080	978	1353,00	1913,00
	20	2568	1264	1323,00	1965,00	21	2922	1366	1487,00	2130,00
<b>L H 065</b>										
060	10	653	315	925,00	1285,00	11	778	366	1012,00	1373,00
	15	1040	505	1031,00	1466,00	16	1187	558	1135,00	1571,00
	20	1454	711	1137,00	1639,00	21	1663	780	1232,00	1735,00
080	10	870	419	985,00	1418,00	11	1037	488	1091,00	1524,00
	15	1386	673	1106,00	1618,00	16	1582	743	1237,00	1750,00
	20	1938	948	1230,00	1819,00	21	2218	1040	1350,00	1941,00
100	10	1088	524	1037,00	1542,00	11	1296	610	1155,00	1660,00
	15	1733	841	1172,00	1760,00	16	1978	929	1321,00	1910,00
	20	2423	1185	1308,00	1984,00	21	2772	1299	1447,00	2123,00
120	10	1306	629	1096,00	1671,00	11	1555	732	1231,00	1807,00
	15	2080	1010	1246,00	1915,00	16	2374	1115	1420,00	2089,00
	20	2908	1422	1398,00	2164,00	21	3326	1559	1563,00	2329,00

EN442 output at 20°C room temperature







**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from February 1, 2021.  
Replaces all existing price lists.