



jaga



Eyecatchers


SANI BASIC & BOW

€ 2019.EX



DIMENSIONS (in cm)

BASIC



DELIVERY

- central connection MM underneath and 18/81 below
- wall fixing
- chrome-plated air vent and 3 drain plugs G1/2"

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Sani Basic

Standard colours:

- traffic white RAL 9016 (233), smooth glossy finish
- sandblast grey (001), fine texture metallic

Other colours: see colour chart.

Sani Bow

Only available in traffic white RAL 9016 (233), smooth glossy finish.

CONNECTION

Code:

1° number = flow

2° number = return

Standard connection:

- central connection MM below or on top, flow left or right. Connection 18 or 81 is also possible.

- single point connection: see chapter "Connection set & Valves" - set 81 or 82.

- one pipe connection with code MM and connection set 41 or 42.

Other connections (no surcharge):


When assigning a different connection code MM will still continue to exist.

- top connection:

enter code 45 or 54. Insert pipe included. Has to be mounted in the return.

Always mount an air vent on the central heating pipework.

- electric heating element and mixed application: see "Parts & Options"





Standard connection MM

SANI BASIC & SANI BOW



BOW



L	X	Y	Z
050	25.0	5.2 > 6.4	8.6 > 9.6
060	22.0	5.4 > 6.4	9.3 > 10.3
075	18.5	9.3 > 10.3	10.5 > 11.5

CONNECTION SETS

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

BRUSHED STAINLESS STEEL

€



CODE.PW3.PS.1...

231,20

set 41

CHROME

€



CODE.PW3.AW.1...

148,40



CODE.PW3.AC.1...

162,60

fill in sleeve coupling code

- Precision metal tube 15/1 **115**
- Precision metal tube 16/1 **116**
- Precision metal tube 18/1 **118**
- RPE/ALU tube 16/2 **316**
- RPE/ALU tube 18/2 **318**

Other connection sets and sleeve couplings

See chapter "Connection sets and valves" for all connection options and technical information.

BASIC

code height length colour conn.
SBAW . 094 050 . XXX /MM
 fill in colour code _____

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 094				
050	427	224	434,80	521,80
060	505	265	457,80	549,30
075	620	326	475,60	571,00
L H 132				
050	605	317	533,10	639,70
060	706	370	560,80	673,00
075	865	455	593,40	712,20
L H 170				
050	775	405	630,90	757,10
060	906	476	663,20	795,80
075	1107	583	712,00	854,50
L H 198				
050	---	---	---	---
060	1081	567	744,00	892,80
075	1317	694	805,50	966,60

BOW


code height length colour conn.
SBOW . 094 050 . 233 /MM

	Watts 75/65	Watts 55/45	€
L H 094			
050	444	237	465,20
060	528	283	490,20
075	656	351	508,60
L H 132			
050	618	329	570,30
060	732	391	599,90
075	911	488	635,30
L H 170			
050	788	419	674,90
060	938	500	709,30
075	1159	622	762,00
L H 198			
050	---	---	---
060	1122	597	796,00
075	1373	738	861,80


EN442 output at 20°C room temperature



SANI BASIC




SANI BOW



For electric element
 Eco Comfort see p. 370





Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1 January 2019.
Replaces all existing price lists.