

# jaga

CLIMATE DESIGNERS

Heating 

STRADA € 2020.EX



# jaga

CLIMATE DESIGNERS

## STRADA

Warm power,  
cutting-edge design

- Discreet slim-line design with flat front panel and stylish aluminium grille.
- Low-H<sub>2</sub>O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.




design award  
winner





STRADA

## DIMENSIONS (in cm)



## DELIVERY

Easy to install by one person. Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H<sub>2</sub>O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- partially pre-mounted casing for connection left or right at low level
- cover plate in stainless steel effect for the side panel at the opposite end from the valve

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

## CONNECTION

Standard connection:


Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. STRW.035 050 06.xxx/60

High level valve details: see "Connection sets & Valves".



Optional remote controlled valve:

add to the code of the radiator /00.


Ex. STRW.035 050 06.xxx/00

For valve set prices see chapter "Connection sets & valves"

## CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set 225

### CODE 2-PIPE

	COLO.SW2.JC.4...	71,00
	COLO.SW2.JW.4...	61,00

fill in sleeve coupling code

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

## Other connections:

See chapter "Connection sets and valves" for all connection options and technical information.




## ORDERING CODE

code	height	length	type	colour
STRW .	020	050	10 .	XXX
fill in colour code ↓				

## TOWEL RAIL

in chrome-plated aluminium



CODE	L	€
5501.001	56	219,00
5501.002	66	219,00

# H020 - STRADA

STRW.020 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	---	---	---	---	---	06	269	131	186,00	238,00
	10	328	159	168,00	224,00	---	---	---	---	---
	15	545	265	199,00	260,00	---	---	---	---	---
	20	766	373	229,00	296,00	---	---	---	---	---
060	---	---	---	---	---	06	323	157	199,00	255,00
	10	393	191	180,00	241,00	---	---	---	---	---
	15	654	319	214,00	279,00	---	---	---	---	---
	20	919	448	248,00	320,00	---	---	---	---	---
070	---	---	---	---	---	06	377	183	221,00	279,00
	10	459	223	202,00	267,00	---	---	---	---	---
	15	763	372	242,00	311,00	---	---	---	---	---
	20	1072	522	287,00	365,00	---	---	---	---	---
080	---	---	---	---	---	06	430	209	235,00	296,00
	10	524	255	215,00	283,00	---	---	---	---	---
	15	872	425	262,00	338,00	---	---	---	---	---
	20	1226	597	310,00	394,00	---	---	---	---	---
090	---	---	---	---	---	06	484	236	246,00	310,00
	10	590	287	226,00	297,00	---	---	---	---	---
	15	981	478	278,00	358,00	---	---	---	---	---
	20	1379	672	330,00	418,00	---	---	---	---	---
100	---	---	---	---	---	06	538	262	264,00	331,00
	10	655	318	245,00	319,00	---	---	---	---	---
	15	1090	531	303,00	386,00	---	---	---	---	---
	20	1532	746	363,00	455,00	---	---	---	---	---
110	---	---	---	---	---	06	592	288	278,00	349,00
	10	721	350	258,00	337,00	---	---	---	---	---
	15	1199	584	320,00	407,00	---	---	---	---	---
	20	1685	821	387,00	485,00	---	---	---	---	---
120	---	---	---	---	---	06	646	314	296,00	373,00
	10	786	382	278,00	365,00	---	---	---	---	---
	15	1308	637	346,00	444,00	---	---	---	---	---
	20	1838	895	423,00	536,00	---	---	---	---	---
140	---	---	---	---	---	06	753	366	321,00	401,00
	10	917	446	303,00	395,00	---	---	---	---	---
	15	1526	743	379,00	481,00	---	---	---	---	---
	20	2145	1045	486,00	603,00	---	---	---	---	---
160	---	---	---	---	---	06	861	419	378,00	473,00
	10	1048	509	358,00	467,00	---	---	---	---	---
	15	1744	850	453,00	574,00	---	---	---	---	---
	20	2451	1194	579,00	717,00	---	---	---	---	---
180	---	---	---	---	---	06	968	471	407,00	508,00
	10	1179	573	389,00	506,00	---	---	---	---	---
	15	1962	956	494,00	625,00	---	---	---	---	---
	20	2758	1343	629,00	777,00	---	---	---	---	---
200	---	---	---	---	---	06	1076	524	442,00	556,00
	10	1310	637	423,00	553,00	---	---	---	---	---
	15	2180	1062	565,00	711,00	---	---	---	---	---
	20	3064	1493	686,00	850,00	---	---	---	---	---
240	---	---	---	---	---	06	1291	628	554,00	699,00
	10	1572	764	532,00	696,00	---	---	---	---	---
	15	2616	1274	707,00	892,00	---	---	---	---	---
	20	3677	1791	862,00	1069,00	---	---	---	---	---
280	---	---	---	---	---	06	1506	733	621,00	784,00
	10	1834	891	598,00	782,00	---	---	---	---	---
	15	3052	1487	796,00	1004,00	---	---	---	---	---
	20	4290	2090	973,00	1204,00	---	---	---	---	---

EN442 output at 20°C room temperature

# STRADA H035

STRW.035 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	---	---	---	---	---	06	395	194	243,00	304,00
	10	449	220	186,00	251,00	11	598	287	279,00	343,00
	15	735	361	217,00	289,00	16	797	378	328,00	399,00
	20	1030	506	248,00	325,00	21	1057	498	351,00	428,00
060	---	---	---	---	---	06	474	233	261,00	327,00
	10	539	264	200,00	271,00	11	718	344	298,00	368,00
	15	882	434	234,00	310,00	16	956	454	352,00	428,00
	20	1236	608	269,00	351,00	21	1268	598	380,00	461,00
070	---	---	---	---	---	06	553	271	290,00	358,00
	10	629	308	222,00	297,00	11	837	401	333,00	408,00
	15	1029	506	262,00	343,00	16	1115	529	399,00	480,00
	20	1442	709	308,00	397,00	21	1480	698	436,00	525,00
080	---	---	---	---	---	06	632	310	307,00	379,00
	10	718	351	236,00	315,00	11	957	459	353,00	432,00
	15	1176	578	284,00	371,00	16	1274	605	429,00	517,00
	20	1648	810	333,00	428,00	21	1691	797	470,00	565,00
090	---	---	---	---	---	06	711	349	323,00	400,00
	10	808	395	250,00	333,00	11	1076	516	372,00	455,00
	15	1323	650	302,00	396,00	16	1434	681	457,00	550,00
	20	1854	911	355,00	455,00	21	1903	897	500,00	601,00
100	---	---	---	---	---	06	790	388	347,00	426,00
	10	898	439	269,00	356,00	11	1196	573	402,00	489,00
	15	1470	723	327,00	424,00	16	1593	756	497,00	594,00
	20	2060	1013	388,00	494,00	21	2114	997	549,00	655,00
110	---	---	---	---	---	06	869	427	365,00	449,00
	10	988	483	283,00	375,00	11	1316	631	423,00	515,00
	15	1617	795	345,00	447,00	16	1752	832	524,00	625,00
	20	2266	1114	413,00	525,00	21	2325	1096	583,00	696,00
120	---	---	---	---	---	06	948	465	386,00	476,00
	10	1078	528	303,00	404,00	11	1435	688	449,00	550,00
	15	1764	867	372,00	484,00	16	1912	908	560,00	672,00
	20	2472	1215	449,00	576,00	21	2537	1196	629,00	756,00
140	---	---	---	---	---	06	1106	543	424,00	520,00
	10	1257	615	334,00	441,00	11	1674	802	496,00	603,00
	15	2058	1012	410,00	528,00	16	2230	1059	621,00	739,00
	20	2884	1418	518,00	651,00	21	2960	1396	735,00	868,00
160	---	---	---	---	---	06	1264	620	496,00	609,00
	10	1437	703	393,00	519,00	11	1914	917	581,00	706,00
	15	2352	1156	487,00	626,00	16	2549	1210	736,00	875,00
	20	3296	1620	614,00	770,00	21	3382	1594	869,00	1025,00
180	---	---	---	---	---	06	1422	698	534,00	655,00
	10	1616	791	425,00	562,00	11	2153	1032	627,00	764,00
	15	2646	1301	530,00	682,00	16	2867	1361	799,00	951,00
	20	3708	1823	666,00	835,00	21	3805	1794	942,00	1110,00
200	---	---	---	---	---	06	1580	776	578,00	712,00
	10	1796	879	462,00	613,00	11	2392	1146	677,00	827,00
	15	2940	1445	603,00	772,00	16	3186	1513	911,00	1080,00
	20	4120	2025	725,00	911,00	21	4228	1993	1021,00	1207,00
240	---	---	---	---	---	06	1896	931	720,00	890,00
	10	2155	1055	578,00	767,00	11	2870	1375	843,00	1031,00
	15	3528	1734	753,00	963,00	16	3823	1815	1133,00	1343,00
	20	4944	2431	910,00	1142,00	21	5074	2392	1277,00	1509,00
280	---	---	---	---	---	06	2212	1086	806,00	996,00
	10	2514	1230	649,00	861,00	11	3349	1605	942,00	1154,00
	15	4116	2024	846,00	1083,00	16	4460	2118	1271,00	1508,00
	20	5768	2836	1025,00	1285,00	21	5919	2791	1437,00	1697,00

EN442 output at 20°C room temperature

# H 050 - STRADA

STRW.050 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	---	---	---	---	---	06	474	235	254,00	320,00
	10	538	265	197,00	269,00	11	693	332	291,00	363,00
	15	867	430	232,00	310,00	16	949	449	342,00	420,00
	20	1213	602	266,00	350,00	21	1291	605	368,00	453,00
060	---	---	---	---	---	06	568	282	272,00	344,00
	10	646	318	212,00	290,00	11	832	399	311,00	389,00
	15	1040	516	249,00	333,00	16	1139	539	366,00	450,00
	20	1455	722	287,00	377,00	21	1549	725	397,00	488,00
070	---	---	---	---	---	06	663	329	302,00	378,00
	10	753	371	236,00	319,00	11	970	465	348,00	431,00
	15	1214	602	279,00	369,00	16	1329	629	415,00	504,00
	20	1698	842	328,00	427,00	21	1807	846	456,00	555,00
080	---	---	---	---	---	06	758	376	321,00	401,00
	10	861	424	251,00	339,00	11	1109	532	370,00	457,00
	15	1387	688	302,00	398,00	16	1518	719	447,00	543,00
	20	1940	962	353,00	459,00	21	2066	968	490,00	596,00
090	---	---	---	---	---	06	852	423	337,00	423,00
	10	968	477	265,00	358,00	11	1247	598	389,00	481,00
	15	1561	774	321,00	424,00	16	1708	809	475,00	578,00
	20	2183	1083	376,00	487,00	21	2324	1088	522,00	633,00
100	---	---	---	---	---	06	947	470	362,00	450,00
	10	1076	530	284,00	382,00	11	1386	665	419,00	516,00
	15	1734	860	346,00	453,00	16	1898	898	515,00	622,00
	20	2425	1203	410,00	527,00	21	2582	1209	571,00	688,00
110	---	---	---	---	---	06	1042	517	381,00	475,00
	10	1184	584	301,00	403,00	11	1525	732	441,00	544,00
	15	1907	946	366,00	479,00	16	2088	988	544,00	656,00
	20	2668	1323	436,00	560,00	21	2840	1330	607,00	731,00
120	---	---	---	---	---	06	1136	564	404,00	504,00
	10	1291	636	322,00	434,00	11	1663	798	469,00	581,00
	15	2081	1032	394,00	518,00	16	2278	1078	581,00	705,00
	20	2910	1443	474,00	614,00	21	3098	1451	654,00	794,00
140	---	---	---	---	---	06	1326	658	445,00	552,00
	10	1506	742	355,00	476,00	11	1940	931	519,00	640,00
	15	2428	1204	436,00	568,00	16	2657	1258	646,00	777,00
	20	3395	1684	548,00	695,00	21	3615	1693	764,00	912,00
160	---	---	---	---	---	06	1515	752	521,00	648,00
	10	1722	849	418,00	560,00	11	2218	1064	608,00	750,00
	15	2774	1376	517,00	672,00	16	3037	1438	764,00	919,00
	20	3880	1924	648,00	820,00	21	4131	1935	902,00	1075,00
180	---	---	---	---	---	06	1705	846	560,00	697,00
	10	1937	955	452,00	606,00	11	2495	1197	656,00	810,00
	15	3121	1548	562,00	731,00	16	3416	1617	830,00	998,00
	20	4365	2165	701,00	888,00	21	4648	2177	976,00	1163,00
200	---	---	---	---	---	06	1894	940	606,00	758,00
	10	2152	1061	491,00	660,00	11	2772	1330	708,00	877,00
	15	3468	1720	637,00	825,00	16	3796	1797	943,00	1131,00
	20	4850	2405	762,00	968,00	21	5164	2418	1058,00	1264,00
240	---	---	---	---	---	06	2273	1128	754,00	945,00
	10	2582	1273	614,00	824,00	11	3326	1596	881,00	1091,00
	15	4162	2064	794,00	1026,00	16	4555	2156	1172,00	1404,00
	20	5820	2886	955,00	1210,00	21	6197	2902	1322,00	1577,00
280	---	---	---	---	---	06	2652	1316	845,00	1060,00
	10	3013	1485	689,00	926,00	11	3881	1862	985,00	1222,00
	15	4855	2408	892,00	1154,00	16	5314	2516	1314,00	1576,00
	20	6790	3367	1074,00	1361,00	21	7230	3386	1486,00	1773,00

EN442 output at 20°C room temperature

# STRADA H065

STRW.065 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	---	---	---	---	---	06	533	267	265,00	337,00
	10	606	301	211,00	290,00	11	772	371	306,00	385,00
	15	961	481	249,00	335,00	16	1087	513	360,00	446,00
	20	1343	672	286,00	379,00	21	1515	705	387,00	480,00
060	---	---	---	---	---	06	640	321	283,00	362,00
	10	727	361	228,00	313,00	11	926	444	327,00	412,00
	15	1153	577	267,00	359,00	16	1304	615	385,00	477,00
	20	1611	806	308,00	408,00	21	1818	846	418,00	517,00
070	---	---	---	---	---	06	746	374	315,00	398,00
	10	848	421	252,00	344,00	11	1080	518	364,00	456,00
	15	1345	673	298,00	397,00	16	1521	718	434,00	534,00
	20	1880	941	350,00	458,00	21	2121	987	477,00	585,00
080	---	---	---	---	---	06	853	428	335,00	424,00
	10	969	481	269,00	367,00	11	1234	592	387,00	485,00
	15	1538	770	322,00	430,00	16	1738	820	468,00	575,00
	20	2148	1075	377,00	493,00	21	2424	1128	513,00	629,00
090	---	---	---	---	---	06	959	481	352,00	446,00
	10	1090	541	283,00	386,00	11	1389	667	407,00	510,00
	15	1730	866	342,00	456,00	16	1956	923	496,00	611,00
	20	2417	1210	401,00	523,00	21	2727	1269	545,00	667,00
100	---	---	---	---	---	06	1066	535	377,00	475,00
	10	1211	601	304,00	411,00	11	1543	741	438,00	546,00
	15	1922	962	368,00	486,00	16	2173	1026	537,00	656,00
	20	2685	1344	435,00	564,00	21	3030	1410	595,00	723,00
110	---	---	---	---	---	06	1173	589	397,00	500,00
	10	1332	661	320,00	434,00	11	1697	814	461,00	575,00
	15	2114	1058	388,00	513,00	16	2390	1128	566,00	691,00
	20	2954	1478	462,00	598,00	21	3333	1551	631,00	767,00
120	---	---	---	---	---	06	1279	642	422,00	534,00
	10	1453	721	344,00	469,00	11	1852	889	491,00	616,00
	15	2306	1154	418,00	556,00	16	2608	1231	606,00	744,00
	20	3222	1613	502,00	656,00	21	3636	1692	680,00	834,00
140	---	---	---	---	---	06	1492	749	465,00	586,00
	10	1695	841	380,00	515,00	11	2160	1037	544,00	679,00
	15	2691	1347	464,00	611,00	16	3042	1436	675,00	822,00
	20	3759	1881	581,00	743,00	21	4242	1975	796,00	958,00
160	---	---	---	---	---	06	1706	856	545,00	686,00
	10	1938	962	447,00	604,00	11	2469	1185	636,00	794,00
	15	3075	1539	548,00	720,00	16	3477	1641	797,00	969,00
	20	4296	2150	684,00	874,00	21	4848	2257	937,00	1127,00
180	---	---	---	---	---	06	1919	963	586,00	739,00
	10	2180	1082	483,00	654,00	11	2777	1333	686,00	858,00
	15	3460	1732	596,00	783,00	16	3911	1846	864,00	1052,00
	20	4833	2419	740,00	945,00	21	5454	2539	1014,00	1218,00
200	---	---	---	---	---	06	2132	1070	635,00	805,00
	10	2422	1202	524,00	713,00	11	3086	1481	741,00	930,00
	15	3844	1924	673,00	881,00	16	4346	2051	981,00	1189,00
	20	5370	2688	804,00	1030,00	21	6060	2821	1098,00	1324,00
240	---	---	---	---	---	06	2558	1284	789,00	1001,00
	10	2906	1443	654,00	887,00	11	3703	1777	920,00	1154,00
	15	4613	2309	837,00	1094,00	16	5215	2461	1217,00	1473,00
	20	6444	3225	1005,00	1284,00	21	7272	3385	1370,00	1649,00
280	---	---	---	---	---	06	2985	1498	884,00	1123,00
	10	3391	1683	733,00	995,00	11	4320	2073	1029,00	1292,00
	15	5382	2694	939,00	1228,00	16	6084	2871	1364,00	1652,00
	20	7518	3763	1129,00	1442,00	21	8484	3949	1538,00	1851,00

EN442 output at 20°C room temperature



# H095 - STRADA

STRW.095 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---
060	---	---	---	---	---	06	736	378	305,00	396,00
	10	836	421	250,00	349,00	11	1078	518	349,00	448,00
	15	1288	656	295,00	402,00	16	1606	753	413,00	521,00
	20	1795	915	335,00	449,00	21	2352	1081	446,00	560,00
	---	---	---	---	---	---	---	---	---	---
070	---	---	---	---	---	06	858	440	337,00	434,00
	10	975	491	276,00	381,00	11	1257	604	387,00	493,00
	15	1502	765	327,00	442,00	16	1874	879	464,00	579,00
	20	2094	1067	378,00	502,00	21	2744	1261	506,00	630,00
	---	---	---	---	---	---	---	---	---	---
080	---	---	---	---	---	06	981	503	360,00	465,00
	10	1114	561	295,00	409,00	11	1437	691	414,00	527,00
	15	1717	875	354,00	479,00	16	2142	1005	500,00	625,00
	20	2394	1220	408,00	542,00	21	3136	1441	545,00	679,00
	---	---	---	---	---	---	---	---	---	---
090	---	---	---	---	---	06	1103	566	379,00	491,00
	10	1254	631	312,00	432,00	11	1616	777	435,00	556,00
	15	1931	984	376,00	509,00	16	2409	1130	531,00	664,00
	20	2693	1372	433,00	575,00	21	3528	1621	579,00	721,00
	---	---	---	---	---	---	---	---	---	---
100	---	---	---	---	---	06	1226	629	409,00	528,00
	10	1393	701	337,00	466,00	11	1796	863	472,00	601,00
	15	2146	1093	407,00	548,00	16	2677	1256	577,00	718,00
	20	2992	1524	473,00	625,00	21	3920	1801	634,00	786,00
	---	---	---	---	---	---	---	---	---	---
110	---	---	---	---	---	06	1349	692	433,00	560,00
	10	1532	771	357,00	494,00	11	1976	950	498,00	635,00
	15	2361	1203	431,00	581,00	16	2945	1381	609,00	759,00
	20	3291	1677	503,00	665,00	21	4312	1982	674,00	835,00
	---	---	---	---	---	---	---	---	---	---
120	---	---	---	---	---	06	1471	754	459,00	595,00
	10	1672	842	382,00	531,00	11	2155	1036	529,00	678,00
	15	2575	1312	462,00	626,00	16	3212	1507	651,00	814,00
	20	3590	1829	544,00	724,00	21	4704	2162	724,00	904,00
	---	---	---	---	---	---	---	---	---	---
140	---	---	---	---	---	06	1716	880	510,00	658,00
	10	1950	982	426,00	589,00	11	2514	1208	591,00	753,00
	15	3004	1531	518,00	695,00	16	3748	1758	729,00	906,00
	20	4189	2134	633,00	825,00	21	5488	2522	850,00	1042,00
	---	---	---	---	---	---	---	---	---	---

EN442 output at 20°C room temperature



## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

# **jaga**

## CLIMATE DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
[export@jaga.com](mailto:export@jaga.com)

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1st January 2020.  
Replaces all existing price lists.