



jaga



Energy
SAVERS
LOW-H₂O

TEMPO

€ 2019.EX



Energy
SAVERS
LOW-H₂O

TEMPO

Warm power, simple style

- The benchmark Jaga Energy Saver – always ahead of its time – the classic among the wall radiators.
- Easy to assemble casing featuring the sectional front panel design.
- Compact and practical packaging.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

Also available as freestanding model for glazed façades. See page 82.



LOW-H₂O
SELECTED AS
THE MOST
ECONOMICAL
RADIATOR


TEMPO



TEMPO



DIMENSIONS (in cm)



DELIVERY

Light and easily installed by one person. Delivered flat packed in 2 packages for ease of handling and storage.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit
- air vent elbow (standard) or extended air vent (twin) 1/8" and drain plug 1/2"
- easy to assemble casing

COLOUR

Scratch-resistant surface coating with a soft structured, satin gloss finish. High UV resistance.

Standard colour:
white RAL 9010 (101)

CONNECTION


Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)
Ex. TEMW.030 040 10.101/60

High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:

add to the code of the radiator /00.


Ex. TEMW.030 040 10.101/00

For valve set prices see chapter "Connection sets & valves".

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set 225

CODE 2-PIPE

€



COLO.SW2.JC.4...

69,30



COLO.SW2.JW.4...

59,30

fill in sleeve coupling code

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116


RPE/ALU tube 16/2 616

Other connections :

See chapter "Connection sets and valves" for all connection options and technical information.

ORDERING CODE

code	height	length	type	colour
TEMW .	020	040	10 .	101



Also available as freestanding model for glazed façades. See page 82.

H020 - TEMPO

TEMW.020 LLL TT.101



L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	262	127	118,90	---	---	---	---
	15	436	212	141,30	---	---	---	---
	20	613	299	164,90	---	---	---	---
050	10	328	159	129,20	---	---	---	---
	15	545	265	155,40	---	---	---	---
	20	766	373	181,90	---	---	---	---
060	10	393	191	138,40	---	---	---	---
	15	654	319	168,00	---	---	---	---
	20	919	448	198,70	---	---	---	---
070	10	459	223	159,00	---	---	---	---
	15	763	372	195,40	---	---	---	---
	20	1072	522	233,50	---	---	---	---
080	10	524	255	168,90	---	---	---	---
	15	872	425	209,70	---	---	---	---
	20	1226	597	252,00	---	---	---	---
090	10	590	287	179,30	---	---	---	---
	15	981	478	224,10	---	---	---	---
	20	1379	672	270,50	---	---	---	---
100	10	655	318	197,40	---	---	---	---
	15	1090	531	247,20	---	---	---	---
	20	1532	746	300,80	---	---	---	---
110	10	721	350	208,30	---	---	---	---
	15	1199	584	264,50	---	---	---	---
	20	1685	821	320,80	---	---	---	---
120	10	786	382	218,10	---	---	---	---
	15	1308	637	277,90	---	---	---	---
	20	1838	895	339,40	---	---	---	---
140	10	917	446	244,30	---	---	---	---
	15	1526	743	312,60	---	---	---	---
	20	2145	1045	405,20	---	---	---	---
160	10	1048	509	285,00	---	---	---	---
	15	1744	850	369,40	---	---	---	---
	20	2451	1194	480,50	---	---	---	---
180	10	1179	573	307,90	---	---	---	---
	15	1962	956	402,20	---	---	---	---
	20	2758	1343	521,80	---	---	---	---
200	10	1310	637	334,40	---	---	---	---
	15	2180	1062	460,50	---	---	---	---
	20	3064	1493	567,30	---	---	---	---
220	10	1441	700	382,20	---	---	---	---
	15	2398	1168	528,50	---	---	---	---
	20	3370	1642	654,40	---	---	---	---
240	10	1572	764	410,00	---	---	---	---
	15	2616	1274	566,90	---	---	---	---
	20	3677	1791	702,80	---	---	---	---
260	10	1703	827	436,10	---	---	---	---
	15	2834	1381	603,30	---	---	---	---
	20	3983	1940	749,60	---	---	---	---
280	10	1834	891	467,80	---	---	---	---
	15	3052	1487	645,00	---	---	---	---
	20	4290	2090	801,30	---	---	---	---
300	10	1965	955	491,70	---	---	---	---
	15	3270	1593	678,40	---	---	---	---
	20	4596	2239	845,20	---	---	---	---

EN442 output at 20°C room temperature

TEMPO - H 030

TEMW.030 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	330	161	127,40	11	448	215	207,80
	15	544	267	150,40	16	592	281	244,50
	20	762	373	174,70	21	779	368	259,70
050	10	413	202	138,00	11	561	269	224,60
	15	680	333	164,60	16	740	352	267,50
	20	953	467	192,40	21	974	460	285,80
060	10	496	242	148,30	11	673	323	239,30
	15	815	399	178,50	16	888	422	288,30
	20	1144	561	210,20	21	1169	552	311,40
070	10	578	282	170,00	11	785	376	273,70
	15	951	466	206,80	16	1036	492	334,60
	20	1334	654	245,90	21	1364	644	364,10
080	10	661	323	180,40	11	897	430	290,60
	15	1087	533	221,70	16	1184	563	358,20
	20	1525	747	264,90	21	1558	736	391,90
090	10	743	363	191,80	11	1009	484	306,90
	15	1223	599	237,10	16	1332	633	382,50
	20	1715	841	284,40	21	1753	828	419,80
100	10	826	403	210,80	11	1121	537	336,80
	15	1359	666	261,10	16	1480	703	421,10
	20	1906	934	315,70	21	1948	920	466,20
110	10	909	444	222,90	11	1233	591	354,60
	15	1495	733	279,60	16	1628	774	447,80
	20	2097	1028	337,00	21	2143	1012	496,50
120	10	991	484	233,10	11	1345	645	371,10
	15	1631	799	293,40	16	1776	844	471,50
	20	2287	1121	356,00	21	2338	1105	524,40
140	10	1156	565	262,70	11	1569	752	414,50
	15	1903	933	331,60	16	2072	985	529,20
	20	2668	1308	425,00	21	2727	1288	626,70
160	10	1322	646	304,60	11	1794	860	481,70
	15	2174	1066	389,90	16	2368	1126	624,00
	20	3050	1495	501,60	21	3117	1473	740,00
180	10	1487	726	330,00	11	2018	967	520,20
	15	2446	1199	424,60	16	2664	1266	678,10
	20	3431	1682	545,20	21	3506	1656	803,40
200	10	1652	807	358,90	11	2242	1074	561,80
	15	2718	1332	485,60	16	2960	1407	776,80
	20	3812	1868	593,20	21	3896	1841	871,10
220	10	1817	887	408,30	11	2466	1182	640,80
	15	2990	1465	555,40	16	3256	1548	890,70
	20	4193	2055	681,90	21	4286	2025	1002,90
240	10	1982	968	438,80	11	2690	1289	687,80
	15	3262	1599	596,10	16	3552	1688	954,90
	20	4574	2242	733,10	21	4675	2209	1078,10
260	10	2148	1049	466,30	11	2915	1397	730,50
	15	3533	1732	634,50	16	3848	1829	1015,20
	20	4956	2429	781,50	21	5065	2393	1148,10
280	10	2313	1130	500,70	11	3139	1504	778,60
	15	3805	1865	678,60	16	4144	1970	1080,80
	20	5337	2616	835,50	21	5454	2577	1223,80
300	10	2478	1210	526,00	11	3363	1612	818,50
	15	4077	1998	713,40	16	4440	2110	1136,10
	20	5718	2802	881,00	21	5844	2761	1290,20

EN442 output at 20°C room temperature

H040 - TEMPO

TEMW.040 LLL TT.101



L	STANDARD			€	TWIN			€
	Type	Watts 75/65	Watts 55/45		Type	Watts 75/65	Watts 55/45	
040	10	385	189	135,80	11	506	243	215,90
	15	627	309	161,80	16	680	323	256,00
	20	878	433	186,70	21	910	428	271,80
050	10	482	236	146,80	11	632	303	233,40
	15	784	386	176,60	16	850	403	279,40
	20	1098	541	204,80	21	1137	535	298,30
060	10	578	284	158,10	11	758	363	249,00
	15	941	464	191,50	16	1020	484	301,50
	20	1318	650	223,70	21	1364	641	324,80
070	10	674	331	180,90	11	885	424	284,40
	15	1098	541	220,70	16	1190	564	348,70
	20	1537	758	260,40	21	1592	749	378,60
080	10	770	378	191,90	11	1011	485	302,00
	15	1254	618	236,20	16	1360	645	372,80
	20	1757	866	279,70	21	1819	855	406,80
090	10	867	425	204,40	11	1138	546	319,30
	15	1411	695	252,60	16	1530	726	398,40
	20	1976	974	300,60	21	2047	963	436,00
100	10	963	472	224,50	11	1264	606	350,10
	15	1568	773	277,90	16	1700	806	438,00
	20	2196	1083	333,00	21	2274	1069	483,50
110	10	1059	520	237,60	11	1390	666	369,10
	15	1725	850	297,30	16	1870	887	465,60
	20	2416	1191	355,10	21	2501	1176	514,80
120	10	1156	567	248,20	11	1517	727	386,30
	15	1882	928	311,70	16	2040	968	489,60
	20	2635	1299	374,70	21	2729	1283	543,10
140	10	1348	661	281,00	11	1770	849	432,50
	15	2195	1082	353,90	16	2380	1129	552,00
	20	3074	1516	448,00	21	3184	1497	649,70
160	10	1541	756	324,60	11	2022	969	501,40
	15	2509	1237	413,90	16	2720	1290	648,20
	20	3514	1733	526,20	21	3638	1711	764,50
180	10	1733	850	352,10	11	2275	1091	541,90
	15	2822	1391	450,50	16	3060	1452	704,40
	20	3953	1949	571,70	21	4093	1925	829,90
200	10	1926	945	383,30	11	2528	1212	586,10
	15	3136	1546	514,30	16	3400	1613	805,70
	20	4392	2166	622,40	21	4548	2139	900,20
220	10	2119	1040	434,50	11	2781	1333	666,80
	15	3450	1700	585,40	16	3740	1774	921,20
	20	4831	2382	712,60	21	5003	2353	1033,40
240	10	2311	1134	467,70	11	3034	1455	716,40
	15	3763	1855	630,00	16	4080	1935	989,20
	20	5270	2599	767,40	21	5458	2567	1112,50
260	10	2504	1229	496,60	11	3286	1576	760,30
	15	4077	2009	669,90	16	4420	2097	1050,90
	20	5710	2816	817,40	21	5912	2780	1183,90
280	10	2696	1323	533,50	11	3539	1697	811,20
	15	4390	2164	716,60	16	4760	2258	1118,80
	20	6149	3032	874,10	21	6367	2994	1262,10
300	10	2889	1417	560,50	11	3792	1818	852,50
	15	4704	2318	753,00	16	5100	2419	1176,00
	20	6588	3249	920,90	21	6822	3208	1330,30

EN442 output at 20°C room temperature

TEMPO - H 050

TEMW.050 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	430	212	145,60	11	554	266	225,90
	15	694	344	173,70	16	759	359	267,80
	20	970	481	200,00	21	1033	484	284,90
050	10	538	265	157,10	11	693	332	243,60
	15	867	430	188,90	16	949	449	291,90
	20	1213	602	218,30	21	1291	605	311,70
060	10	646	318	169,30	11	832	399	260,50
	15	1040	516	204,90	16	1139	539	314,80
	20	1455	722	238,40	21	1549	725	339,40
070	10	753	371	193,10	11	970	465	297,00
	15	1214	602	235,20	16	1329	629	363,00
	20	1698	842	276,10	21	1807	846	394,20
080	10	861	424	204,80	11	1109	532	314,90
	15	1387	688	251,10	16	1518	719	387,80
	20	1940	962	296,10	21	2066	968	423,00
090	10	968	477	218,10	11	1247	598	333,20
	15	1561	774	268,60	16	1708	809	414,20
	20	2183	1083	317,80	21	2324	1088	452,90
100	10	1076	530	239,30	11	1386	665	365,10
	15	1734	860	294,90	16	1898	898	455,10
	20	2425	1203	351,40	21	2582	1209	501,40
110	10	1184	584	253,60	11	1525	732	385,30
	15	1907	946	315,50	16	2088	988	483,90
	20	2668	1323	374,60	21	2840	1330	533,90
120	10	1291	636	264,80	11	1663	798	402,60
	15	2081	1032	330,20	16	2278	1078	508,20
	20	2910	1443	394,50	21	3098	1451	562,80
140	10	1506	742	300,70	11	1940	931	452,70
	15	2428	1204	376,20	16	2657	1258	574,30
	20	3395	1684	472,20	21	3615	1693	673,60
160	10	1722	849	345,80	11	2218	1064	522,80
	15	2774	1376	437,90	16	3037	1438	672,20
	20	3880	1924	552,00	21	4131	1935	790,10
180	10	1937	955	375,10	11	2495	1197	565,10
	15	3121	1548	476,40	16	3416	1617	730,50
	20	4365	2165	599,60	21	4648	2177	857,40
200	10	2152	1061	409,20	11	2772	1330	612,10
	15	3468	1720	542,70	16	3796	1797	834,20
	20	4850	2405	652,70	21	5164	2418	930,40
220	10	2367	1167	461,80	11	3049	1463	694,40
	15	3815	1892	615,50	16	4176	1977	951,30
	20	5335	2646	744,50	21	5680	2660	1065,30
240	10	2582	1273	497,60	11	3326	1596	746,70
	15	4162	2064	663,30	16	4555	2156	1022,40
	20	5820	2886	803,20	21	6197	2902	1147,70
260	10	2798	1379	528,30	11	3604	1729	792,20
	15	4508	2236	704,40	16	4935	2336	1085,90
	20	6305	3127	854,80	21	6713	3144	1221,00
280	10	3013	1485	567,60	11	3881	1862	845,60
	15	4855	2408	753,80	16	5314	2516	1156,40
	20	6790	3367	914,00	21	7230	3386	1301,80
300	10	3228	1591	596,10	11	4158	1995	888,50
	15	5202	2580	791,80	16	5694	2695	1214,80
	20	7275	3608	962,20	21	7746	3628	1371,40

EN442 output at 20°C room temperature

H060 - TEMPO

TEMW.060 LLL TT.101



L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	468	232	155,90	11	598	287	236,30
	15	746	372	182,60	16	834	394	277,00
	20	1043	520	210,20	21	1153	538	295,40
050	10	585	290	168,00	11	747	359	254,50
	15	933	466	198,40	16	1042	492	301,40
	20	1304	651	229,00	21	1441	672	322,80
060	10	702	348	181,50	11	896	430	272,50
	15	1120	559	215,40	16	1250	591	325,40
	20	1565	781	250,30	21	1729	806	351,60
070	10	819	406	206,10	11	1046	502	309,90
	15	1306	652	246,90	16	1459	689	374,70
	20	1826	911	289,10	21	2017	941	407,30
080	10	936	463	218,20	11	1195	574	328,40
	15	1493	745	263,20	16	1667	788	399,90
	20	2086	1041	309,60	21	2306	1076	436,70
090	10	1053	521	232,60	11	1345	646	347,70
	15	1679	838	281,60	16	1876	886	427,30
	20	2347	1171	332,30	21	2594	1210	467,70
100	10	1170	579	254,90	11	1494	717	380,80
	15	1866	931	309,10	16	2084	985	469,20
	20	2608	1301	366,90	21	2882	1344	517,50
110	10	1287	637	270,30	11	1643	789	402,10
	15	2053	1024	330,80	16	2292	1083	499,10
	20	2869	1432	391,20	21	3170	1479	550,90
120	10	1404	695	281,80	11	1793	861	420,00
	15	2239	1117	346,10	16	2501	1182	524,10
	20	3130	1562	411,50	21	3458	1613	580,30
140	10	1638	811	322,00	11	2092	1004	474,00
	15	2612	1303	395,20	16	2918	1379	593,20
	20	3651	1822	492,50	21	4035	1882	694,30
160	10	1872	927	368,90	11	2390	1147	546,00
	15	2986	1490	458,30	16	3334	1575	692,50
	20	4173	2082	573,80	21	4611	2151	812,40
180	10	2106	1043	400,00	11	2689	1291	590,20
	15	3359	1676	498,90	16	3751	1772	753,00
	20	4694	2342	623,30	21	5188	2420	881,80
200	10	2340	1159	436,70	11	2988	1434	639,80
	15	3732	1862	567,70	16	4168	1969	859,50
	20	5216	2603	679,30	21	5764	2688	957,40
220	10	2574	1275	490,90	11	3287	1578	723,60
	15	4105	2048	642,10	16	4585	2166	977,90
	20	5738	2863	772,50	21	6340	2957	1093,70
240	10	2808	1390	530,60	11	3586	1721	779,50
	15	4478	2234	692,70	16	5002	2363	1052,00
	20	6259	3123	833,90	21	6917	3226	1179,00
260	10	3042	1506	562,60	11	3884	1864	826,50
	15	4852	2421	735,60	16	5418	2560	1116,80
	20	6781	3383	886,90	21	7493	3495	1253,80
280	10	3276	1622	604,60	11	4183	2008	882,50
	15	5225	2607	787,10	16	5835	2757	1189,80
	20	7302	3643	948,80	21	8070	3764	1337,00
300	10	3510	1738	634,60	11	4482	2151	927,00
	15	5598	2793	826,80	16	6252	2954	1250,00
	20	7824	3904	998,60	21	8646	4033	1408,30

EN442 output at 20°C room temperature

TEMPO - H070

TEMW.070 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	499	248	164,90	11	636	305	245,40
	15	789	396	191,90	16	904	426	286,20
	20	1101	553	221,10	21	1271	590	306,40
050	10	624	311	177,50	11	795	382	264,00
	15	986	495	208,20	16	1130	533	311,30
	20	1377	691	240,40	21	1589	738	334,40
060	10	749	373	191,90	11	954	458	283,10
	15	1183	594	226,30	16	1356	639	336,60
	20	1652	829	262,80	21	1906	885	364,00
070	10	874	435	217,70	11	1113	534	321,50
	15	1380	692	258,40	16	1582	746	386,60
	20	1927	967	302,40	21	2224	1033	420,90
080	10	998	497	230,50	11	1272	611	340,40
	15	1578	792	275,70	16	1808	852	412,60
	20	2202	1105	323,50	21	2542	1181	450,70
090	10	1123	559	245,80	11	1431	687	360,90
	15	1775	891	295,00	16	2034	959	440,90
	20	2478	1244	347,20	21	2859	1328	482,70
100	10	1248	621	269,20	11	1590	764	394,90
	15	1972	989	323,50	16	2260	1065	483,90
	20	2753	1382	382,90	21	3177	1476	533,50
110	10	1373	683	285,50	11	1749	840	417,40
	15	2169	1088	346,50	16	2486	1172	515,00
	20	3028	1520	408,30	21	3495	1623	568,20
120	10	1498	746	297,40	11	1908	916	435,60
	15	2366	1187	362,00	16	2712	1279	540,40
	20	3304	1659	429,20	21	3812	1771	597,80
140	10	1747	869	341,20	11	2226	1069	493,00
	15	2761	1385	415,10	16	3164	1492	613,30
	20	3854	1935	514,40	21	4448	2066	716,20
160	10	1997	994	389,40	11	2544	1222	566,50
	15	3155	1583	479,50	16	3616	1705	714,30
	20	4405	2211	597,30	21	5083	2361	835,80
180	10	2246	1118	422,60	11	2862	1374	612,80
	15	3550	1781	522,30	16	4068	1918	776,40
	20	4955	2488	648,60	21	5719	2657	907,10
200	10	2496	1242	461,80	11	3180	1527	665,00
	15	3944	1979	593,60	16	4520	2131	885,60
	20	5506	2764	707,10	21	6354	2952	985,30
220	10	2746	1367	517,60	11	3498	1680	750,40
	15	4338	2177	669,80	16	4972	2344	1005,80
	20	6057	3041	802,20	21	6989	3247	1123,30
240	10	2995	1491	559,80	11	3816	1832	808,90
	15	4733	2375	723,50	16	5424	2557	1083,00
	20	6607	3317	867,30	21	7625	3542	1212,40
260	10	3245	1615	593,40	11	4134	1985	857,50
	15	5127	2573	767,70	16	5876	2770	1149,30
	20	7158	3594	921,80	21	8260	3837	1288,80
280	10	3494	1739	638,10	11	4452	2138	916,00
	15	5522	2771	821,80	16	6328	2983	1224,90
	20	7708	3870	985,90	21	8896	4132	1374,60
300	10	3744	1863	669,80	11	4770	2291	961,90
	15	5916	2968	863,00	16	6780	3196	1286,60
	20	8259	4146	1037,50	21	9531	4427	1447,30

EN442 output at 20°C room temperature


H090 - TEMPO

TEMW.090 LLL TT.101



L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	548	275	183,80	11	703	338	264,50
	15	848	431	213,50	16	1038	487	307,60
	20	1183	601	245,80	21	1508	694	330,70
050	10	685	344	197,00	11	879	423	283,70
	15	1060	538	230,70	16	1298	609	333,20
	20	1479	751	265,90	21	1885	868	359,50
060	10	821	412	213,80	11	1055	507	305,00
	15	1272	646	250,80	16	1558	732	360,70
	20	1774	901	290,40	21	2262	1042	391,60
070	10	958	481	241,50	11	1231	592	345,60
	15	1484	754	285,30	16	1817	853	413,10
	20	2070	1051	332,30	21	2639	1215	450,40
080	10	1095	550	255,40	11	1406	676	365,70
	15	1696	861	303,30	16	2077	975	439,80
	20	2366	1202	354,30	21	3016	1389	481,40
090	10	1232	619	272,60	11	1582	760	387,90
	15	1908	969	324,90	16	2336	1097	470,30
	20	2661	1352	379,90	21	3393	1562	515,20
100	10	1369	688	298,30	11	1758	845	424,30
	15	2120	1077	355,40	16	2596	1219	515,30
	20	2957	1502	418,00	21	3770	1736	568,40
110	10	1506	756	316,90	11	1934	930	449,00
	15	2332	1185	380,40	16	2856	1341	548,60
	20	3253	1652	445,50	21	4147	1910	605,00
120	10	1643	825	329,80	11	2110	1014	467,90
	15	2544	1292	396,90	16	3115	1463	574,90
	20	3548	1802	467,30	21	4524	2083	635,80
140	10	1917	963	380,30	11	2461	1183	532,50
	15	2968	1508	457,60	16	3634	1706	655,30
	20	4140	2103	560,40	21	5278	2431	762,00
160	10	2190	1100	431,70	11	2813	1352	609,10
	15	3392	1723	525,40	16	4154	1950	759,50
	20	4731	2403	646,50	21	6032	2778	884,80
180	10	2464	1238	468,80	11	3164	1521	659,40
	15	3816	1938	571,90	16	4673	2194	825,70
	20	5323	2704	701,90	21	6786	3125	960,00
200	10	2738	1375	513,40	11	3516	1690	716,80
	15	4240	2154	648,80	16	5192	2438	939,80
	20	5914	3004	765,60	21	7540	3472	1043,60
220	10	3012	1513	572,10	11	3868	1859	805,30
	15	4664	2369	727,60	16	5711	2681	1063,30
	20	6505	3304	863,70	21	8294	3819	1184,80
240	10	3286	1650	620,50	11	4219	2028	870,00
	15	5088	2584	788,00	16	6230	2925	1146,60
	20	7097	3605	935,70	21	9048	4167	1280,60
260	10	3559	1788	657,20	11	4571	2197	921,60
	15	5512	2800	835,30	16	6750	3169	1216,30
	20	7688	3905	993,50	21	9802	4514	1360,00
280	10	3833	1925	706,80	11	4922	2366	985,10
	15	5936	3015	894,80	16	7269	3413	1296,90
	20	8280	4206	1062,80	21	10556	4861	1450,90
300	10	4107	2063	741,60	11	5274	2535	1034,30
	15	6360	3231	938,90	16	7788	3657	1361,50
	20	8871	4506	1117,40	21	11310	5208	1526,70

EN442 output at 20°C room temperature



Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st January 2019.
Replaces all existing price lists.