

jaga

CLIMATE DESIGNERS

Heating 

MINI FREESTANDING DBE € 2020.EX



jaga

CLIMATE DESIGNERS

MINI FREESTANDING DBE

Unobtrusive Hercules.

- For spaces with large windows, glazed façades, for window displays, conservatories, under window seats and for dwarf walls.
- Equipped as standard with pipe work guard.
- No wasteful heat loss from radiation through glazing.
- Stable one-piece casing.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE (Dynamic Boost Effect) for compact dimensions at super-low water temperatures from 28 °C.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.






MINI FREESTANDING DBE



MINI FREESTANDING DBE

DIMENSIONS (in cm)



ORDERING CODE

code	height	length	type	colour
MINF. 028 081 11. XXX/DS/DBE/...				
		fill in colour code		
			fill in sleeve coupling code	
		Precision metal tube 14/1	114	
		Precision metal tube 15/1	115	
		Precision metal tube 16/1	116	
		RPE/ALU tube 16/2	316	
		(other sleeve couplings: see "Connection sets and Valves Low-H ₂ O")		

DELIVERY

Easy to install.

Standard delivery:

- pre-assembled radiator on integrated feet, consisting of a one piece casing, feet with pipe guard, DBE set incl. operation, control and power supply 12 VDC
- detachable grille
- Jaga thermostatic H-valve and sleeve couplings. Connections 3/4" Eurocone in the foot, left or right.
- straight air vent 1/8"
- collar in stainless steel effect for the connection side

Connection set included

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

PRICES & OUTPUTS

MINF.028 LLL TT.XXX/DS/DBE/...

L	Type	STANDBY*		COMFORT			€	
		Watts 75/65	Watts 55/45	Watts 75/65	Watts 55/45	Watts 35/30	st. colour	other
081	11	871	417	1171	703	293	740,00	893,00
	16	1146	549	1626	976	407	827,00	988,00
101	11	1089	522	1689	1013	422	861,00	1018,00
	16	1433	686	2393	1436	598	982,00	1148,00
121	11	1307	626	1907	1144	477	906,00	1071,00
	16	1720	824	2680	1608	670	1042,00	1218,00
141	11	1525	730	2425	1455	606	1034,00	1209,00
	16	2006	961	3446	2068	862	1195,00	1381,00
181	11	1960	939	3160	1896	790	1295,00	1516,00
	16	2579	1235	4499	2699	1125	1509,00	1742,00
241	11	2614	1252	4414	2648	1104	1705,00	1986,00
	16	3439	1647	6319	3791	1580	2052,00	2347,00

* Stand-by is the static output if the activators are not working. Transition from Stand-by to Comfort is effected automatically in accordance with the thermal need. Boost output see: www.jaga.com

Output at 20°C room temperature

OPTIONS

Thermostatic heads



CODE	colour		€
5090.1151	chrome	AC	42,00
5090.1150	white	AW	27,00
5090.1125	white	JW	27,00
5090.1119	silver	JC	38,00



jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st January 2020.
Replaces all existing price lists.