




jaga



Eyecatchers

PANEL PLUS VERTICAL

€ 2019.EX



PANEL PLUS

Elegant simplicity and power

Streamlined, elegant design. The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model or horizontal version ! The simple design of the Panel Plus radiator with its hidden rear collectors provides an elegant simplicity that oozes quality.

Horizontal version: see p. 164.
Freestanding version: see p. 178.

PANEL PLUS VERTICAL traffic white 333



Eye catchers

From design to art

PANEL PLUS






PANEL PLUS



code height length colour conn.
PPVW . 180 024 . XXX /MM
 fill in colour code —

DIMENSIONS (in cm)

- standard connection
- variant



DELIVERY

- universal central connection MM and 18/81 underneath
- standard and extended wall fixings included
- chrome-plated air vent and 3 drain plugs G1/2"

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION

Code:

1° number = flow

2° number = return

Standard connection:

Universal central connection

at the bottom, code MM,

flow left or right. Connection


18 or 81 at the bottom is

also possible with code MM.

Top connection (no surcharge): enter code 45

or 54, provide an air vent on the central heating

pipework.



CONNECTION SETS

Connection set to the wall with Danfoss Pro valve

TRV head and sleeve couplings included.



set 47 **BRUSHED STAINLESS STEEL** €

CODE.DW2.SD.1... **244,70**

CHROME €

CODE.DW2.CD.1... **165,90**

fill in sleeve coupling code

Precision metal tube 15/1 **115**

Precision metal tube 16/1 **116**

Precision metal tube 18/1 **118**

RPE/ALU tube 16/2 **316**

RPE/ALU tube 18/2 **318**


Other connections:

See chapter "Connection sets and valves" for all connection options and technical information

Horizontal version: see p. 164
 Freestanding version: see p. 178

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
024	584	297	406,80	488,30
031	730	371	498,00	597,60
037	875	444	590,30	708,40
043	1021	519	683,90	820,60
050	1167	593	775,30	930,50
056	1313	667	867,50	1041,00
062	1459	741	962,20	1154,70
069	1605	815	1022,60	1227,30
075	1751	889	1083,30	1299,80
081	1897	964	1143,70	1372,50
087	2043	1038	1205,40	1446,30
094	2189	1112	1264,60	1517,80
L H 200				
024	644	329	432,10	518,60
031	805	411	532,10	638,50
037	965	493	632,80	759,60
043	1126	575	733,60	880,40
050	1287	657	833,60	1000,40
056	1448	739	934,50	1121,50
062	1609	821	1037,50	1245,00
069	1770	904	1102,30	1322,70
075	1931	986	1167,10	1400,50
081	2092	1068	1232,90	1479,50
087	2253	1150	1296,70	1556,20
094	2414	1232	1361,40	1633,80
L H 220				
024	700	359	457,80	549,30
031	876	450	564,90	678,00
037	1051	539	674,50	809,40
043	1226	629	782,70	939,40
050	1401	719	890,80	1069,00
056	1576	809	1000,40	1200,40
062	1751	899	1111,80	1334,20
069	1926	988	1181,90	1418,50
075	2101	1078	1250,90	1501,00
081	2276	1168	1321,10	1585,40
087	2451	1258	1390,30	1668,30
094	2627	1348	1460,10	1752,20
L H 240				
024	754	389	484,30	581,20
031	943	486	599,90	719,90
037	1131	583	716,80	861,00
043	1320	681	833,60	1000,40
050	1508	777	950,50	1140,60
056	1697	875	1066,30	1279,60
062	1885	972	1185,10	1422,00
069	2074	1069	1260,50	1512,60
075	2262	1166	1334,00	1600,80
081	2451	1264	1408,20	1689,80
087	2639	1361	1482,40	1778,80
094	2828	1458	1555,80	1866,90

EN442 output at 20°C room temperature



Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1 January 2019.
Replaces all existing price lists.