

# jaga

CLIMATE DESIGNERS

Heating 

LINEA PLUS FREESTANDING € 2021.EX



# jaga

CLIMATE DESIGNERS

## LINEA PLUS FREESTANDING

Warm power, slim line

- For spaces with large windows, glazed façades, for window displays, conservatories, under window seats and for dwarf walls.
- Discreet slim-line design with flat front panel and stylish aluminium grille.
- No wasteful heat loss from radiation through glazing.
- Low-H<sub>2</sub>O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for integrated valve.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

Also available as a wall mounted model. See page 38.

LINEA PLUS white 133 (RAL 9016)






LINEA PLUS FREESTANDING

# LINEA PLUS FREESTANDING




## DIMENSIONS (in cm)

### HEIGHT 020



### HEIGHT 035



Also available as a wall mounted model. See page 38.

## DELIVERY

Easy to install by one person. Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H<sub>2</sub>O heat exchanger with air vent elbow (standard) or extended air vent (twin) 1/8" and drain plug 1/2"
- connection left or right below
- standard adjustable feet in neutral grey

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.


Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

## CONNECTION

Standard connection: bottom end left or right



## OPTIONS

### Feet in the same colour as the casing

For feet in the same colour as the casing, repeat the colour code after the code of the radiator.

ex.: LINF. HHH LLL TT.XXX/XXX

Surcharge	Length casing	€
	050 > 110	2 feet 18,00
	120 > 220	3 feet 27,00
	240 > 300	4 feet 35,00

### Extended adjustable feet

- For installation on a rough subfloor or computer floor.


- For extended feet in neutral grey, add /AL to the ordering code.

ex.: LINF. 020 050 10.XXX/AL

- For extended feet in the same colour as the casing, add /AL to the ordering code and repeat the colour code.

ex.: LINF. 020 050 10.XXX/AL/XXX

Surcharge	Length casing	grey	colour	€
	050 > 110	2 feet 8,20		30,00
	120 > 220	3 feet 12,40		44,00
	240 > 380	4 feet 15,50		59,00




## ORDERING CODE

code	height	length	type	colour
LINF .	020	050	10 .	XXX
<i>fill in colour code</i>				

## CONNECTION SETS

### Jaga H-valve to the floor for one or two pipe

TRV head and sleeve couplings Eurocone 3/4" included.



set 104	CODE 1-PIPE/2-PIPE	€
	COLO.HBSF.AW.4...	80,00
	COLO.HBSF.JW.4...	86,00

*fill in sleeve coupling code*

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

### Other connections:

see chapter "Connection sets and valves Low-H<sub>2</sub>O" for all connection options and technical information.

# LINEA PLUS FREESTANDING

LINF.HHH LLL TT.XXX

		STANDARD				
	Type	Watts	Watts	€	€	
		75/65	55/45	st. colour	other	
<b>L</b>	<b>H 020</b>					
050	10	271	129	215,00	278,00	
	15	483	231	254,00	327,00	
060	10	325	155	228,00	295,00	
	15	580	278	270,00	345,00	
070	10	379	180	249,00	318,00	
	15	676	324	298,00	377,00	
080	10	433	206	266,00	341,00	
	15	773	370	319,00	405,00	
090	10	487	232	279,00	359,00	
	15	869	416	337,00	427,00	
100	10	541	258	298,00	381,00	
	15	966	463	361,00	455,00	
110	10	595	283	311,00	398,00	
	15	1063	509	379,00	478,00	
120	10	649	309	348,00	441,00	
	15	1159	555	421,00	525,00	
140	10	757	360	376,00	477,00	
	15	1352	648	458,00	572,00	
160	10	866	412	443,00	568,00	
	15	1546	741	542,00	679,00	
180	10	974	464	480,00	618,00	
	15	1739	833	587,00	740,00	
200	10	1082	515	520,00	674,00	
	15	1932	925	661,00	829,00	
220	10	1190	567	607,00	793,00	
	15	2125	1018	767,00	969,00	
240	10	1298	618	666,00	867,00	
	15	2318	1110	839,00	1057,00	
260	10	1407	670	705,00	918,00	
	15	2512	1203	888,00	1118,00	
280	10	1515	721	740,00	965,00	
	15	2705	1296	933,00	1175,00	

		STANDARD				
	Type	Watts	Watts	€	€	
		75/65	55/45	st. colour	other	
<b>H 035</b>						
10	10	392	188	238,00	313,00	
	15	673	327	278,00	364,00	
10	10	470	226	253,00	334,00	
	15	808	392	297,00	388,00	
10	10	548	263	276,00	361,00	
	15	942	457	327,00	422,00	
10	10	626	301	295,00	386,00	
	15	1077	523	349,00	453,00	
10	10	705	339	313,00	413,00	
	15	1211	588	373,00	484,00	
10	10	783	376	333,00	436,00	
	15	1346	653	398,00	513,00	
10	10	861	414	348,00	456,00	
	15	1481	719	418,00	539,00	
10	10	940	451	388,00	503,00	
	15	1615	784	462,00	590,00	
10	10	1096	526	421,00	548,00	
	15	1884	915	505,00	645,00	
10	10	1253	602	495,00	649,00	
	15	2154	1046	594,00	763,00	
10	10	1409	677	538,00	710,00	
	15	2423	1176	647,00	833,00	
10	10	1566	752	582,00	774,00	
	15	2692	1307	724,00	931,00	
10	10	1723	828	674,00	901,00	
	15	2961	1438	836,00	1080,00	
10	10	1879	902	742,00	986,00	
	15	3230	1568	916,00	1178,00	
10	10	2036	978	784,00	1043,00	
	15	3500	1699	968,00	1246,00	
10	10	2192	1053	824,00	1100,00	
	15	3769	1830	1019,00	1313,00	

		TWIN				
	Type	Watts	Watts	€	€	
		75/65	55/45	st. colour	other	
11	11	524	246	330,00	405,00	
	16	733	344	387,00	473,00	
11	11	629	296	350,00	431,00	
	16	879	412	414,00	506,00	
11	11	734	345	386,00	471,00	
	16	1026	481	462,00	558,00	
11	11	838	394	412,00	504,00	
	16	1172	550	494,00	598,00	
11	11	943	443	436,00	536,00	
	16	1319	619	527,00	639,00	
11	11	1048	493	466,00	570,00	
	16	1465	687	568,00	683,00	
11	11	1153	542	487,00	596,00	
	16	1612	756	596,00	718,00	
11	11	1258	592	537,00	652,00	
	16	1758	824	654,00	782,00	
11	11	1467	690	583,00	710,00	
	16	2051	962	715,00	855,00	
11	11	1677	789	683,00	837,00	
	16	2344	1099	844,00	1012,00	
11	11	1886	887	740,00	912,00	
	16	2637	1237	917,00	1103,00	
11	11	2096	986	797,00	989,00	
	16	2930	1374	1034,00	1241,00	
11	11	2306	1084	921,00	1148,00	
	16	3223	1512	1194,00	1438,00	
11	11	2515	1183	1005,00	1250,00	
	16	3516	1649	1297,00	1559,00	
11	11	2725	1281	1063,00	1324,00	
	16	3809	1786	1373,00	1651,00	
11	11	2934	1380	1119,00	1395,00	
	16	4102	1924	1446,00	1741,00	

EN442 output at 20°C room temperature

## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
[export@jaga.com](mailto:export@jaga.com)

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from February 1, 2021.  
Replaces all existing price lists.