



**jaga**

*Eyecatchers*


**ACCOLADE SANI**

€ 2019.EX



**A SOFT WARMTH IN A DISTINCTIVE FORM!**  
 An organic gently curved design with the subtle simplicity of triangular collectors.

**DIMENSIONS** (in cm)



L	D	H	A
050	10.3	089	67.0
065	10.6	122	101.1
080	10.7	153	131.5
095	11.0	181	137.0
		215	137.0

**DELIVERY**

- connection 18/81 below
- wall fixing
- chrome-plated air vent G 1/8"

**COLOURS**

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth glossy finish
- sandblast grey (001), fine texture metallic

Other colours: see colour chart.

**CONNECTION**


Code:

1° number = flow

2° number = return

Standard connection:

Code 18, reversible 18 or 81



Other connections (no surcharge)

- top connection: the Accolade is symmetrical and can be mounted either way up. Insert pipe to be mounted in the return. It is delivered without surcharge if connection code 45 or 54 is specified instead of 18. An air vent has to be provided on the central heating pipework.
- single point connection: see chapter "Connection set & Valves" - set 81 or 82.
- electric heating element and mixed application: see "Parts & Options"

## CONNECTION SETS

### Connection set to the wall Jaga Danfoss double angled

TRV head and sleeve couplings included.




set <b>88</b>	<b>To the wall</b>	€
	CODE.DHR.CD.1...	<b>177,40</b>

fill in sleeve coupling code

- Precision metal tube 15/1 **115**
- Precision metal tube 16/1 **116**
- Precision metal tube 18/1 **118**
- RPE/ALU tube 16/2 **316**
- RPE/ALU tube 18/2 **318**

### Other connection sets and sleeve couplings

See chapter "Connection sets and valves" for all connection options and technical information.



Also available without gaps for towels, see [www.jaga.com](http://www.jaga.com)

## ACCOLADE SANI



code	height	length	colour	conn.
<b>ACSW . 089</b>	<b>050</b>	<b>. XXX</b>	<b>/18</b>	
fill in colour code —				

	Watts	Watts	€	€
	<b>75/65</b>	<b>55/45</b>	st. colour	other

<b>L</b>	<b>H 089</b>			
<b>050</b>	502	260	<b>585,20</b>	<b>702,20</b>
<b>065</b>	629	325	<b>688,70</b>	<b>826,30</b>
<b>080</b>	756	391	<b>718,30</b>	<b>862,10</b>
<b>095</b>	883	457	<b>757,70</b>	<b>909,30</b>

<b>L</b>	<b>H 122</b>			
<b>050</b>	688	355	<b>744,50</b>	<b>893,40</b>
<b>065</b>	882	457	<b>793,30</b>	<b>951,90</b>
<b>080</b>	1075	559	<b>843,10</b>	<b>1011,70</b>
<b>095</b>	1269	661	<b>892,30</b>	<b>1070,70</b>


<b>L</b>	<b>H 153</b>			
<b>050</b>	827	425	<b>834,30</b>	<b>1001,10</b>
<b>065</b>	1065	552	<b>888,80</b>	<b>1066,60</b>
<b>080</b>	1303	680	<b>944,70</b>	<b>1133,60</b>
<b>095</b>	1542	808	<b>999,20</b>	<b>1199,10</b>

<b>L</b>	<b>H 181</b>			
<b>050</b>	982	503	<b>917,10</b>	<b>1100,40</b>
<b>065</b>	1263	656	<b>980,30</b>	<b>1176,20</b>
<b>080</b>	1545	809	<b>1049,70</b>	<b>1259,60</b>
<b>095</b>	1826	962	<b>1119,60</b>	<b>1343,40</b>

<b>L</b>	<b>H 215</b>			
<b>050</b>	1171	598	<b>1063,60</b>	<b>1276,20</b>
<b>065</b>	1494	777	<b>1157,60</b>	<b>1389,10</b>
<b>080</b>	1818	957	<b>1250,90</b>	<b>1501,00</b>
<b>095</b>	2141	1136	<b>1344,50</b>	<b>1613,40</b>

EN442 output at 20°C room temperature





Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1 January 2019.  
Replaces all existing price lists.