



**jaga**



*Eyecatchers*

**IGUANA APLANO**

€ 2019.EX



# IGUANA APLANO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Aplano the slim triangular radiant pipes are placed alongside each other in a flat plane. Elegant simplicity with a frivolous touch. Also available as "Plus" version for low flow temperatures.



Top 10  
Design  
Award  
Winner  
2000

ISH 1999  
DESIGN PLUS  
Special Honorary Prize

**IGUANA WITH TOWEL RACK:**  
combines functionality with a high heat efficiency.

**IGUANA APLANO**  
traffic white 333, optional towel rail



*Eyeatchers*

From design to art

# IGUANA APLANO




# IGUANA APLANO

DIMENSIONS (in cm)



## APLANO APLANO PLUS



### DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

### COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
  - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

### CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.



### CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

#### Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



<b>set 48</b>	<b>BRUSHED STAINLESS STEEL</b>	€
	CODE.PW3.PS.1...	<b>231,20</b>
<b>set 41</b>	<b>CHROME</b>	€
	CODE.PW3.AW.1...	<b>148,40</b>
	CODE.PW3.AC.1...	<b>162,60</b>

fill in sleeve coupling code


Precision metal tube 15/1	<b>115</b>
Precision metal tube 16/1	<b>116</b>
Precision metal tube 18/1	<b>118</b>
RPE/ALU tube 16/2	<b>316</b>
RPE/ALU tube 18/2	<b>318</b>

#### Other connections:

See chapter "Connection sets and valves" for all connection options and technical information

### OPTIONS

#### Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
<b>Towel rail</b>			
9087.033560	56	41-52-63-74-85	<b>216,70</b>
9087.033660	66	63-74-85	<b>216,70</b>



CODE	L	L radiator	€
<b>Hat rack</b>			
9087.034560	56	41-52-63-74-85	<b>249,70</b>
9087.034660	66	63-74-85	<b>249,70</b>



# IGUANA APLANO



## APLANO

code	height	length	colour	conn.
<b>APLW .</b>	<b>180</b>	<b>030 .</b>	<b>XXX</b>	<b>/MM</b>
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
<b>L H 180</b>				
030	700	352	480,60	576,60
041	954	480	627,20	752,60
052	1208	608	775,30	930,50
063	1463	736	922,40	1106,90
074	1717	864	1068,80	1282,50
085	1972	992	1216,00	1459,10
<b>L H 192</b>				
030	733	369	499,10	598,90
041	999	503	652,60	783,10
052	1265	637	805,10	966,10
063	1532	772	958,40	1150,00
074	1798	906	1112,60	1334,90
085	2065	1040	1265,90	1518,90
<b>L H 200</b>				
030	754	380	510,40	612,50
041	1028	519	668,10	801,50
052	1302	657	826,20	991,50
063	1576	795	982,70	1179,20
074	1850	934	1141,10	1369,30
085	2124	1072	1298,80	1558,40
<b>L H 220</b>				
030	804	407	539,40	647,40
041	1097	555	707,70	849,30
052	1389	703	876,20	1051,30
063	1681	850	1045,70	1254,80
074	1974	999	1213,90	1456,70
085	2266	1146	1382,10	1658,50
<b>L H 240</b>				
030	851	432	568,70	682,30
041	1161	589	748,40	897,80
052	1471	746	927,20	1112,60
063	1780	903	1106,70	1327,90
074	2090	1061	1286,00	1543,20
085	2399	1217	1464,90	1758,00


## APLANO PLUS

code	height	length	colour	conn.
<b>APPW .</b>	<b>180</b>	<b>030 .</b>	<b>XXX</b>	<b>/MM</b>
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
<b>L H 180</b>				
030	964	465	624,80	749,60
041	1314	634	815,20	978,30
052	1664	802	1007,80	1209,40
063	2015	972	1199,00	1438,70
074	2365	1140	1389,40	1667,30
085	2716	1310	1580,70	1896,80
<b>L H 192</b>				
030	997	480	648,90	778,60
041	1359	655	848,40	1018,20
052	1721	829	1046,40	1255,80
063	2084	1004	1246,00	1495,20
074	2446	1179	1446,10	1735,30
085	2809	1354	1645,70	1974,80
<b>L H 200</b>				
030	1018	491	663,50	796,20
041	1388	669	868,50	1042,20
052	1758	847	1074,20	1289,00
063	2128	1026	1277,60	1533,20
074	2498	1204	1483,20	1780,10
085	2868	1382	1688,40	2026,00
<b>L H 220</b>				
030	1070	515	701,30	841,60
041	1460	703	920,10	1104,00
052	1849	891	1138,90	1366,90
063	2238	1078	1359,20	1631,10
074	2627	1265	1578,10	1893,60
085	3016	1453	1796,90	2156,30
<b>L H 240</b>				
030	1121	539	739,20	887,00
041	1529	736	972,60	1167,20
052	1936	932	1205,20	1446,10
063	2344	1128	1438,60	1726,20
074	2751	1324	1671,70	2006,10
085	3159	1520	1904,40	2285,40

EN442 output at 20°C room temperature





Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1 January 2019.  
Replaces all existing price lists.