

# jaga

CLIMATE DESIGNERS

Heating 

IGUANA CIRCO WALL € 2020.EX



# jaga

CLIMATE DESIGNERS

## IGUANA CIRCO WALL

A child's drawing of the sun.

Inspired by a child's drawing, the Iguana Circo is an interpretation of the brightly shining sun, transformed into a fully functional work of art. Iguana has the essential, natural yet light hearted touch that creates a feeling of real warmth in its modern design. It's heating straight from the soul. Iguana Circo was the first "sun radiator". Available as a wall model, freestanding or to assemble around architectural columns.



Top 10  
Design  
Award  
Winner  
2000

ISH 1999  
DESIGN PLUS  
GUTTENBERG 2000

IGUANA CIRCO WALL traffic white 333






# IGUANA CIRCO WALL

# IGUANA CIRCO WALL

## DIMENSIONS (in cm)



| L    | C    | D    | E    |
|------|------|------|------|
| 27.8 | 7.4  | 14.2 | 7.7  |
| 31.3 | 10.8 | 15.7 | 9.6  |
| 34.8 | 14.4 | 17.7 | 11.5 |

## DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"

## COLOURS


Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
  - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

## CONNECTION

Top connection:  
specify code 45 or 54 instead of MM (1° number is flow).  
No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection:  
connection sets 41, 42, 48 or 49.  
Max. 2 radiators per heating ring.

## CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

### Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

**BRUSHED STAINLESS STEEL** €



CODE.PW3.PS.1... **238,00**

set 41

**CHROME** €



CODE.PW3.AW.1... **153,00**



CODE.PW3.AC.1... **167,00**

fill in sleeve coupling code


|                           |            |
|---------------------------|------------|
| Precision metal tube 15/1 | <b>115</b> |
| Precision metal tube 16/1 | <b>116</b> |
| Precision metal tube 18/1 | <b>118</b> |
| RPE/ALU tube 16/2         | <b>316</b> |
| RPE/ALU tube 18/2         | <b>318</b> |

### Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

## OPTIONS

### Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

| CODE              | L rad. | L  | D  | €             |
|-------------------|--------|----|----|---------------|
| <b>Towel rail</b> |        |    |    |               |
| 9087.013427       | ø 27   | 43 | 22 | <b>223,00</b> |
| 9087.013427       | ø 31   | 43 | 22 | <b>223,00</b> |
| 9087.013493       | ø 34   | 49 | 25 | <b>223,00</b> |
| <b>Hat rack</b>   |        |    |    |               |
| 9087.014427       | ø 27   | 43 | 22 | <b>257,00</b> |
| 9087.014427       | ø 31   | 43 | 22 | <b>257,00</b> |
| 9087.014493       | ø 34   | 49 | 25 | <b>257,00</b> |

### Connection set with guard

See "Connection sets and Valves" set 43 and 44.

Attention! floorboards need to be removed for the guard.

## CIRCO WALL

code height length colour conn.  
CIRW . 180 027 . XXX /MM  
fill in colour code —

|                | Watts<br>75/65 | Watts<br>55/45 | €<br>st. colour | €<br>other |
|----------------|----------------|----------------|-----------------|------------|
| <b>L H 180</b> |                |                |                 |            |
| 027            | 801            | 385            | 544,00          | 653,00     |
| 031            | 946            | 454            | 627,00          | 753,00     |
| 034            | 1092           | 524            | 711,00          | 853,00     |
| <b>L H 192</b> |                |                |                 |            |
| 027            | 854            | 414            | 565,00          | 679,00     |
| 031            | 1009           | 489            | 652,00          | 783,00     |
| 034            | 1164           | 564            | 740,00          | 888,00     |
| <b>L H 200</b> |                |                |                 |            |
| 027            | 887            | 433            | 578,00          | 694,00     |
| 031            | 1048           | 511            | 668,00          | 801,00     |
| 034            | 1209           | 590            | 757,00          | 908,00     |
| <b>L H 220</b> |                |                |                 |            |
| 027            | 961            | 476            | 611,00          | 734,00     |
| 031            | 1136           | 563            | 707,00          | 848,00     |
| 034            | 1311           | 649            | 802,00          | 962,00     |
| <b>L H 240</b> |                |                |                 |            |
| 027            | 1024           | 515            | 644,00          | 773,00     |
| 031            | 1210           | 609            | 746,00          | 895,00     |
| 034            | 1397           | 703            | 848,00          | 1018,00    |







**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
[export@jaga.com](mailto:export@jaga.com)

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1 January 2020.  
Replaces all existing price lists.