



**jaga**



*Eyecatchers*

**IGUANA CIRCO WALL**

€ 2019.EX



# IGUANA CIRCO WALL

A child's drawing of the sun.

Inspired by a child's drawing, the Iguana Circo is an interpretation of the brightly shining sun, transformed into a fully functional work of art. Iguana has the essential, natural yet light hearted touch that creates a feeling of real warmth in its modern design. It's heating straight from the soul. Iguana Circo was the first "sun radiator". Available as a wall model, freestanding or to assemble around architectural columns.



Top 10  
Design  
Award  
Winner  
2000

ISH 1999  
DESIGN PLUS  
LIFE HISTORY WINNER

IGUANA CIRCO WALL traffic white 333



*Eyeatchers*


From design to art

# IGUANA CIRCO WALL



# IGUANA CIRCO WALL

## DIMENSIONS (in cm)



L	C	D	E
27.8	7.4	14.2	7.7
31.3	10.8	15.7	9.6
34.8	14.4	17.7	11.5

## CIRCO WALL

code	height	length	colour	conn.
CIRW .	180	027 .	XXX /MM	
<i>fill in colour code</i>				

L	H 180	Watts	Watts	€	€
		75/65	55/45	st. colour	other
027		801	385	528,40	634,10
031		946	454	609,20	731,10
034		1092	524	690,20	828,40
L	H 192				
027		854	414	548,90	658,80
031		1009	489	633,40	760,10
034		1164	564	718,10	861,70
L	H 200				
027		887	433	561,30	673,40
031		1048	511	648,20	777,90
034		1209	590	735,00	881,90
L	H 220				
027		961	476	593,40	712,20
031		1136	563	686,20	823,50
034		1311	649	778,50	934,20
L	H 240				
027		1024	515	625,50	750,60
031		1210	609	724,30	868,90
034		1397	703	823,60	988,20

## DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.


Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic

Other colours: see colour chart.

## CONNECTION

Top connection:  
specify code 45 or 54 instead of MM (1° number is flow).  
No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection:  
connection sets 41, 42, 48 or 49.  
Max. 2 radiators per heating ring.

## CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

### Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



<b>set 48</b>	<b>BRUSHED STAINLESS STEEL</b>	€
	CODE.PW3.PS.1...	<b>231,20</b>
<b>set 41</b>	<b>CHROME</b>	€
	CODE.PW3.AW.1...	<b>148,40</b>
	CODE.PW3.AC.1...	<b>162,60</b>

*fill in sleeve coupling code*


Precision metal tube 15/1	<b>115</b>
Precision metal tube 16/1	<b>116</b>
Precision metal tube 18/1	<b>118</b>
RPE/ALU tube 16/2	<b>316</b>
RPE/ALU tube 18/2	<b>318</b>

### Other connections

See chapter "Connection sets and valves" for all connection options and technical information

## OPTIONS

### Towel rail / hat rack in chrome-plated aluminium



*Hat rack consists of a towel rail and 5 coat hooks*

CODE	L rad.	L	D	€
<b>Towel rail</b>				
9087.013427	ø 27	43	22	<b>216,70</b>
9087.013427	ø 31	43	22	<b>216,70</b>
9087.013493	ø 34	49	25	<b>216,70</b>
<b>Hat rack</b>				
9087.014427	ø 27	43	22	<b>249,70</b>
9087.014427	ø 31	43	22	<b>249,70</b>
9087.014493	ø 34	49	25	<b>249,70</b>

### Connection set with guard


See "Connection sets and Valves" set 43 and 44.


Attention! floorboards need to be removed for the guard.

EURONORM  
EN 442 75/65 55/45

**IGUANA WITH  
TOWEL RACK:**

combines functionality with a  
high heat efficiency.





Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from 1 January 2019.  
Replaces all existing price lists.